

**Updated 7/8/10**

**Qualifying gas combi models must have a heavy-load (chicken) cooking-energy efficiency  $\geq$  40% per ASTM F1639.**

**Qualifying electric combi models must have a heavy-load (chicken) cooking-energy efficiency  $\geq$  60% per ASTM F1639.**

List effective as of January 1, 2010. NOTE: Program criteria are subject to change. Check your utility rebate application for terms and conditions, and effective program dates.

Company Name (Website)	Model Name	Model Number	Fuel Type	Energy Efficiency (%)	Idle Energy Rate (Btu/h or kW)	Water Use (gph)	Additional Models Represented	Rebate (per unit)
<b>Alto-Shaam</b> (www.alto-shaam.com)	<b>Combitherm</b>	<b>ML7-14</b>	<b>Gas</b>	<b>54%</b>	<b>15,700</b>	<b>19.0</b>	<b>6-10ESG-14GASML 7-14ESG 7-14ML 10-10ESG 10-20ESG 12-18ESG 20-20ESG</b>	<b>\$750</b>
<b>Blodgett</b> (www.blodgett.com)	<b>Blodgett</b>	<b>BCX-14G</b>	<b>Gas</b>	<b>40%</b>	<b>35,666</b>	<b>1.5</b>	-	<b>\$750</b>
<b>Blodgett</b> (www.blodgett.com)	<b>Blodgett</b>	<b>BX-14G</b>	<b>Gas</b>	<b>51%</b>	<b>13,480</b>	<b>0.5</b>	-	<b>\$750</b>
<b>Cleveland</b> (www.clevelandrange.com)	<b>Convotherm with Generator</b>	<b>OGB-6.20</b>	<b>Gas</b>	<b>67%</b>	<b>4,562</b>	<b>18.3</b>	<b>OGB-6.10 OGB-10.10 OGB-10.20 OGB-12.20 OGB-20.10 OGB-20.20</b>	<b>\$750</b>
<b>Cleveland</b> (www.clevelandrange.com)	<b>Convotherm Boilerless</b>	<b>OGS-6.20</b>	<b>Gas</b>	<b>49%</b>	<b>10,530</b>	<b>18.3</b>	<b>OGS-6.10 OGS-10.10 OGS-10.20 OGS-12.20 OGS-20.10 OGS-20.20</b>	<b>\$750</b>

Note: Data based on applying ASTM F1639-revised July 2008

N/A = Data Not Available

**Updated 7/8/10**

Qualifying gas combi models must have a heavy-load (chicken) cooking-energy efficiency  $\geq 40\%$  per ASTM F1639.

Qualifying electric combi models must have a heavy-load (chicken) cooking-energy efficiency  $\geq 60\%$  per ASTM F1639.

List effective as of January 1, 2010. NOTE: Program criteria are subject to change. Check your utility rebate application for terms and conditions, and effective program dates.

Company Name (Website)	Model Name	Model Number	Fuel Type	Energy Efficiency (%)	Idle Energy Rate (Btu/h or kW)	Water Use (gph)	Additional Models Represented	Rebate (per unit)
<b>Electrolux</b> (professional.electroluxusa.com)	<b>Air-O-Steam</b>	<b>O 260148</b>	<b>Gas</b>	<b>45%</b>	<b>16,456</b>	<b>26.6</b>	<b>O 260149 O 260150 O 260151 O 260152</b>	<b>\$750</b>
<b>Eloma</b> (www.eloma.com)	<b>Genius</b>	<b>T 611</b>	<b>Gas</b>	<b>50%</b>	<b>N/A</b>	<b>0.8</b>	<b>T 1011 T 12-21 T 2011 T 2022</b>	<b>\$750</b>
<b>Henny Penny</b> (www.hennypenny.com)	<b>ClassicCombi</b>	<b>GCC-61</b>	<b>Gas</b>	<b>56%</b>	<b>10,176</b>	<b>4.5</b>	<b>GCC-11 GCC-12 GCC-21 GCC-22 GCC-62</b>	<b>\$750</b>
<b>Henny Penny</b> (www.hennypenny.com)	<b>SmartCombi</b>	<b>GSC-61</b>	<b>Gas</b>	<b>53%</b>	<b>12,285</b>	<b>5.7</b>	<b>GSC-11 GSC-12 GSC-21 GSC-22 GSC-62</b>	<b>\$750</b>
<b>Lainox</b> (www.lainox.com)	<b>The Cube</b>	<b>MG 102</b>	<b>Gas</b>	<b>45%</b>	<b>80,813</b>	<b>17.5</b>	<b>MG 061 MG 101 MG 201 MG 202</b>	<b>\$750</b>

Note: Data based on applying ASTM F1639-revised July 2008

N/A = Data Not Available

**Updated 7/8/10**

Qualifying gas combi models must have a heavy-load (chicken) cooking-energy efficiency  $\geq 40\%$  per ASTM F1639.

Qualifying electric combi models must have a heavy-load (chicken) cooking-energy efficiency  $\geq 60\%$  per ASTM F1639.

List effective as of January 1, 2010. NOTE: Program criteria are subject to change. Check your utility rebate application for terms and conditions, and effective program dates.

Company Name (Website)	Model Name	Model Number	Fuel Type	Energy Efficiency (%)	Idle Energy Rate (Btu/h or kW)	Water Use (gph)	Additional Models Represented	Rebate (per unit)
<b>Piper Products</b> (www.piperonline.net)	<b>Chef System</b>	<b>MG 102</b>	<b>Gas</b>	<b>45%</b>	<b>80,813</b>	<b>17.5</b>	<b>MG 061 MG 101 MG 201 MG 202</b>	<b>\$750</b>
<b>Rational</b> (www.rationalusa.com)	<b>SelfCooking Center</b>	<b>SCC 62G</b>	<b>Gas</b>	<b>50%</b>	<b>34,260</b>	<b>19.8</b>	<b>SCC 61G SCC 101G SCC 102G SCC 201G SCC 202G</b>	<b>\$750</b>
<b>Alto-Shaam</b> (www.alto-shaam.com)	<b>Combitherm (with Boiler)</b>	<b>7-14ES</b>	<b>Electric</b>	<b>79%</b>	<b>2</b>	<b>17.8</b>	<b>6-10ES 10-10ES 10-20ES 12-18ES 12-20ES 20-20ES</b>	<b>\$1,000</b>
<b>Alto-Shaam</b> (www.alto-shaam.com)	<b>Combitherm (Boiler-Free)</b>	<b>7-14ESI</b>	<b>Electric</b>	<b>82%</b>	<b>2</b>	<b>10.3</b>	<b>6-10ESI 10-10ESI 10-10ESI 10-18ESI 12-20ESI 20-20ESI</b>	<b>\$1,000</b>
<b>Blodgett</b> (www.blodgett.com)	<b>Blodgett</b>	<b>BCX-14E</b>	<b>Electric</b>	<b>63%</b>	<b>6</b>	<b>3.6</b>	<b>-</b>	<b>\$1,000</b>

Note: Data based on applying ASTM F1639-revised July 2008

N/A = Data Not Available

**Updated 7/8/10**

Qualifying gas combi models must have a heavy-load (chicken) cooking-energy efficiency  $\geq 40\%$  per ASTM F1639.

Qualifying electric combi models must have a heavy-load (chicken) cooking-energy efficiency  $\geq 60\%$  per ASTM F1639.

List effective as of January 1, 2010. NOTE: Program criteria are subject to change. Check your utility rebate application for terms and conditions, and effective program dates.

Company Name (Website)	Model Name	Model Number	Fuel Type	Energy Efficiency (%)	Idle Energy Rate (Btu/h or kW)	Water Use (gph)	Additional Models Represented	Rebate (per unit)
<b>Blodgett</b> (www.blodgett.com)	<b>Blodgett</b>	<b>BX-14E</b>	<b>Electric</b>	<b>72%</b>	<b>3</b>	<b>1.7</b>	-	<b>\$1,000</b>
<b>BKI</b> (www.bkideas.com)	-	<b>1.06</b>	<b>Electric</b>	<b>70%</b>	<b>2</b>	<b>0.5</b>	<b>1.10</b> <b>2.10</b> <b>2.14</b>	<b>\$1,000</b>
<b>Cadco</b> (www.cadco-ltd.com)	-	<b>CAPO-603</b>	<b>Electric</b>	<b>70%</b>	<b>4</b>	<b>0.9</b>	-	<b>\$1,000</b>
<b>Cleveland</b> (www.clevelandrange.com)	<b>Convotherm with Generator</b>	<b>OEB-6.20</b>	<b>Electric</b>	<b>69%</b>	<b>2</b>	<b>11.1</b>	<b>OEB-6.10</b> <b>OEB-10.10</b> <b>OEB-10.20</b> <b>OEB-12.20</b> <b>OEB-20.10</b> <b>OEB-20.20</b>	<b>\$1,000</b>
<b>Cleveland</b> (www.clevelandrange.com)	<b>Convotherm Boilerless</b>	<b>OES-6.20</b>	<b>Electric</b>	<b>61%</b>	<b>3</b>	<b>4.9</b>	<b>OES-6.10</b> <b>OES-10.10</b> <b>OES-10.20</b> <b>OES-12.20</b> <b>OES-20.10</b> <b>OES-20.20</b>	<b>\$1,000</b>
<b>Eloma</b> (www.eloma.com)	<b>Genius</b>	<b>Genius 6-11</b>	<b>Electric</b>	<b>74%</b>	<b>5</b>	<b>9.8</b>	-	<b>\$1,000</b>

Note: Data based on applying ASTM F1639-revised July 2008

N/A = Data Not Available

**Updated 7/8/10**

Qualifying gas combi models must have a heavy-load (chicken) cooking-energy efficiency  $\geq 40\%$  per ASTM F1639.

Qualifying electric combi models must have a heavy-load (chicken) cooking-energy efficiency  $\geq 60\%$  per ASTM F1639.

List effective as of January 1, 2010. NOTE: Program criteria are subject to change. Check your utility rebate application for terms and conditions, and effective program dates.

Company Name (Website)	Model Name	Model Number	Fuel Type	Energy Efficiency (%)	Idle Energy Rate (Btu/h or kW)	Water Use (gph)	Additional Models Represented	Rebate (per unit)
<b>Henny Penny</b> (www.hennypenny.com)	<b>ClassicCombi</b>	<b>ECC-61</b>	<b>Electric</b>	<b>82%</b>	<b>3</b>	<b>2.1</b>	<b>ECC-11 ECC-12 ECC-21 ECC-22 ECC-62</b>	<b>\$1,000</b>
<b>Henny Penny</b> (www.hennypenny.com)	<b>SmartCombi</b>	<b>ESC-61</b>	<b>Electric</b>	<b>66%</b>	<b>3</b>	<b>1.8</b>	<b>ESC-11 ESC-12 ESC-21 ESC-22 ESC-62</b>	<b>\$1,000</b>
<b>Hobart</b> (www.hobartcorp.com)	-	<b>CE6HD</b>	<b>Electric</b>	<b>69%</b>	<b>6</b>	<b>3.6</b>	<b>CE10HD CE10FD CE20HD CE20FD</b>	<b>\$1,000</b>
<b>Piper Products</b> (www.piperonline.net)	<b>Chef System</b>	<b>HME 061</b>	<b>Electric</b>	<b>79%</b>	<b>3</b>	<b>3.8</b>	<b>HME072 HME101 HME102 HME142 HME201 HME202</b>	<b>\$1,000</b>

Note: Data based on applying ASTM F1639-revised July 2008

N/A = Data Not Available

**Updated 7/8/10**

Qualifying gas combi models must have a heavy-load (chicken) cooking-energy efficiency  $\geq 40\%$  per ASTM F1639.

Qualifying electric combi models must have a heavy-load (chicken) cooking-energy efficiency  $\geq 60\%$  per ASTM F1639.

List effective as of January 1, 2010. NOTE: Program criteria are subject to change. Check your utility rebate application for terms and conditions, and effective program dates.


Company Name (Website)	Model Name	Model Number	Fuel Type	Energy Efficiency (%)	Idle Energy Rate (Btu/h or kW)	Water Use (gph)	Additional Models Represented	Rebate (per unit)
Rational (www.rationalusa.com)	SelfCooking Center	SCC 62E	Electric	67%	N/A	11.7	SCC 61E SCC 101E SCC 102E SCC 201E SCC 202E	\$1,000

Note: Data based on applying ASTM F1639-revised July 2008

N/A = Data Not Available

**Updated 7/8/10**

Qualifying full-size gas convection oven models must have a tested heavy load cooking energy efficiency  $\geq 44\%$  and idle rate  $\leq 13,000$  Btu/h utilizing ASTM Standard F1496. Qualifying full-size electric convection oven models must have a tested heavy load potato cooking energy efficiency  $\geq 70\%$  and idle rate  $\leq 1.6$  kW utilizing ASTM Standard F1496. The half-size electric oven must have a tested heavy load potato cooking energy efficiency  $\geq 70\%$  and idle rate  $\leq 1.0$  kW utilizing ASTM Standard F1496. List effective as of January 1, 2010. Check your utility rebate application for terms and conditions, and effective program dates.


 Company Name (Website)	Model Name	Model Number	Fuel Type	Energy Efficiency (%)	Idle Energy Rate (Btu/h or kW)	Production Capacity (lb/h)	Additional Models Represented	Rebate (per cavity)*
<b>Blodgett</b> (www.blodgett.com)	-	DFG100	Gas	44%	12,160	84	DFG100 Double	\$500
<b>Blodgett</b> (www.blodgett.com)	-	DFG200	Gas	44%	12,280	99	DFG200 Double	\$500
<b>Blodgett</b> (www.blodgett.com)	-	SHO-G	Gas	44%	12,542	N/A	SHO-G Double	\$500
<b>Blodgett</b> (www.blodgett.com)	Zephaire-G	Zephaire-G	Gas	44%	12,283	N/A	Zephaire-G Double	\$500
<b>Blodgett</b> (www.blodgett.com)	Zephaire-240G Plus	Zephaire-240G Plus	Gas	44%	10,959	N/A	-	\$500
<b>Duke Manufacturing</b> (www.dukemfg.com)	613 Series	613-G1	Gas	54%	12,280	85	613-G2 613Q-G1 613Q-G2	\$500
<b>Duke Manufacturing</b> (www.dukemfg.com)	E Series	E101-G	Gas	55%	12,091	N/A	E102-G	\$500
<b>Electrolux</b> (professional.electroluxusa.com)	Air-O-Convect	62	Gas	51%	6,702	97	-	\$500
<b>Hobart</b> (www.hobartcorp.com)	DGC5 Series	DGC5	Gas	46%	11,850	80	DGC5	\$500
<b>Hobart</b> (www.hobartcorp.com)	HGC Series	HGC5	Gas	46%	11,850	80	HGC502	\$500
<b>Moffat</b> (www.moffat.com)	TurboFan	G32MS	Gas	47%	12,300	40	-	\$500
<b>Montague</b> (www.montaguecompany.com)	Vectaire HX	HX-63A	Gas	44%	12,900	71	HX2-63	\$500
<b>Royal Range</b> (www.royalranges.com)	-	RCOS-1	Gas	45%	12,540	N/A	RCOS-2	\$500
<b>Southbend</b> (www.southbendnc.com)	Bronze Series	BG-12	Gas	47%	12,145	N/A	BG-22	\$500
<b>Southbend</b> (www.southbendnc.com)	Marathoner Gold	GS-15	Gas	46%	12,145	N/A	GS-25	\$500

Note: Data based on applying ASTM F-1496  
N/A = Data Not Available

\*Rebate amount is calculated per oven cavity.  
Double-stacked ovens qualify for a double rebate.

**Updated 7/8/10**

Qualifying full-size gas convection oven models must have a tested heavy load cooking energy efficiency  $\geq 44\%$  and idle rate  $\leq 13,000$  Btu/h utilizing ASTM Standard F1496. Qualifying full-size electric convection oven models must have a tested heavy load potato cooking energy efficiency  $\geq 70\%$  and idle rate  $\leq 1.6$  kW utilizing ASTM Standard F1496. The half-size electric oven must have a tested heavy load potato cooking energy efficiency  $\geq 70\%$  and idle rate  $\leq 1.0$  kW utilizing ASTM Standard F1496. List effective as of January 1, 2010. Check your utility rebate application for terms and conditions, and effective program dates.


 Company Name (Website)	Model Name	Model Number	Fuel Type	Energy Efficiency (%)	Idle Energy Rate (Btu/h or kW)	Production Capacity (lb/h)	Additional Models Represented	Rebate (per cavity)*
<b>Southbend</b> (www.southbendnc.com)	<b>Silver Star</b>	<b>SLGS-12</b>	<b>Gas</b>	<b>46%</b>	<b>12,145</b>	<b>N/A</b>	<b>SLGS-22</b>	<b>\$500</b>
<b>Vulcan</b> (www.vulcanhart.com)	<b>SG Series</b>	<b>SG4D</b>	<b>Gas</b>	<b>48%</b>	<b>11,360</b>	<b>89</b>	<b>SG44D</b>	<b>\$500</b>
<b>Vulcan</b> (www.vulcanhart.com)	<b>VC Series</b>	<b>VC4G</b>	<b>Gas</b>	<b>47%</b>	<b>11,850</b>	<b>80</b>	<b>VC44G VC4GD VC44GD</b>	<b>\$500</b>
<b>Vulcan</b> (www.vulcanhart.com)	<b>VC Series</b>	<b>VC6G</b>	<b>Gas</b>	<b>46%</b>	<b>11,097</b>	<b>90</b>	<b>VC66G VC6GD VC66GD</b>	<b>\$500</b>
<b>Wolf</b> (www.wolfrange.com)	<b>WKG Series</b>	<b>WKGD1</b>	<b>Gas</b>	<b>46%</b>	<b>11,850</b>	<b>80</b>	<b>WKGD2</b>	<b>\$500</b>
<b>Wolf</b> (www.wolfrange.com)	<b>WLGO Series</b>	<b>WLGO</b>	<b>Gas</b>	<b>46%</b>	<b>11,850</b>	<b>N/A</b>	<b>WLGO2</b>	<b>\$500</b>
<b>Alto-Shaam</b> (www.alto-shaam.com)	<b>Platinum Series</b>	<b>ASC-4E</b>	<b>Electric</b>	<b>72%</b>	<b>1.2</b>	<b>N/A</b>	<b>2-ASC-4E</b>	<b>\$350</b>
<b>Alto-Shaam</b> (www.alto-shaam.com)	<b>Platinum Series</b>	<b>ASC-2E</b>	<b>Electric</b>	<b>71%</b>	<b>0.8</b>	<b>N/A</b>	<b>-</b>	<b>\$350</b>
<b>Blodgett</b> (www.blodgett.com)	<b>Mark-V</b>	<b>MK111</b>	<b>Electric</b>	<b>71%</b>	<b>1.5</b>	<b>N/A</b>	<b>-</b>	<b>\$350</b>
<b>Blodgett</b> (www.blodgett.com)	<b>Xcel 50</b>	<b>XL-50E</b>	<b>Electric</b>	<b>74%</b>	<b>0.6</b>	<b>51</b>	<b>XCEL-50EC EXCEL-50EC</b>	<b>\$350</b>
<b>Blodgett</b> (www.blodgett.com)	<b>Zephaire-E</b>	<b>Zephaire E</b>	<b>Electric</b>	<b>71%</b>	<b>1.6</b>	<b>N/A</b>	<b>Zephaire E Double</b>	<b>\$350</b>
<b>Imperial</b> (www.imperialrange.com)	<b>-</b>	<b>ICVE</b>	<b>Electric</b>	<b>72%</b>	<b>1.6</b>	<b>85</b>	<b>ICVE-2</b>	<b>\$350</b>

Note: Data based on applying ASTM F-1496  
N/A = Data Not Available

\*Rebate amount is calculated per oven cavity.  
Double-stacked ovens qualify for a double rebate.

**Updated 7/8/10**

Qualifying full-size gas convection oven models must have a tested heavy load cooking energy efficiency  $\geq 44\%$  and idle rate  $\leq 13,000$  Btu/h utilizing ASTM Standard F1496. Qualifying full-size electric convection oven models must have a tested heavy load potato cooking energy efficiency  $\geq 70\%$  and idle rate  $\leq 1.6$  kW utilizing ASTM Standard F1496. The half-size electric oven must have a tested heavy load potato cooking energy efficiency  $\geq 70\%$  and idle rate  $\leq 1.0$  kW utilizing ASTM Standard F1496. List effective as of January 1, 2010. Check your utility rebate application for terms and conditions, and effective program dates.

 <b>Company Name</b> (Website)	<b>Model Name</b>	<b>Model Number</b>	<b>Fuel Type</b>	<b>Energy Efficiency (%)</b>	<b>Idle Energy Rate (Btu/h or kW)</b>	<b>Production Capacity (lb/h)</b>	<b>Additional Models Represented</b>	<b>Rebate (per cavity)*</b>
<b>Star Manufacturing</b> (www.langworld.com)	<b>ChefSeries</b>	<b>ECSF-ES</b>	<b>Electric</b>	<b>76%</b>	<b>1.6</b>	<b>96</b>	<b>OCEFS_1</b> <b>OCEFS_2</b> <b>ECSF-ES1</b> <b>ECSF-ES2</b> <b>ECSF-EZ</b>	<b>\$350</b>
<b>Star Manufacturing</b> (www.langworld.com)	<b>LANG</b>	<b>ECOH-AP</b>	<b>Electric</b>	<b>77%</b>	<b>1.0</b>	<b>N/A</b>	<b>ECOH-PP</b> <b>ECOH-PT</b> <b>ECOD-C</b>	<b>\$350</b>
<b>Star Manufacturing</b> (www.langworld.com)	<b>LANG</b>	<b>ECOD-AP</b>	<b>Electric</b>	<b>75%</b>	<b>1.5</b>	<b>N/A</b>	<b>ECOD-S</b> <b>ECOD-AT</b> <b>ECOD-PP</b> <b>ECOD-PT</b>	<b>\$350</b>
<b>Star Manufacturing</b> (www.langworld.com)	<b>LANG</b>	<b>ECOF-AT</b>	<b>Electric</b>	<b>74%</b>	<b>1.5</b>	<b>N/A</b>	<b>ECOF-C</b> <b>ECOF-S</b> <b>ECOF-PP</b> <b>ECOF-PT</b>	<b>\$350</b>
<b>Moffat</b> (www.moffat.com)	<b>TurboFan</b>	<b>E32MS</b>	<b>Electric</b>	<b>80%</b>	<b>0.8</b>	<b>77</b>	<b>E32MS/2</b>	<b>\$350</b>
<b>Moffat</b> (www.moffat.com)	<b>TurboFan</b>	<b>E35MS</b>	<b>Electric</b>	<b>70%</b>	<b>1.6</b>	<b>101</b>	<b>E35MS/2</b>	<b>\$350</b>
<b>Southbend</b> (www.southbendnc.com)	<b>Marathoner Gold</b>	<b>ES/10</b>	<b>Electric</b>	<b>82%</b>	<b>1.2</b>	<b>N/A</b>	<b>ES/20</b>	<b>\$350</b>
<b>Southbend</b> (www.southbendnc.com)	<b>Silver Star</b>	<b>SLES/10</b>	<b>Electric</b>	<b>80%</b>	<b>1.2</b>	<b>N/A</b>	<b>SLES/20</b>	<b>\$350</b>

Note: Data based on applying ASTM F-1496  
N/A = Data Not Available

\*Rebate amount is calculated per oven cavity.  
Double-stacked ovens qualify for a double rebate.

**Updated 7/8/10**

**Qualifying gas single rack oven models tested must meet or exceed baking energy efficiency of  $\geq 50\%$  utilizing ASTM Standard F2093.**

**Qualifying gas double rack oven models tested must meet or exceed baking energy efficiency of  $\geq 50\%$  utilizing ASTM Standard F2093.**

List effective as of January 1, 2010. Check your utility rebate application for terms and conditions, and effective program dates.

Company Name (Website)	Model Name	Model Number	Fuel Type	Energy Efficiency (%)	Idle Energy Rate (Btu/h)	Production Capacity (lb/h)	Additional Models Represented	Rebate (per oven)
<b>Adamatic Corporation</b> (www.adamatic.com)	<b>Adamatic</b>	<b>PRO2G</b>	<b>Gas</b>	<b>50</b>	<b>37,852</b>	<b>261</b>	<b>-</b>	<b>\$2,000</b>
<b>Baxter</b> (www.baxtermfg.com)	<b>Baxter</b>	<b>BXA2G</b>	<b>Gas</b>	<b>56</b>	<b>32,321</b>	<b>288</b>	<b>-</b>	<b>\$2,000</b>
<b>Baxter</b> (www.baxtermfg.com)	<b>Baxter</b>	<b>OV500G1</b>	<b>Gas</b>	<b>52</b>	<b>29,512</b>	<b>134</b>	<b>-</b>	<b>\$1,000</b>
<b>Baxter</b> (www.baxtermfg.com)	<b>Baxter</b>	<b>OV500G2</b>	<b>Gas</b>	<b>54</b>	<b>30,291</b>	<b>274</b>	<b>-</b>	<b>\$2,000</b>
<b>Sveba-Dahlen</b> (www.sveba-dahlen.se)	<b>Dahlen</b>	<b>V42</b>	<b>Gas</b>	<b>52</b>	<b>28,292</b>	<b>280</b>	<b>-</b>	<b>\$2,000</b>
<b>Gemini Bakery Equipment, Co.</b> (www.geminibe.com)	<b>Gemini</b>	<b>V42</b>	<b>Gas</b>	<b>52</b>	<b>28,292</b>	<b>280</b>	<b>-</b>	<b>\$2,000</b>
<b>LBC Bakery Equipment</b> (www.langbakery.com)	<b>LBC</b>	<b>LRO-2G</b>	<b>Gas</b>	<b>54</b>	<b>23,485</b>	<b>273</b>	<b>-</b>	<b>\$2,000</b>
<b>Hobart</b> (www.hobartcorp.com)	<b>Hobart</b>	<b>HBA-2G</b>	<b>Gas</b>	<b>56</b>	<b>32,321</b>	<b>288</b>	<b>-</b>	<b>\$2,000</b>
<b>Revent</b> (www.revent.se)	<b>Revent</b>	<b>724</b>	<b>Gas</b>	<b>62</b>	<b>26,030</b>	<b>289</b>	<b>-</b>	<b>\$2,000</b>
<b>TMB Baking</b> (www.tmbbaking.com)	<b>TMB Baking</b>	<b>XL2</b>	<b>Gas</b>	<b>53</b>	<b>35,890</b>	<b>294</b>	<b>-</b>	<b>\$2,000</b>

Note: Data based on applying ASTM F-2093

N/A = Data Not Available

Qualified Conveyor Ovens

**Updated 7/8/10**

Qualifying large gas conveyor oven models tested must meet or exceed baking energy efficiency of  $\geq 42\%$  and have an idle energy rate of  $\leq 57,000$  Btu/h, utilizing ASTM Standard F1817. Multiple-deck oven configurations are paid per qualifying oven deck.

Qualifying small gas conveyor oven models tested must meet or exceed baking energy efficiency of  $\geq 42\%$  and have an idle energy rate of  $\leq 29,000$  Btu/h, utilizing ASTM Standard F1817. Multiple-deck oven configurations are paid per qualifying oven deck.

List effective as of January 1, 2010. Check your utility rebate application for terms and conditions, and effective program dates.

Company Name (Website)	Model Name	Model Number	Conveyor Width (in.)	Fuel Type	Energy Efficiency (%)	Idle Rate (Btu/h)	Production Capacity (pizzas/h)	Rebate (per oven)*
Middleby (www.middleby.com)	-	PS570	32	Gas	47.4	40,600	219	\$750
	WOW	PS670	32	Gas	47.8	37,465	242	\$750
	WOW	PS770	32	Gas	47.8	37,465	242	\$750
	WOW	PS870	32	Gas	47.8	37,465	242	\$750
XLT (www.xltovens.com)	Quiet Fire	XLT 3255-TS3	32	Gas	42.0	41,700	170	\$750
	Quiet Fire	XLT 3855-TS3	38	Gas	45.4	45,004	230	\$750
	Quiet Fire	XLT 3270-TS3	32	Gas	46.9	46,017	254	\$750
	Quiet Fire	XLT 3870-TS3	38	Gas	43.9	56,500	253	\$750


Note: Data based on applying ASTM F-1817

N/A = Data Not Available

**Updated 7/8/10**

Qualifying electric fryer models must have a tested heavy load cooking energy efficiency of 80% utilizing ASTM Standard F1361. Qualifying gas fryer models must have a tested heavy load cooking energy efficiency of 50% utilizing ASTM Standard F1361. Multiple vat configurations are paid per qualifying vat.

List effective as of January 1, 2010. Check your utility rebate application for terms and conditions, and effective program dates.

 <b>Company Name</b> (Website)	<b>Model Name</b>	<b>Model Number</b>	<b>Fuel Type</b>	<b>Energy Efficiency (%)</b>	<b>Idle Energy Rate (Btu/h or kW)</b>	<b>Production Capacity (lb/h)</b>	<b>Rebate (per vat)*</b>
<b>Alto-Shaam</b> (www.alto-shaam.com)	-	<b>ASF-60G</b>	<b>Gas</b>	<b>66</b>	<b>4,072</b>	<b>82</b>	<b>\$500</b>
<b>Dean</b> (dean.enodis.com)	<b>Decathlon</b>	<b>HD*50G</b>	<b>Gas</b>	<b>52</b>	<b>8,386</b>	<b>72</b>	<b>\$500</b>
<b>Frymaster</b> (www.frymaster.com)	-	<b>BIH*55</b>	<b>Gas</b>	<b>55</b>	<b>5,604</b>	<b>69</b>	<b>\$500</b>
<b>Frymaster</b> (www.frymaster.com)	-	<b>FPH50</b>	<b>Gas</b>	<b>50</b>	<b>6,400</b>	<b>57</b>	<b>\$500</b>
<b>Frymaster</b> (www.frymaster.com)	-	<b>BK55C</b>	<b>Gas</b>	<b>55</b>	<b>5,604</b>	<b>69</b>	<b>\$500</b>
<b>Frymaster</b> (www.frymaster.com)	-	<b>BK55RC</b>	<b>Gas</b>	<b>55</b>	<b>5,604</b>	<b>69</b>	<b>\$500</b>
<b>Frymaster</b> (www.frymaster.com)	-	<b>BK*55C</b>	<b>Gas</b>	<b>55</b>	<b>5,604</b>	<b>69</b>	<b>\$500</b>
<b>Frymaster</b> (www.frymaster.com)	-	<b>BK*55RC</b>	<b>Gas</b>	<b>55</b>	<b>5,604</b>	<b>69</b>	<b>\$500</b>
<b>Frymaster</b> (www.frymaster.com)	-	<b>BKFP*55C</b>	<b>Gas</b>	<b>55</b>	<b>5,604</b>	<b>69</b>	<b>\$500</b>
<b>Frymaster</b> (www.frymaster.com)	-	<b>BKFP*55RC</b>	<b>Gas</b>	<b>55</b>	<b>5,604</b>	<b>69</b>	<b>\$500</b>
<b>Frymaster</b> (www.frymaster.com)	<b>Protector™</b>	<b>FPGL*30</b>	<b>Gas</b>	<b>56</b>	<b>4,382</b>	<b>68</b>	<b>\$500</b>
<b>Frymaster</b> (www.frymaster.com)	<b>LOV</b>	<b>BIGLA*30</b>	<b>Gas</b>	<b>56</b>	<b>4,382</b>	<b>68</b>	<b>\$500</b>
<b>Frymaster</b> (www.frymaster.com)	-	<b>H55</b>	<b>Gas</b>	<b>55</b>	<b>5,604</b>	<b>69</b>	<b>\$500</b>
<b>Frymaster</b> (www.frymaster.com)	-	<b>H*55</b>	<b>Gas</b>	<b>55</b>	<b>5,604</b>	<b>69</b>	<b>\$500</b>
<b>Frymaster</b> (www.frymaster.com)	-	<b>MJH*50</b>	<b>Gas</b>	<b>50</b>	<b>6,400</b>	<b>57</b>	<b>\$500</b>
<b>Frymaster</b> (www.frymaster.com)	-	<b>MPH*55</b>	<b>Gas</b>	<b>55</b>	<b>5,604</b>	<b>69</b>	<b>\$500</b>


Note: Data based on applying ASTM F1361  
N/A = Data Not Available

\*Denotes the number of fryers in a fryer battery.  
Rebates are paid per qualifying vat for multi-vat configurations.

**Updated 7/8/10**

Qualifying electric fryer models must have a tested heavy load cooking energy efficiency of 80% utilizing ASTM Standard F1361. Qualifying gas fryer models must have a tested heavy load cooking energy efficiency of 50% utilizing ASTM Standard F1361. Multiple vat configurations are paid per qualifying vat.

List effective as of January 1, 2010. Check your utility rebate application for terms and conditions, and effective program dates.

 Company Name (Website)	Model Name	Model Number	Fuel Type	Energy Efficiency (%)	Idle Energy Rate (Btu/h or kW)	Production Capacity (lb/h)	Rebate (per vat)*
<b>Frymaster</b> (www.frymaster.com)	-	<b>PMJH*50</b>	<b>Gas</b>	<b>50</b>	<b>6,400</b>	<b>57</b>	<b>\$500</b>
<b>Frymaster</b> (www.frymaster.com)	-	<b>YSCFH*14G</b>	<b>Gas</b>	<b>52</b>	<b>8,386</b>	<b>72</b>	<b>\$500</b>
<b>Henny Penny</b> (www.hennypenny.com)	-	<b>OFG-32*</b>	<b>Gas</b>	<b>50</b>	<b>7,040</b>	<b>62</b>	<b>\$500</b>
<b>Henny Penny</b> (www.hennypenny.com)	-	<b>OGA-32*</b>	<b>Gas</b>	<b>50</b>	<b>7,040</b>	<b>62</b>	<b>\$500</b>
<b>Henny Penny</b> (www.hennypenny.com)	-	<b>LVG</b>	<b>Gas</b>	<b>54</b>	<b>5,790</b>	<b>64</b>	<b>\$500</b>
<b>Henny Penny</b> (www.hennypenny.com)	<b>Evolution Elite</b>	<b>EEG-14*</b>	<b>Gas</b>	<b>54</b>	<b>5,790</b>	<b>64</b>	<b>\$500</b>
<b>Keating</b> (www.keatingofchicago.com)	<b>Incredible Frying Machine</b>	<b>IFM 14</b>	<b>Gas</b>	<b>57</b>	<b>4,700</b>	<b>57</b>	<b>\$500</b>
<b>Paloma</b> (http://www.palomaindustries.com/pl/)	-	<b>PF-*S</b>	<b>Gas</b>	<b>62</b>	<b>3,420</b>	<b>62</b>	<b>\$500</b>
<b>Pitco</b> (www.pitco.com)	-	<b>MGII</b>	<b>Gas</b>	<b>54</b>	<b>8,510</b>	<b>67</b>	<b>\$500</b>
<b>Pitco</b> (www.pitco.com)	-	<b>SGC</b>	<b>Gas</b>	<b>51</b>	<b>4,899</b>	<b>55</b>	<b>\$500</b>
<b>Pitco</b> (www.pitco.com)	-	<b>SGH50</b>	<b>Gas</b>	<b>54</b>	<b>8,510</b>	<b>67</b>	<b>\$500</b>
<b>Pitco</b> (www.pitco.com)	-	<b>BKSGH50SPC</b>	<b>Gas</b>	<b>54</b>	<b>8,510</b>	<b>67</b>	<b>\$500</b>
<b>Pitco</b> (www.pitco.com)	-	<b>SSH55 SFSSH55 SSHF55</b>	<b>Gas</b>	<b>55</b>	<b>8,140</b>	<b>72</b>	<b>\$500</b>
<b>Pitco</b> (www.pitco.com)	-	<b>SSH55R SFSSH55R SSHF55R</b>	<b>Gas</b>	<b>53</b>	<b>8,900</b>	<b>N/A</b>	<b>\$500</b>


Note: Data based on applying ASTM F1361  
N/A = Data Not Available

\*Denotes the number of fryers in a fryer battery.  
Rebates are paid per qualifying vat for multi-vat configurations.

**Updated 7/8/10**

Qualifying electric fryer models must have a tested heavy load cooking energy efficiency of 80% utilizing ASTM Standard F1361. Qualifying gas fryer models must have a tested heavy load cooking energy efficiency of 50% utilizing ASTM Standard F1361. Multiple vat configurations are paid per qualifying vat.

List effective as of January 1, 2010. Check your utility rebate application for terms and conditions, and effective program dates.

 <b>Company Name</b> (Website)	<b>Model Name</b>	<b>Model Number</b>	<b>Fuel Type</b>	<b>Energy Efficiency (%)</b>	<b>Idle Energy Rate (Btu/h or kW)</b>	<b>Production Capacity (lb/h)</b>	<b>Rebate (per vat)*</b>
<b>Pitco</b> (www.pitco.com)	-	SSH60 SFSSH60 SSHF60	Gas	59	8,705	76	\$500
<b>Pitco</b> (www.pitco.com)	-	SSH60R SFSSH60R SSHF60R	Gas	52	8,446	74	\$500
<b>Pitco</b> (www.pitco.com)	Frialator	VF35	Gas	53	7,262	N/A	\$500
<b>Ultrafryer Systems</b> (www.ultrafryer.com)	Par 3	C-P30-14	Gas	60	4,120	60	\$500
<b>Ultrafryer Systems</b> (www.ultrafryer.com)	-	PD-14	Gas	N/A	N/A	N/A	\$500
<b>Ultrafryer Systems</b> (www.ultrafryer.com)	Par 3	F-P30-14 B-P30-14	Gas	65	4,180	73	\$500
<b>Ultrafryer Systems</b> (www.ultrafryer.com)	Par 3	PDEX 1V 1-14	Gas	65	4,180	73	\$500
<b>Frymaster</b> (www.frymaster.com)	LOV	BIELA*14	Electric	86	0.79	68	\$200
<b>Frymaster</b> (www.frymaster.com)	-	BIRE*14	Electric	84	0.82	69	\$200
<b>Frymaster</b> (www.frymaster.com)	-	BK*14TC	Electric	87	0.77	N/A	\$200
<b>Frymaster</b> (www.frymaster.com)	-	BK*14TRC	Electric	87	0.77	N/A	\$200
<b>Frymaster</b> (www.frymaster.com)	-	BKFP*14TC	Electric	87	0.77	N/A	\$200
<b>Frymaster</b> (www.frymaster.com)	-	BKFP*14TRC	Electric	87	0.77	N/A	\$200
<b>Frymaster</b> (www.frymaster.com)	-	BK*17C	Electric	87	0.89	70	\$200
<b>Frymaster</b> (www.frymaster.com)	-	BK*17RC	Electric	87	0.89	70	\$200


Note: Data based on applying ASTM F1361  
N/A = Data Not Available

\*Denotes the number of fryers in a fryer battery.  
Rebates are paid per qualifying vat for multi-vat configurations.

**Updated 7/8/10**

Qualifying electric fryer models must have a tested heavy load cooking energy efficiency of 80% utilizing ASTM Standard F1361. Qualifying gas fryer models must have a tested heavy load cooking energy efficiency of 50% utilizing ASTM Standard F1361. Multiple vat configurations are paid per qualifying vat.

List effective as of January 1, 2010. Check your utility rebate application for terms and conditions, and effective program dates.

 Company Name (Website)	Model Name	Model Number	Fuel Type	Energy Efficiency (%)	Idle Energy Rate (Btu/h or kW)	Production Capacity (lb/h)	Rebate (per vat)*
<b>Frymaster</b> (www.frymaster.com)	-	<b>BKFP*17C</b>	Electric	87	0.89	70	\$200
<b>Frymaster</b> (www.frymaster.com)	-	<b>BKFP*17RC</b>	Electric	87	0.89	70	\$200
<b>Frymaster</b> (www.frymaster.com)	<b>Protector™</b>	<b>FPEL*14</b>	Electric	86	0.79	68	\$200
<b>Frymaster</b> (www.frymaster.com)	<b>Protector™</b>	<b>FPEL*17</b>	Electric	86	0.81	77	\$200
<b>Frymaster</b> (www.frymaster.com)	<b>Protector™</b>	<b>FPEL*22</b>	Electric	87	0.81	83	\$200
<b>Frymaster</b> (www.frymaster.com)	-	<b>H*14</b>	Electric	81	0.97	68	\$200
<b>Frymaster</b> (www.frymaster.com)	-	<b>H*17TC</b>	Electric	84	0.77	72	\$200
<b>Frymaster</b> (www.frymaster.com)	-	<b>RE*14</b>	Electric	84	0.82	69	\$200
<b>Frymaster</b> (www.frymaster.com)	-	<b>RE*14TC</b>	Electric	87	0.77	N/A	\$200
<b>Frymaster</b> (www.frymaster.com)	-	<b>RE*17</b>	Electric	87	0.89	70	\$200
<b>Frymaster</b> (www.frymaster.com)	-	<b>RE*17TC</b>	Electric	87	0.77	N/A	\$200
<b>Frymaster</b> (www.frymaster.com)	-	<b>RE*22</b>	Electric	84	0.86	76	\$200
<b>Frymaster</b> (www.frymaster.com)	-	<b>RE*22TC</b>	Electric	87	0.77	N/A	\$200
<b>Henny Penny</b> (www.hennypenny.com)	-	<b>LVE</b>	Electric	85	0.81	64	\$200
<b>Henny Penny</b> (www.hennypenny.com)	-	<b>LVE Split Vat</b>	Electric	81	0.92	NA	\$200
<b>Henny Penny</b> (www.hennypenny.com)	<b>Evolution Elite</b>	<b>EEE-14*</b>	Electric	85	0.81	64	\$200


Note: Data based on applying ASTM F1361  
N/A = Data Not Available

\*Denotes the number of fryers in a fryer battery.  
Rebates are paid per qualifying vat for multi-vat configurations.

**Updated 7/8/10**

Qualifying electric fryer models must have a tested heavy load cooking energy efficiency of 80% utilizing ASTM Standard F1361. Qualifying gas fryer models must have a tested heavy load cooking energy efficiency of 50% utilizing ASTM Standard F1361. Multiple vat configurations are paid per qualifying vat.

List effective as of January 1, 2010. Check your utility rebate application for terms and conditions, and effective program dates.

 <b>Company Name</b> (Website)	<b>Model Name</b>	<b>Model Number</b>	<b>Fuel Type</b>	<b>Energy Efficiency (%)</b>	<b>Idle Energy Rate (Btu/h or kW)</b>	<b>Production Capacity (lb/h)</b>	<b>Rebate (per vat)*</b>
<b>Henny Penny</b> (www.hennypenny.com)	-	<b>OEA-32* (14.4kW)</b>	<b>Electric</b>	<b>80</b>	<b>0.91</b>	<b>63</b>	<b>\$200</b>
<b>Henny Penny</b> (www.hennypenny.com)	-	<b>OEA-32* (22kW)</b>	<b>Electric</b>	<b>83</b>	<b>0.75</b>	<b>69</b>	<b>\$200</b>
<b>Henny Penny</b> (www.hennypenny.com)	-	<b>OFE-32* Split Vat</b>	<b>Electric</b>	<b>82</b>	<b>0.70</b>	<b>71</b>	<b>\$200</b>
<b>Henny Penny</b> (www.hennypenny.com)	-	<b>OFE-32* (14.4kW)</b>	<b>Electric</b>	<b>80</b>	<b>0.91</b>	<b>63</b>	<b>\$200</b>
<b>Henny Penny</b> (www.hennypenny.com)	-	<b>OFE-32* (22kW)</b>	<b>Electric</b>	<b>83</b>	<b>0.75</b>	<b>69</b>	<b>\$200</b>
<b>Hobart</b> (www.hobartcorp.com)	-	<b>HF50</b>	<b>Electric</b>	<b>85</b>	<b>0.63</b>	<b>72</b>	<b>\$200</b>
<b>Motion Technology, Inc.</b> (www.autofry.com)	<b>AutoFry</b>	<b>MTI-40C</b>	<b>Electric</b>	<b>92</b>	<b>0.94</b>	<b>58</b>	<b>\$200</b>
<b>Motion Technology, Inc.</b> (www.autofry.com)	<b>AutoFry</b>	<b>MTI-40E</b>	<b>Electric</b>	<b>92</b>	<b>0.94</b>	<b>58</b>	<b>\$200</b>
<b>Pitco</b> (www.pitco.com)	-	<b>MEII</b>	<b>Electric</b>	<b>82</b>	<b>0.93</b>	<b>69</b>	<b>\$200</b>
<b>Pitco</b> (www.pitco.com)	-	<b>SE14 SEF14 SFSE14</b>	<b>Electric</b>	<b>85</b>	<b>0.99</b>	<b>N/A</b>	<b>\$200</b>
<b>Pitco</b> (www.pitco.com)	-	<b>SE148 SEF148 SFSE148</b>	<b>Electric</b>	<b>85</b>	<b>0.99</b>	<b>77</b>	<b>\$200</b>
<b>Pitco</b> (www.pitco.com)	-	<b>SE148R SEF148R SFSE148R</b>	<b>Electric</b>	<b>84</b>	<b>0.89</b>	<b>N/A</b>	<b>\$200</b>
<b>Pitco</b> (www.pitco.com)	-	<b>SE148X SEF148X SFSE148X</b>	<b>Electric</b>	<b>82</b>	<b>0.99</b>	<b>N/A</b>	<b>\$200</b>


Note: Data based on applying ASTM F1361  
N/A = Data Not Available

\*Denotes the number of fryers in a fryer battery.  
Rebates are paid per qualifying vat for multi-vat configurations.

**Updated 7/8/10**

Qualifying electric fryer models must have a tested heavy load cooking energy efficiency of 80% utilizing ASTM Standard F1361. Qualifying gas fryer models must have a tested heavy load cooking energy efficiency of 50% utilizing ASTM Standard F1361. Multiple vat configurations are paid per qualifying vat.

List effective as of January 1, 2010. Check your utility rebate application for terms and conditions, and effective program dates.

 <b>Company Name</b> (Website)	<b>Model Name</b>	<b>Model Number</b>	<b>Fuel Type</b>	<b>Energy Efficiency (%)</b>	<b>Idle Energy Rate (Btu/h or kW)</b>	<b>Production Capacity (lb/h)</b>	<b>Rebate (per vat)*</b>
<b>Pitco</b> (www.pitco.com)	-	SE14R SEF14R SFSE14R	Electric	84	0.81	N/A	\$200
<b>Pitco</b> (www.pitco.com)	-	SE14X SEF14X SFSE14X	Electric	86	0.89	N/A	\$200
<b>Pitco</b> (www.pitco.com)	-	BKSEH50SPC	Electric	82	0.93	69	\$200
<b>Pitco</b> (www.pitco.com)	-	SEH50	Electric	82	0.93	69	\$200
<b>Perfect Fry Company</b> (www.perfectfry.com)	RapidFry	PFA7200	Electric	86	0.59	35	\$200
<b>Perfect Fry Company</b> (www.perfectfry.com)	RapidFry	PFA5700	Electric		N/A		\$200
<b>Perfect Fry Company</b> (www.perfectfry.com)	RapidFry	PFA5708	Electric		N/A		\$200
<b>Perfect Fry Company</b> (www.perfectfry.com)	RapidFry	PFA3750	Electric		N/A		\$200
<b>Perfect Fry Company</b> (www.perfectfry.com)	-	PFC1875	Electric		N/A		\$200
<b>Perfect Fry Company</b> (www.perfectfry.com)	-	PFC3750	Electric		N/A		\$200
<b>Perfect Fry Company</b> (www.perfectfry.com)	-	PFC5700	Electric	81	0.53	29	\$200
<b>Perfect Fry Company</b> (www.perfectfry.com)	-	PFC5708	Electric		N/A		\$200
<b>Ultrafryer Systems</b> (www.ultrafryer.com)	-	F-E17-14	Electric	83	810	N/A	\$200
<b>Vulcan</b> (www.vulcanhart.com)	-	ER50	Electric	85	0.63	72	\$200

Note: Data based on applying ASTM F1361  
N/A = Data Not Available

\*Denotes the number of fryers in a fryer battery.  
Rebates are paid per qualifying vat for multi-vat configurations.

**Updated 7/8/10**

**Qualifying gas large vat fryer models must have a tested heavy-load (French fry) cooking energy efficiency of ≥50% utilizing ASTM Standard F2144. Qualifying electric large vat fryer models must have a tested heavy-load (French fry) cooking energy efficiency of ≥80% utilizing ASTM Standard F2144. Multiple vat configurations are paid per qualifying vat.**

List effective as of January 1, 2010. Check your utility rebate application for terms and conditions, and effective program dates.

Company Name (Website)	Model Name	Model Number	Vat Width (in.)	Fuel Type	Energy Efficiency (%)	Idle Energy Rate (Btu/h or kW)	Production Capacity (lb/h)	Rebate (per vat)*
<b>Alto-Shaam</b> (www.alto-shaam.com)	-	ASF-75G	22	Gas	71	4,825	134	\$500
<b>Dean</b> (dean.enodis.com)	-	HDx60G	18	Gas	52	10,242	107	\$500
<b>Dean</b> (dean.enodis.com)	-	HDx63G	18	Gas	51	17,411	99	\$500
<b>Frymaster</b> (www.frymaster.com)	-	HD1814	18	Gas	52	14,579	128	\$500
<b>Henny Penny</b> (www.hennypenny.com)	-	OGA-34*	18	Gas	51	23,652	84	\$500
<b>Henny Penny</b> (www.hennypenny.com)	-	OFG-34*	18	Gas	51	23,652	84	\$500
<b>Pitco</b> (www.pitco.com)	-	SGM20 SFSGM20 SGMF20	20	Gas	57	11,206	90	\$500
<b>Pitco</b> (www.pitco.com)	-	SGM24 SFSGM24 SGMF24	24	Gas	52	15,356	146	\$500
<b>Pitco</b> (www.pitco.com)	-	SSH60W SFSSH60W SSH60W	18	Gas	57	10,669	76	\$500
<b>Pitco</b> (www.pitco.com)	-	SSH75 SFSSH75 SSH75	18	Gas	61	11,226	99	\$500
<b>Pitco</b> (www.pitco.com)	-	SSH75R SFSSH75R SSH75R	18	Gas	56	11,819	107	\$500
<b>Ultrafryer Systems</b> (www.ultrafryer.com)	Par 2	F-P20-18 B-P20-18	18	Gas	59	6,281	67	\$500

Note: Data based on applying ASTM F2144  
N/A = Data Not Available

\*Denotes the number of fryers in a fryer battery.  
Rebates are paid per qualifying vat for multi-vat configurations.

**Updated 7/8/10**

**Qualifying gas large vat fryer models must have a tested heavy-load (French fry) cooking energy efficiency of ≥50% utilizing ASTM Standard F2144. Qualifying electric large vat fryer models must have a tested heavy-load (French fry) cooking energy efficiency of ≥80% utilizing ASTM Standard F2144. Multiple vat configurations are paid per qualifying vat.**

List effective as of January 1, 2010. Check your utility rebate application for terms and conditions, and effective program dates.

Company Name (Website)	Model Name	Model Number	Vat Width (in.)	Fuel Type	Energy Efficiency (%)	Idle Energy Rate (Btu/h or kW)	Production Capacity (lb/h)	Rebate (per vat)*
<b>Ultrafryer Systems</b> (www.ultrafryer.com)	Par 2	F-P20-20 B-P20-20	20	Gas	60	5,806	N/A	\$500
<b>Ultrafryer Systems</b> (www.ultrafryer.com)	Par 2.5	F-P25-18 B-P25-18	18	Gas	59	5,710	89	\$500
<b>Ultrafryer Systems</b> (www.ultrafryer.com)	Par 3	F-P30-18 B-P30-18	18	Gas	61	5,993	120	\$500
<b>Ultrafryer Systems</b> (www.ultrafryer.com)	Par 4	P40-18	18	Gas	74	4,909	104	\$500
<b>Giles Enterprises, Inc.</b> (www.gilesent.com)	-	EOF-10	20	Electric	82	1.12	115	\$200
<b>Giles Enterprises, Inc.</b> (www.gilesent.com)	-	EOF-24	24	Electric	83	0.95	150	\$200
<b>Frymaster</b> (www.frymaster.com)	-	FPC228	20	Electric	85	1.47	128	\$200
<b>Frymaster</b> (www.frymaster.com)	-	EH117	18	Electric	83	1.20	84	\$200
<b>Henny Penny</b> (www.hennypenny.com)	-	OFE-34*	18	Electric	86	1.08	84	\$200
<b>Henny Penny</b> (www.hennypenny.com)	-	OEA-34*	18	Electric	86	1.08	84	\$200
<b>Pitco</b> (www.pitco.com)	-	SE18	18	Electric	85	1.29	105	\$200
<b>Pitco</b> (www.pitco.com)	-	SEM20	20	Electric	88	1.58	92	\$200
<b>Pitco</b> (www.pitco.com)	-	SFSE1814	18	Electric	84	1.07	111	\$200
<b>Ultrafryer Systems</b> (www.ultrafryer.com)	-	E-15-18	18	Electric	91	1.20	117	\$200
<b>Ultrafryer Systems</b> (www.ultrafryer.com)	-	E-20-18	18	Electric	83	1.08	93	\$200


Note: Data based on applying ASTM F2144  
N/A = Data Not Available

\*Denotes the number of fryers in a fryer battery.  
Rebates are paid per qualifying vat for multi-vat configurations.

**Updated 7/8/10**

Qualifying gas griddle models must have a tested heavy load cooking energy efficiency of  $\geq 38\%$  and an idle energy rate  $\leq 2,650$  Btu/h per ft<sup>2</sup> of cooking surface utilizing ASTM Standard F1275. Qualifying electric griddle models must have a tested heavy load cooking energy efficiency of  $\geq 70\%$  and an idle energy rate  $\leq 355$  watts per ft<sup>2</sup> of cooking surface utilizing ASTM Standard F1275.

List effective as of January 1, 2010. Check your utility rebate application for terms and conditions, and effective program dates.

 Company Name (Website)	Brand Name	Model Name	Model Number (all sizes)	Fuel Type	Energy Efficiency (%)	Idle Energy Rate* (Btu/h/ft <sup>2</sup> or W/ft <sup>2</sup> )	Production Capacity (lb/h/ft <sup>2</sup> )	Rebate (per unit)
<b>AccuTemp</b> (www.accutemp.net)	AccuTemp	Accu-Steam	GG	Gas	47	2,534	7.1	\$125
<b>AccuTemp</b> (www.accutemp.net)	AccuTemp	Accu-Steam	PG	Gas	47	2,562	7.0	\$125
<b>Electrolux</b> (professional.electroluxusa.com)	Electrolux	-	ARG48FL for 48-inch models only	Gas	39	2,049	6.1	\$125
<b>Garland</b> (www.garland-group.com)	Garland	Master Series Xpress Grill	XG	Gas	51	1,538	14.5	\$125
<b>Jade</b> (www.jaderange.com)	Jade	Supreme	JGT	Gas	40	2,588	6.6	\$125
<b>Taylor Company</b> (www.taylor-company.com)	Taylor Company	Gas Clamshell Grill	35-23 35-28 C385-23 C385-28	Gas	48	1,753	8.2	\$125
<b>Vulcan</b> (www.vulcanhart.com)	Vulcan	Rapid Recovery	RRG	Gas	41	2,518	8.2	\$125
<b>Wolf</b> (www.wolfrange.com)	Wolf	Therm-O-Ray	IRG	Gas	42	2,483	7.2	\$125
<b>AccuTemp</b> (www.accutemp.net)	AccuTemp	Accu-Steam	EGD	Electric	73	342	8.2	\$300
<b>AccuTemp</b> (www.accutemp.net)	AccuTemp	Accu-Steam	EGF	Electric	73	342	8.2	\$300
<b>Garland</b> (www.garland-group.com)	Garland	McDonald's 2P World Grill with PRC	MWE2S	Electric	76	300	8.3	\$300
<b>Garland</b> (www.garland-group.com)	Garland	Master Series Xpress Grill	XE	Electric	75	255	17.6	\$300
<b>Imperial</b> (www.imperialrange.com)	Imperial	-	ITG-**-E	Electric	77	210	5.0	\$300


Data based on applying ASTM F1275  
N/A = Data Not Available

\*Idle rate and production capacity normalized  
per square foot of cooking surface

**Updated 7/8/10**

Qualifying gas griddle models must have a tested heavy load cooking energy efficiency of  $\geq 38\%$  and an idle energy rate  $\leq 2,650$  Btu/h per ft<sup>2</sup> of cooking surface utilizing ASTM Standard F1275. Qualifying electric griddle models must have a tested heavy load cooking energy efficiency of  $\geq 70\%$  and an idle energy rate  $\leq 355$  watts per ft<sup>2</sup> of cooking surface utilizing ASTM Standard F1275.

List effective as of January 1, 2010. Check your utility rebate application for terms and conditions, and effective program dates.

 <b>Company Name</b> (Website)	<b>Brand Name</b>	<b>Model Name</b>	<b>Model Number</b> (all sizes)	<b>Fuel Type</b>	<b>Energy Efficiency</b> (%)	<b>Idle Energy Rate*</b> (Btu/h/ft <sup>2</sup> or W/ft <sup>2</sup> )	<b>Production Capacity</b> (lb/h/ft <sup>2</sup> )	<b>Rebate</b> (per unit)
<b>Taylor Company</b> (www.taylor-company.com)	<b>Taylor Company</b>	<b>Electric Clamshell Grill</b>	<b>32-23 32-28 C832-23 C832-28</b>	<b>Electric</b>	<b>76</b>	<b>290</b>	<b>8.2</b>	<b>\$300</b>
<b>Taylor Company</b> (www.taylor-company.com)	<b>Taylor Company</b>	<b>Electric Clamshell Grill</b>	<b>C842-23</b>	<b>Electric</b>	<b>77</b>	<b>303</b>	<b>10.6</b>	<b>\$300</b>
<b>Vulcan</b> (www.vulcanhart.com)	<b>Vulcan</b>	<b>Rapid Recovery</b>	<b>RRE</b>	<b>Electric</b>	<b>76</b>	<b>322</b>	<b>7.4</b>	<b>\$300</b>
<b>Vulcan</b> (www.vulcanhart.com)	<b>Vulcan</b>	<b>Heavy Duty</b>	<b>HEG</b>	<b>Electric</b>	<b>77</b>	<b>332</b>	<b>6.8</b>	<b>\$300</b>
<b>Wells</b> (www.wellsbloomfield.com)	<b>Wells</b>	<b>-</b>	<b>G**</b>	<b>Electric</b>	<b>75</b>	<b>242</b>	<b>5.1</b>	<b>\$300</b>
<b>Wolf</b> (www.wolfrange.com)	<b>Wolf</b>	<b>Heavy Duty</b>	<b>WEG</b>	<b>Electric</b>	<b>77</b>	<b>332</b>	<b>6.8</b>	<b>\$300</b>

Data based on applying ASTM F1275  
N/A = Data Not Available

\*Idle rate and production capacity normalized per square foot of cooking surface

**Updated 7/8/10**

**Qualifying gas large vat fryer models must have a tested heavy-load (French fry) cooking energy efficiency of ≥50% utilizing ASTM Standard F2144. Qualifying electric large vat fryer models must have a tested heavy-load (French fry) cooking energy efficiency of ≥80% utilizing ASTM Standard F2144. Multiple vat configurations are paid per qualifying vat.**

List effective as of January 1, 2010. Check your utility rebate application for terms and conditions, and effective program dates.

Company Name (Website)	Model Name	Model Number	Vat Width (in.)	Fuel Type	Energy Efficiency (%)	Idle Energy Rate (Btu/h or kW)	Production Capacity (lb/h)	Rebate (per vat)*
<b>Alto-Shaam</b> (www.alto-shaam.com)	-	ASF-75G	22	Gas	71	4,825	134	\$500
<b>Dean</b> (dean.enodis.com)	-	HDx60G	18	Gas	52	10,242	107	\$500
<b>Dean</b> (dean.enodis.com)	-	HDx63G	18	Gas	51	17,411	99	\$500
<b>Frymaster</b> (www.frymaster.com)	-	HD1814	18	Gas	52	14,579	128	\$500
<b>Henny Penny</b> (www.hennypenny.com)	-	OGA-34*	18	Gas	51	23,652	84	\$500
<b>Henny Penny</b> (www.hennypenny.com)	-	OFG-34*	18	Gas	51	23,652	84	\$500
<b>Pitco</b> (www.pitco.com)	-	SGM20 SFSGM20 SGMF20	20	Gas	57	11,206	90	\$500
<b>Pitco</b> (www.pitco.com)	-	SGM24 SFSGM24 SGMF24	24	Gas	52	15,356	146	\$500
<b>Pitco</b> (www.pitco.com)	-	SSH60W SFSSH60W SSHF60W	18	Gas	57	10,669	76	\$500
<b>Pitco</b> (www.pitco.com)	-	SSH75 SFSSH75 SSHF75	18	Gas	61	11,226	99	\$500
<b>Pitco</b> (www.pitco.com)	-	SSH75R SFSSH75R SSHF75R	18	Gas	56	11,819	107	\$500
<b>Ultrafryer Systems</b> (www.ultrafryer.com)	Par 2	F-P20-18 B-P20-18	18	Gas	59	6,281	67	\$500

Note: Data based on applying ASTM F2144  
N/A = Data Not Available

\*Denotes the number of fryers in a fryer battery.  
Rebates are paid per qualifying vat for multi-vat configurations.

**Updated 7/8/10**

**Qualifying gas large vat fryer models must have a tested heavy-load (French fry) cooking energy efficiency of ≥50% utilizing ASTM Standard F2144. Qualifying electric large vat fryer models must have a tested heavy-load (French fry) cooking energy efficiency of ≥80% utilizing ASTM Standard F2144. Multiple vat configurations are paid per qualifying vat.**

List effective as of January 1, 2010. Check your utility rebate application for terms and conditions, and effective program dates.

Company Name (Website)	Model Name	Model Number	Vat Width (in.)	Fuel Type	Energy Efficiency (%)	Idle Energy Rate (Btu/h or kW)	Production Capacity (lb/h)	Rebate (per vat)*
<b>Ultrafryer Systems</b> (www.ultrafryer.com)	Par 2	F-P20-20 B-P20-20	20	Gas	60	5,806	N/A	\$500
<b>Ultrafryer Systems</b> (www.ultrafryer.com)	Par 2.5	F-P25-18 B-P25-18	18	Gas	59	5,710	89	\$500
<b>Ultrafryer Systems</b> (www.ultrafryer.com)	Par 3	F-P30-18 B-P30-18	18	Gas	61	5,993	120	\$500
<b>Ultrafryer Systems</b> (www.ultrafryer.com)	Par 4	P40-18	18	Gas	74	4,909	104	\$500
<b>Giles Enterprises, Inc.</b> (www.gilesent.com)	-	EOF-10	20	Electric	82	1.12	115	\$200
<b>Giles Enterprises, Inc.</b> (www.gilesent.com)	-	EOF-24	24	Electric	83	0.95	150	\$200
<b>Frymaster</b> (www.frymaster.com)	-	FPC228	20	Electric	85	1.47	128	\$200
<b>Frymaster</b> (www.frymaster.com)	-	EH117	18	Electric	83	1.20	84	\$200
<b>Henny Penny</b> (www.hennypenny.com)	-	OFE-34*	18	Electric	86	1.08	84	\$200
<b>Henny Penny</b> (www.hennypenny.com)	-	OEA-34*	18	Electric	86	1.08	84	\$200
<b>Pitco</b> (www.pitco.com)	-	SE18	18	Electric	85	1.29	105	\$200
<b>Pitco</b> (www.pitco.com)	-	SEM20	20	Electric	88	1.58	92	\$200
<b>Pitco</b> (www.pitco.com)	-	SFSE1814	18	Electric	84	1.07	111	\$200
<b>Ultrafryer Systems</b> (www.ultrafryer.com)	-	E-15-18	18	Electric	91	1.20	117	\$200
<b>Ultrafryer Systems</b> (www.ultrafryer.com)	-	E-20-18	18	Electric	83	1.08	93	\$200

Note: Data based on applying ASTM F2144  
N/A = Data Not Available

\*Denotes the number of fryers in a fryer battery.  
Rebates are paid per qualifying vat for multi-vat configurations.

**Updated 7/8/10**

Qualifying models must meet CEE Tier 2 specification. This measure does not include cook and hold equipment. All measures must be electric hot food holding cabinets that are fully insulated and have solid doors. Qualifying cabinets must not exceed the maximum idle energy rate of 20 Watts per cubic foot in accordance with the ASTM Standard F2140 test method.

List effective as of January 1, 2010. Check your utility rebate application for terms and conditions, and effective program dates.

Company Name (Website)	Model Name	Model Number	Idle Energy Rate (watts/ft <sup>3</sup> )	Additional Models Represented	Rebate (per unit)
<b>Alto-Shaam</b> (www.alto-shaam.com)	1000-BQ2/128	1000-BQ2/128	13.46	-	\$300
<b>Alto-Shaam</b> (www.alto-shaam.com)	1000-BQ2/192	1000-BQ2/192	11.89	-	\$300
<b>Alto-Shaam</b> (www.alto-shaam.com)	1000-BQ2/96	1000-BQ2/96	15.05	-	\$300
<b>Alto-Shaam</b> (www.alto-shaam.com)	1000-UP	1000-UP	18.25	-	\$300
<b>Alto-Shaam</b> (www.alto-shaam.com)	Hot Holding Cabinets	12.20MW	10.92	12.20W	\$300
<b>Alto-Shaam</b> (www.alto-shaam.com)	1200-S	1200-S	20	-	\$200
<b>Alto-Shaam</b> (www.alto-shaam.com)	1200-UP	1200-UP	20	-	\$300
<b>Alto-Shaam</b> (www.alto-shaam.com)	Hot Holding Cabinets	20.20MW	9.94	20.20W	\$300
<b>Bevles/Bakers Pride/APW Wyott</b> (www.bakerspride.com)	CS82-CH8	CS82-CH8	18.6	-	\$300
<b>Bevles/Bakers Pride/APW Wyott</b> (www.bakerspride.com)	Climate Select	HCSS74W12	20.0	HCSS74W12	\$300
<b>Bevles/Bakers Pride/APW Wyott</b> (www.bakerspride.com)	Temper Select	HTSS74W12	20.0	HTSS74P34 HTSS74W12A	\$300
<b>California Cooking</b> (www.eastbayrestaurantsupply.com)	Holding and Transport Cabinet	CCK1826-15-BC-IS	13.4	-	\$300
<b>Cambro</b> (www.cambro.com)	Camtherm Bulk Food Cabinet	CMBH1826L	10.0	CMBH1826LF CMBH1826LC CMBH1826LTR	\$200
<b>Cambro</b> (www.cambro.com)	Camtherm Bulk Food Cabinet	CMBH1826TSF	11.8	CMBH1826TBF CMBH1826TSC CMBH1826TBC CMBH1826TTR	\$300
<b>Cambro</b> (www.cambro.com)	Ultra Camcart	UPCH1600	15.1	UPCH16002	\$300
<b>Cambro</b> (www.cambro.com)	Hot Holding Ultra Pan Carrier	UPCH400	15.1	UPCH4002 UPCHW400 UPCHW4002	\$200
<b>Cambro</b> (www.cambro.com)	Ultra Camcart	UPCH800	15.1	UPCH8002 UPCHT800	\$200
<b>Carter-Hoffmann</b> (www.carter-hoffmann.com)	Banquet Cart	BB1824	10.9	-	\$200

**Updated 7/8/10**

Qualifying models must meet CEE Tier 2 specification. This measure does not include cook and hold equipment. All measures must be electric hot food holding cabinets that are fully insulated and have solid doors. Qualifying cabinets must not exceed the maximum idle energy rate of 20 Watts per cubic foot in accordance with the ASTM Standard F2140 test method.

List effective as of January 1, 2010. Check your utility rebate application for terms and conditions, and effective program dates.

Company Name (Website)	Model Name	Model Number	Idle Energy Rate (watts/ft <sup>3</sup> )	Additional Models Represented	Rebate (per unit)
<b>Carter-Hoffmann</b> (www.carter-hoffmann.com)	<b>Banquet Cart</b>	<b>BB1848</b>	<b>10.9</b>	<b>BB40</b>	<b>\$250</b>
<b>Carter-Hoffmann</b> (www.carter-hoffmann.com)	<b>Banquet Cart</b>	<b>BB1864</b>	<b>10.9</b>	<b>BB48 BB64 BB72 BB90 BB96 BB96X BB100 BB120 BB120X</b>	<b>\$300</b>
<b>Carter-Hoffmann</b> (www.carter-hoffmann.com)	<b>Banquet Cart</b>	<b>BB1864</b>	<b>10.9</b>	<b>BB150 BB150X BB200D BB1000 BB1200 PS96</b>	<b>\$300</b>
<b>Carter-Hoffmann</b> (www.carter-hoffmann.com)	<b>Enduraheat Banquet Cart</b>	<b>BR96</b>	<b>18.2</b>	<b>BR120 BR150 BR1000 BR1200</b>	<b>\$300</b>
<b>Carter-Hoffmann</b> (www.carter-hoffmann.com)	<b>Heated Transport Cart</b>	<b>PH1800</b>	<b>10.8</b>	<b>PH1220 PH1225 PH1230 PH1240 PH1425 PH1800 PH1810 ST1811</b>	<b>\$250</b>
<b>Carter-Hoffmann</b> (www.carter-hoffmann.com)	<b>Heated Transport Cart</b>	<b>PH181</b>	<b>10.8</b>	<b>ST181 PH1200 PH1210 PH1215 PH1400 PH1410</b>	<b>\$200</b>

**Updated 7/8/10**

Qualifying models must meet CEE Tier 2 specification. This measure does not include cook and hold equipment. All measures must be electric hot food holding cabinets that are fully insulated and have solid doors. Qualifying cabinets must not exceed the maximum idle energy rate of 20 Watts per cubic foot in accordance with the ASTM Standard F2140 test method.

List effective as of January 1, 2010. Check your utility rebate application for terms and conditions, and effective program dates.

Company Name (Website)	Model Name	Model Number	Idle Energy Rate (watts/ft <sup>3</sup> )	Additional Models Represented	Rebate (per unit)
<b>Carter-Hoffmann</b> (www.carter-hoffmann.com)	<b>Heated Transport Cart</b>	<b>PH181 (120V)</b>	<b>10.8</b>	PH1250 PH1420 PH1430 PH1440 PH1450 PH1460 PH1825 PH1830 PH1850 PH1860	<b>\$300</b>
<b>Carter-Hoffmann</b> (www.carter-hoffmann.com)	<b>Heated Transport Cart</b>	<b>PH181 (208V)</b>	<b>10.8</b>	PH1250 PH1420 PH1430 PH1440 PH1450 PH1460 PH1825 PH1830 PH1850 PH1860	<b>\$300</b>
<b>Carter-Hoffmann</b> (www.carter-hoffmann.com)	<b>Banquet Cart</b>			<b>BB60</b>	
<b>Cleveland</b> (www.clevelandrange.com)	<b>CONVOHOLD™</b>	<b>HCWH-20.20</b>	<b>13.6</b>	<b>HCDH-20.20</b>	<b>\$300</b>
<b>Cres Cor</b> (www.crescor.com)	<b>Insulated Heated Stainless Steel Banquet Cart</b>	<b>CCB-120A</b>	<b>11.4</b>	-	<b>\$300</b>
<b>Cres Cor</b> (www.crescor.com)	<b>Insulated Heated Stainless Steel Banquet Cart</b>	<b>CCB-150</b>	<b>15.3</b>	-	<b>\$300</b>
<b>Cres Cor</b> (www.crescor.com)	<b>Insulated Heated Stainless Steel Banquet Cart</b>	<b>EB-150</b>	<b>15.2</b>	EB-150S EB-150208 EB-15208S EB-150240 EB-150240S EB-150CAN EB-150CANS	<b>\$300</b>

**Updated 7/8/10**

Qualifying models must meet CEE Tier 2 specification. This measure does not include cook and hold equipment. All measures must be electric hot food holding cabinets that are fully insulated and have solid doors. Qualifying cabinets must not exceed the maximum idle energy rate of 20 Watts per cubic foot in accordance with the ASTM Standard F2140 test method. List effective as of January 1, 2010. Check your utility rebate application for terms and conditions, and effective program dates.

Company Name (Website)	Model Name	Model Number	Idle Energy Rate (watts/ft <sup>3</sup> )	Additional Models Represented	Rebate (per unit)
Cres Cor (www.crescor.com)	Insulated Heated Stainless Steel Banquet Cabinet	H137S96BC	10.0	-	\$300
Cres Cor (www.crescor.com)	Insulated Aquatemp Holding Cabinet	H137UA12C**2K	17.6	H137WUA12C**2K H1381834C**2K (**may have other alpha numeric characters within this location)	\$300
Cres Cor (www.crescor.com)	Insulated Holding Cabinet	H137UA9CD	15.0	H137UA9C	\$250
Cres Cor (www.crescor.com)	Insulated Stainless Steel Aquatemp Holding Cabinet	H137WSUA12C	12.4	H137SUA12C	\$300
Cres Cor (www.crescor.com)	Insulated Stainless Steel Holding Cabinet	H137WSUA6CMD	17.8	H137WSUA6CM H137SUA6CM H138WS1816CM H138S1816CM	\$200
Cres Cor (www.crescor.com)	Insulated Holding Cabinet	H1381834C	15.0	H138S1834C	\$300
Cres Cor (www.crescor.com)	H161FUA11CM	H161FUA11CM	19.5	-	\$300
Cres Cor (www.crescor.com)	Insulated Half-Size Stainless Steel Holding Cabinets	H339188CBKC	17.1	H339188CPBKC	\$300
Cres Cor (www.crescor.com)	Insulated Half-Size Stainless Steel Holding Cabinets	H339SS12188C	17.1	H339SS188C H339SST188C H339SS12188C H339SST12188C H339SSUA8C H339SSTUA8C H339XSS188C H339XSS12188C H339XSSUA8C	\$200
Cres Cor (www.crescor.com)	Insulated Holding Cabinet	H339SS1814C	17.1	-	\$200

**Updated 7/8/10**

Qualifying models must meet CEE Tier 2 specification. This measure does not include cook and hold equipment. All measures must be electric hot food holding cabinets that are fully insulated and have solid doors. Qualifying cabinets must not exceed the maximum idle energy rate of 20 Watts per cubic foot in accordance with the ASTM Standard F2140 test method.

List effective as of January 1, 2010. Check your utility rebate application for terms and conditions, and effective program dates.

Company Name (Website)	Model Name	Model Number	Idle Energy Rate (watts/ft <sup>3</sup> )	Additional Models Represented	Rebate (per unit)
Cres Cor (www.crescor.com)	Insulated Half-Size Stainless Steel AquaTemp System Cabinet	H339WSSUA8D	16.9	-	\$200
Delfield (www.delfield.com)	SAHPT2-GHSH	SAHPT2-GHSH	18.4	-	\$300
Food Warming Equipment Company, Inc. (www.fweco.com)	Banquet Cabinets	E720XL	13.0	-	\$300
Food Warming Equipment Company, Inc. (www.fweco.com)	Handy Line Radiant Heat	HLC-5 (120 v 500W)	16.0	HLC-7 HLC-8 HLC-8-CHP HLC-5H-15 HLC-5S HLC-7H-21 HLC-7S HLC-8H-24 HLC-8S HLC-1227-6 HLC-1717-5 HLC-1717-13 HLC-18 HLC-18S HLC-1826-4 HLC-1826-4A HLC-1826-4F HLC-1826-8 HLC-1826-8A HLC-1826-8F HLC-SL-1826-5 (all 120V 500W models only)	\$200

**Updated 7/8/10**

Qualifying models must meet CEE Tier 2 specification. This measure does not include cook and hold equipment. All measures must be electric hot food holding cabinets that are fully insulated and have solid doors. Qualifying cabinets must not exceed the maximum idle energy rate of 20 Watts per cubic foot in accordance with the ASTM Standard F2140 test method. List effective as of January 1, 2010. Check your utility rebate application for terms and conditions, and effective program dates.

Company Name (Website)	Model Name	Model Number	Idle Energy Rate (watts/ft <sup>3</sup> )	Additional Models Represented	Rebate (per unit)
Food Warming Equipment Company, Inc. (www.fweco.com)	Handy Line Radiant Heat Load Design	HLC-SL-1826-5 (120v 1000W)	18.0	HLC-1826-4 HLC-1826-4A HLC-1826-4F HLC-1826-8 HLC-1826-8A HLC-1826-8F HLC-SL-1826-5 HLC-10 HLC-10S HLC-14 HLC-14S HLC-16 HLC-16-CHP (120V 1000W models only)	\$200
Food Warming Equipment Company, Inc. (www.fweco.com)	Hndy Line Radiant Heat Side Load Design	HLCSL-1826-8	14.6	-	\$200
Food Warming Equipment Company, Inc. (www.fweco.com)	Moisture-Temp Holding	MTU-12	16.0	-	\$300
Food Warming Equipment Company, Inc. (www.fweco.com)	Mobile Humi-Temp Universal Servers	UHS-10	14.5	-	\$300
Food Warming Equipment Company, Inc. (www.fweco.com)	Mobile Humi-Temp Universal Servers	UHS-12	14.4	-	\$300
Hot Food Boxes, Inc. (www.hotfoodboxes.com)	C-12UPM	C-12UPM	19.6	-	\$300
McCall Refrigeration (www.mccallrefrigeration.com)	4-4020H	4-4020H****	12.5	1-1020H**** 2-2020H**** (may have model suffixes A, C, P or 01)	\$300
McCall Refrigeration (www.mccallrefrigeration.com)	4-4045H	4-4045H****	4.8	1-1045H**** 2-2045H**** (may have model suffixes A, C, P or 01)	\$300
InterMetro Industries Corporation (www.metro.com)	C5 6 Series, Full Height, 1440W, Stainless Steel, Reach-In Cabinets	C569L-SDC-U	14.8	C569L-SDC-** C569L-SFC-** C569L-SDS-** C569L-SFS-**	\$300

**Updated 7/8/10**

Qualifying models must meet CEE Tier 2 specification. This measure does not include cook and hold equipment. All measures must be electric hot food holding cabinets that are fully insulated and have solid doors. Qualifying cabinets must not exceed the maximum idle energy rate of 20 Watts per cubic foot in accordance with the ASTM Standard F2140 test method.

List effective as of January 1, 2010. Check your utility rebate application for terms and conditions, and effective program dates.

Company Name (Website)	Model Name	Model Number	Idle Energy Rate (watts/ft <sup>3</sup> )	Additional Models Represented	Rebate (per unit)
InterMetro Industries Corporation (www.metro.com)	C5 6 Series, Full Height, 2000W, Stainless Steel, Reach-In, Glass Door Cabinets	C569-SDC-U	17.4	C569-SDC-** C569-SFC-**	\$300
InterMetro Industries Corporation (www.metro.com)	C5 6 Series, Full Height, 2000W, Stainless Steel, Reach-In, Solid Door Cabinets	C569-SDS-U	15.5	C569-SDS-** C569-SFS-**	\$300
InterMetro Industries Corporation (www.metro.com)	C5 9 / 8 Series, Full Height, Stainless Steel, Reach-In, Glass Door Cabinets	C599-SDC-U	19.0	C599-SDC-** C599-SFC-** C599L-SDC-** C599L-SFC-** C589-SDC-** C589-SFC-** C589L-SDC-** C589L-SFC-**	\$300
InterMetro Industries Corporation (www.metro.com)	C5 9 / 8 Series, Full Height, Stainless Steel, Reach-In, Solid Door Cabinets	C599-SDS-U	18.2	C599-SDS-** C599-SFS-** C599L-SDS-** C599L-SFS-** C589-SDS-** C589-SFS-** C589L-SDS-** C589L-SFS-**	\$300
InterMetro Industries Corporation (www.metro.com)	C5 9 Series Controlled Humidity Cabinets	C599-SDS-UPDS	19.2	C599-SDS-LPDS C599-SFS-UPFS C599-SFS-LPFS	\$300
InterMetro Industries Corporation (www.metro.com)	Heated Banquet Cabinet	MBQ-120	17.5	MBQ-120-QH	\$300
InterMetro Industries Corporation (www.metro.com)	Heated Banquet Cabinet	MBQ-120D	14.0	MBQ-120D-QH	\$300
InterMetro Industries Corporation (www.metro.com)	Heated Banquet Cabinet	MBQ-144	15.6	MBQ-144-QH	\$300
InterMetro Industries Corporation (www.metro.com)	Heated Banquet Cabinet	MBQ-150D	14.6	MBQ-150D-QH	\$300

**Updated 7/8/10**

Qualifying models must meet CEE Tier 2 specification. This measure does not include cook and hold equipment. All measures must be electric hot food holding cabinets that are fully insulated and have solid doors. Qualifying cabinets must not exceed the maximum idle energy rate of 20 Watts per cubic foot in accordance with the ASTM Standard F2140 test method.

List effective as of January 1, 2010. Check your utility rebate application for terms and conditions, and effective program dates.

Company Name (Website)	Model Name	Model Number	Idle Energy Rate (watts/ft <sup>3</sup> )	Additional Models Represented	Rebate (per unit)
InterMetro Industries Corporation (www.metro.com)	Heated Banquet Cabinet	MBQ-180	12.5	MBQ-180-QH	\$300
InterMetro Industries Corporation (www.metro.com)	Heated Banquet Cabinet	MBQ-180D	14.6	MBQ-180D-QH	\$300
InterMetro Industries Corporation (www.metro.com)	Heated Banquet Cabinet	MBQ-200D	13.8	MBQ-200D-QH	\$300
InterMetro Industries Corporation (www.metro.com)	Top Mount Heated Banquet Cabinet	MBQT-180D	15.3	MBQT-180DQH MBQT-180D-*****	\$300
Royalton Food Service Equipment (www.royalton.cc)	RHHC-1000-C4	RHHC-1000-C4	18.8	-	\$300
Traulsen & Co., Inc. (www.traulsen.com)	AHF132-FHS	AHF132-FHS	6.7	RHF132-FHS	\$300
Traulsen & Co., Inc. (www.traulsen.com)	AHF132-HHS	AHF132-HHS	6.7	RHF132-HHS	\$300
Traulsen & Co., Inc. (www.traulsen.com)	AHF132W-FHS	AHF132W-FHS	6.7	-	\$300
Traulsen & Co., Inc. (www.traulsen.com)	AHF132W-HHS	AHF132W-HHS	6.7	-	\$300
Traulsen & Co., Inc. (www.traulsen.com)	AHF132WP-FHS	AHF132WP-FHS	6.8	-	\$300
Traulsen & Co., Inc. (www.traulsen.com)	AHF132WP-HHS	AHF132WP-HHS	6.8	-	\$300
Traulsen & Co., Inc. (www.traulsen.com)	AHF232W-FHS	AHF232W-FHS	6.8	-	\$300
Traulsen & Co., Inc. (www.traulsen.com)	AHF232W-HHS	AHF232W-HHS	6.8	-	\$300
Traulsen & Co., Inc. (www.traulsen.com)	AHF232WP-FHS	AHF232WP-FHS	6.8	-	\$300
Traulsen & Co., Inc. (www.traulsen.com)	AHF232WP-HHS	AHF232WP-HHS	6.8	-	\$300
Traulsen & Co., Inc. (www.traulsen.com)	AHF332W-FHS	AHF332W-FHS	6.8	-	\$300
Traulsen & Co., Inc. (www.traulsen.com)	AHF332W-HHS	AHF332W-HHS	6.8	-	\$300
Traulsen & Co., Inc. (www.traulsen.com)	AHF332WP-FHS	AHF332WP-FHS	6.8	-	\$300
Traulsen & Co., Inc. (www.traulsen.com)	AHF332WP-HHS	AHF332WP-HHS	6.8	-	\$300
Traulsen & Co., Inc. (www.traulsen.com)	AIH132L-FHS	AIH132L-FHS	6.8	-	\$300

**Updated 7/8/10**

Qualifying models must meet CEE Tier 2 specification. This measure does not include cook and hold equipment. All measures must be electric hot food holding cabinets that are fully insulated and have solid doors. Qualifying cabinets must not exceed the maximum idle energy rate of 20 Watts per cubic foot in accordance with the ASTM Standard F2140 test method.

List effective as of January 1, 2010. Check your utility rebate application for terms and conditions, and effective program dates.

Company Name (Website)	Model Name	Model Number	Idle Energy Rate (watts/ft <sup>3</sup> )	Additional Models Represented	Rebate (per unit)
Traulsen & Co., Inc. (www.traulsen.com)	AIH132LP-FHS	AIH132LP-FHS	6.8	-	\$300
Traulsen & Co., Inc. (www.traulsen.com)	AIH232L-FHS	AIH232L-FHS	6.8	-	\$300
Traulsen & Co., Inc. (www.traulsen.com)	AIH232LP-FHS	AIH232LP-FHS	6.3	-	\$300
Traulsen & Co., Inc. (www.traulsen.com)	AIH332L-FHS	AIH332L-FHS	6.8	-	\$300
Traulsen & Co., Inc. (www.traulsen.com)	AIH332LP-FHS	AIH332LP-FHS	6.8	-	\$300
Traulsen & Co., Inc. (www.traulsen.com)	G14300	G14300	6.7	G14301	\$300
Traulsen & Co., Inc. (www.traulsen.com)	G14302P	G14302P	6.8	G14303P G14304P G14305P	\$300
Traulsen & Co., Inc. (www.traulsen.com)	G14310	G14310	6.7	G14311	\$300
Traulsen & Co., Inc. (www.traulsen.com)	G14312P	G14312P	6.8	G14313P G14314P G14315P	\$300
Traulsen & Co., Inc. (www.traulsen.com)	G24300	G24300	8.3	G24302 G24303	\$300
Traulsen & Co., Inc. (www.traulsen.com)	G24304P	G24304P	8.3	G24305P G24307P	\$300
Traulsen & Co., Inc. (www.traulsen.com)	G24310	G24310	8.3	G24312 G24313	\$300
Traulsen & Co., Inc. (www.traulsen.com)	G24314P	G24314P	8.3	G24315P G24317P	\$300
Traulsen & Co., Inc. (www.traulsen.com)	RHF132W-FHS	RHF132W-FHS	6.7	-	\$300
Traulsen & Co., Inc. (www.traulsen.com)	RHF132W-HHS	RHF132W-HHS	6.7	-	\$300
Traulsen & Co., Inc. (www.traulsen.com)	RHF132WP-FHS	RHF132WP-FHS	6.8	-	\$300
Traulsen & Co., Inc. (www.traulsen.com)	RHF132WP-HHS	RHF132WP-HHS	6.8	-	\$300
Traulsen & Co., Inc. (www.traulsen.com)	RHF232W-FHS	RHF232W-FHS	6.8	-	\$300
Traulsen & Co., Inc. (www.traulsen.com)	RHF232W-HHS	RHF232W-HHS	6.8	-	\$300
Traulsen & Co., Inc. (www.traulsen.com)	RHF232WP-FHS	RHF232WP-FHS	6.8	-	\$300
Traulsen & Co., Inc. (www.traulsen.com)	RHF232WP-HHS	RHF232WP-HHS	6.8	-	\$300

**Updated 7/8/10**

Qualifying models must meet CEE Tier 2 specification. This measure does not include cook and hold equipment. All measures must be electric hot food holding cabinets that are fully insulated and have solid doors. Qualifying cabinets must not exceed the maximum idle energy rate of 20 Watts per cubic foot in accordance with the ASTM Standard F2140 test method.

List effective as of January 1, 2010. Check your utility rebate application for terms and conditions, and effective program dates.

Company Name (Website)	Model Name	Model Number	Idle Energy Rate (watts/ft <sup>3</sup> )	Additional Models Represented	Rebate (per unit)
Traulsen & Co., Inc. (www.traulsen.com)	RHF332W-FHS	RHF332W-FHS	6.8	-	\$300
Traulsen & Co., Inc. (www.traulsen.com)	RHF332W-HHS	RHF332W-HHS	6.8	-	\$300
Traulsen & Co., Inc. (www.traulsen.com)	RHF332WP-FHS	RHF332WP-FHS	6.8	-	\$300
Traulsen & Co., Inc. (www.traulsen.com)	RHF332WP-HHS	RHF332WP-HHS	6.8	-	\$300
Traulsen & Co., Inc. (www.traulsen.com)	RIH132L-FHS	RIH132L-FHS	6.8	-	\$300
Traulsen & Co., Inc. (www.traulsen.com)	RIH132LP-FHS	RIH132LP-FHS	6.8	-	\$300
Traulsen & Co., Inc. (www.traulsen.com)	RIH232L-FHS	RIH232L-FHS	6.8	-	\$300
Traulsen & Co., Inc. (www.traulsen.com)	RIH232LP-FHS	RIH232LP-FHS	6.3	-	\$300
Traulsen & Co., Inc. (www.traulsen.com)	RIH332L-FHS	RIH332L-FHS	6.8	-	\$300
Traulsen & Co., Inc. (www.traulsen.com)	RIH332LP-FHS	RIH332LP-FHS	6.8	-	\$300
Traulsen & Co., Inc. (www.traulsen.com)	TB-150	TB-150	16.0	-	\$300
Traulsen & Co., Inc. (www.traulsen.com)	TB-150FA	TB-150FA	18.3	-	\$300
Traulsen & Co., Inc. (www.traulsen.com)	TB-90	TB-90	10.7	TB-90FA	\$300
Traulsen & Co., Inc. (www.traulsen.com)	TB-96	TB-96	10.3	TB-96FA	\$300
Traulsen & Co., Inc. (www.traulsen.com)	TSP-13	TSP-13	9.7	TSP-13FA	\$300
Traulsen & Co., Inc. (www.traulsen.com)	TSP-15	TSP-15	19.1	TSP-15S TSP-15FA TSP-15FS	\$300
Vulcan (www.vulcanhart.com)	Holding and Transport Cabinet	VB150	16.0	-	\$300
Vulcan (www.vulcanhart.com)	Holding and Transport Cabinet	VB90	10.7	-	\$300
Vulcan (www.vulcanhart.com)	Holding and Transport Cabinet	VB96	10.3	-	\$300
Vulcan (www.vulcanhart.com)	VBPFA15	VBPFA15	19.1	VSCHFA15	\$300

**Updated 7/8/10**


Qualifying models must meet CEE Tier 2 specification. This measure does not include cook and hold equipment. All measures must be electric hot food holding cabinets that are fully insulated and have solid doors. Qualifying cabinets must not exceed the maximum idle energy rate of 20 Watts per cubic foot in accordance with the ASTM Standard F2140 test method.

List effective as of January 1, 2010. Check your utility rebate application for terms and conditions, and effective program dates.

Company Name (Website)	Model Name	Model Number	Idle Energy Rate (watts/ft <sup>3</sup> )	Additional Models Represented	Rebate (per unit)
<b>Vulcan</b> (www.vulcanhart.com)	<b>HumidiHeat Humidified Holding &amp; Transport Cabinet</b>	<b>VHMD13</b>	<b>11.8</b>	<b>VHMD15</b>	<b>\$300</b>
<b>Vulcan</b> (www.vulcanhart.com)	<b>VHPFA7</b>	<b>VHPFA7</b>	<b>19.5</b>	-	<b>\$300</b>
<b>Winston Industries</b> (www.winstonind.com)	<b>HA3022</b>	<b>HA3022GE</b>	<b>15.7</b>	-	<b>\$300</b>
<b>Winston Industries</b> (www.winstonind.com)	<b>HA4522</b>	<b>HA4522GE</b>	<b>19.1</b>	<b>HA4522Z</b>	<b>\$300</b>
<b>Winston Industries</b> (www.winstonind.com)	<b>HL4022</b>	<b>HL4022</b>	<b>16.6</b>	-	<b>\$300</b>
<b>Winston Industries</b> (www.winstonind.com)	<b>HL4522</b>	<b>HL4522</b>	<b>17.2</b>	-	<b>\$300</b>
<b>Wittco Foodservice Equipment</b> (www.wittco.com)	<b>1220-7-FA</b>	<b>1220-7-FA</b>	<b>19.5</b>	-	<b>\$300</b>
<b>Wittco Foodservice Equipment</b> (www.wittco.com)	<b>Holding and Transport Cabinet</b>	<b>18 26-15-BC-IS</b>	<b>13.4</b>	<b>18 26-15-SCH</b>	<b>\$300</b>
<b>Wittco Foodservice Equipment</b> (www.wittco.com)	<b>Holding and Transport Cabinet</b>	<b>1826-13-HMD</b>	<b>11.8</b>	<b>18-26-5-HMD 1826-15-HMD</b>	<b>\$300</b>
<b>Wittco Foodservice Equipment</b> (www.wittco.com)	<b>1826-15-FA</b>	<b>1826-15-FA</b>	<b>19.1</b>	<b>1826-15-SCH-FA</b>	<b>\$300</b>
<b>Wittco Foodservice Equipment</b> (www.wittco.com)	<b>Banquet Cart</b>	<b>2-150</b>	<b>16.0</b>	-	<b>\$300</b>
<b>Wittco Foodservice Equipment</b> (www.wittco.com)	<b>Banquet Cart</b>	<b>2-90</b>	<b>10.7</b>	-	<b>\$300</b>
<b>Wittco Foodservice Equipment</b> (www.wittco.com)	<b>Banquet Cart</b>	<b>2-96</b>	<b>10.3</b>	-	<b>\$300</b>


**Updated 7/8/10**

Qualifying models must meet ENERGY STAR® Version 2.0 specification and must be listed in the California Energy Commission database. Products on this list qualify for purchases from the date they are added until the date they are removed. Review program application for complete list of program qualifications, terms, conditions and effective dates.

 <b>Company Name</b> (Website)	<b>Brand Name</b>	<b>Model Number</b>	<b>Style Type</b>	<b>Total Volume</b> (ft <sup>3</sup> )	<b>Daily Energy Use</b> (kWh)	<b>Rebate</b> (per unit)
<b>Beverage Air</b> (www.beverage-air.com)	Beverage-Air	BB68G*****	Reach-in	28.3	4.01	\$100
<b>Beverage Air</b> (www.beverage-air.com)	Beverage-Air	ER24-5A*G*****	Reach-in	22	3.5	\$100
<b>Beverage Air</b> (www.beverage-air.com)	Beverage-Air	ER34-5A*G*****	Reach-in	29.8	4.11	\$100
<b>Beverage Air</b> (www.beverage-air.com)	Beverage-Air	ER48-5AG*****	Reach-in	46.7	4.65	\$125
<b>Beverage Air</b> (www.beverage-air.com)	Beverage-Air	UC85-1*****	Reach-in	2.4	0.98	\$75
<b>Carrier Commercial Refrigeration</b> (www.ccr.carrier.com)	Beverage-Air	MC1300S*****	Reach-in	46.96	6.46	\$125
<b>Carrier Commercial Refrigeration</b> (www.ccr.carrier.com)	Beverage-Air	MC2000S*****	Reach-in	64.96	8.63	\$150
<b>Carrier Commercial Refrigeration</b> (www.ccr.carrier.com)	Carrier	MC1300S*****	Reach-in	46.96	6.46	\$125
<b>Carrier Commercial Refrigeration</b> (www.ccr.carrier.com)	Carrier	MC2000S*****	Reach-in	64.96	8.63	\$150
<b>Delfield</b> (www.delfield.com)	Delfield	6025XL-G	Reach-in	20	3.7	\$100
<b>Delfield</b> (www.delfield.com)	Delfield	6025XL-GH	Reach-in	20	3.7	\$100
<b>Delfield</b> (www.delfield.com)	Delfield	6051XL-G	Reach-in	43.5	5.59	\$125
<b>Delfield</b> (www.delfield.com)	Delfield	6051XL-GH	Reach-in	43.5	5.59	\$125
<b>Delfield</b> (www.delfield.com)	Delfield	SAR1-G	Reach-in	24.96	3.8	\$100
<b>Delfield</b> (www.delfield.com)	Delfield	SAR1-GH	Reach-in	24.96	3.8	\$100
<b>Delfield</b> (www.delfield.com)	Delfield	SAR1S-G	Reach-in	18.25	3.55	\$100
<b>Delfield</b> (www.delfield.com)	Delfield	SAR1S-GH	Reach-in	18.25	3.55	\$100
<b>Delfield</b> (www.delfield.com)	Delfield	SAR2-G	Reach-in	51.92	6.67	\$150
<b>Delfield</b> (www.delfield.com)	Delfield	SAR2-GH	Reach-in	51.92	6.67	\$150
<b>Delfield</b> (www.delfield.com)	Delfield	SAR2S-G	Reach-in	37.96	5.24	\$125
<b>Delfield</b> (www.delfield.com)	Delfield	SAR2S-GH	Reach-in	37.96	5.24	\$125
<b>Delfield</b> (www.delfield.com)	Delfield	SAR3-G	Reach-in	78.89	8.9	\$150


**Updated 7/8/10**

Qualifying models must meet ENERGY STAR® Version 2.0 specification and must be listed in the California Energy Commission database. Products on this list qualify for purchases from the date they are added until the date they are removed. Review program application for complete list of program qualifications, terms, conditions and effective dates.

 <b>Company Name</b> (Website)	<b>Brand Name</b>	<b>Model Number</b>	<b>Style Type</b>	<b>Total Volume</b> (ft <sup>3</sup> )	<b>Daily Energy Use</b> (kWh)	<b>Rebate</b> (per unit)
<b>Delfield</b> (www.delfield.com)	<b>Delfield</b>	<b>SAR3-GH</b>	<b>Reach-in</b>	<b>78.89</b>	<b>8.9</b>	<b>\$150</b>
<b>Delfield</b> (www.delfield.com)	<b>Delfield</b>	<b>SARPT1-G</b>	<b>Pass-Through</b>	<b>26.64</b>	<b>4.58</b>	<b>\$100</b>
<b>Delfield</b> (www.delfield.com)	<b>Delfield</b>	<b>SARPT1-GH</b>	<b>Pass-Through</b>	<b>26.64</b>	<b>4.58</b>	<b>\$100</b>
<b>Delfield</b> (www.delfield.com)	<b>Delfield</b>	<b>SARPT1-GHSH</b>	<b>Pass-Through</b>	<b>26.64</b>	<b>4.58</b>	<b>\$100</b>
<b>Delfield</b> (www.delfield.com)	<b>Delfield</b>	<b>SARPT1-GS</b>	<b>Pass-Through</b>	<b>26.64</b>	<b>4.58</b>	<b>\$100</b>
<b>Delfield</b> (www.delfield.com)	<b>Delfield</b>	<b>SARRI1-G</b>	<b>Roll-In</b>	<b>36.15</b>	<b>5.46</b>	<b>\$125</b>
<b>Delfield</b> (www.delfield.com)	<b>Delfield</b>	<b>SARRI2-G</b>	<b>Roll-In</b>	<b>74.72</b>	<b>9.27</b>	<b>\$150</b>
<b>Delfield</b> (www.delfield.com)	<b>Delfield</b>	<b>SMR1-G</b>	<b>Reach-in</b>	<b>24.96</b>	<b>3.8</b>	<b>\$100</b>
<b>Delfield</b> (www.delfield.com)	<b>Delfield</b>	<b>SMR1-GH</b>	<b>Reach-in</b>	<b>24.96</b>	<b>3.8</b>	<b>\$100</b>
<b>Delfield</b> (www.delfield.com)	<b>Delfield</b>	<b>SMR1S-G</b>	<b>Reach-in</b>	<b>18.25</b>	<b>3.55</b>	<b>\$100</b>
<b>Delfield</b> (www.delfield.com)	<b>Delfield</b>	<b>SMR1S-GH</b>	<b>Reach-in</b>	<b>18.25</b>	<b>3.55</b>	<b>\$100</b>
<b>Delfield</b> (www.delfield.com)	<b>Delfield</b>	<b>SMR2-G</b>	<b>Reach-in</b>	<b>51.92</b>	<b>6.68</b>	<b>\$150</b>
<b>Delfield</b> (www.delfield.com)	<b>Delfield</b>	<b>SMR2-GH</b>	<b>Reach-in</b>	<b>51.92</b>	<b>6.68</b>	<b>\$150</b>
<b>Delfield</b> (www.delfield.com)	<b>Delfield</b>	<b>SMR2N-G</b>	<b>Reach-in</b>	<b>43.94</b>	<b>5.95</b>	<b>\$125</b>
<b>Delfield</b> (www.delfield.com)	<b>Delfield</b>	<b>SMR2N-GH</b>	<b>Reach-in</b>	<b>43.94</b>	<b>5.95</b>	<b>\$125</b>
<b>Delfield</b> (www.delfield.com)	<b>Delfield</b>	<b>SMR2S-G</b>	<b>Reach-in</b>	<b>37.96</b>	<b>5.24</b>	<b>\$125</b>
<b>Delfield</b> (www.delfield.com)	<b>Delfield</b>	<b>SMR2S-GH</b>	<b>Reach-in</b>	<b>37.96</b>	<b>5.24</b>	<b>\$125</b>
<b>Delfield</b> (www.delfield.com)	<b>Delfield</b>	<b>SMR3-G</b>	<b>Reach-in</b>	<b>78.89</b>	<b>8.9</b>	<b>\$150</b>
<b>Delfield</b> (www.delfield.com)	<b>Delfield</b>	<b>SMR3-GH</b>	<b>Reach-in</b>	<b>78.89</b>	<b>8.9</b>	<b>\$150</b>
<b>Delfield</b> (www.delfield.com)	<b>Delfield</b>	<b>SMRRI1-G</b>	<b>Roll-In</b>	<b>36.15</b>	<b>5.46</b>	<b>\$125</b>
<b>Delfield</b> (www.delfield.com)	<b>Delfield</b>	<b>SMRRI2-G</b>	<b>Roll-In</b>	<b>74.72</b>	<b>9.28</b>	<b>\$150</b>
<b>Delfield</b> (www.delfield.com)	<b>Delfield</b>	<b>SSR1-G</b>	<b>Reach-in</b>	<b>24.96</b>	<b>3.8</b>	<b>\$100</b>
<b>Delfield</b> (www.delfield.com)	<b>Delfield</b>	<b>SSR1-GH</b>	<b>Reach-in</b>	<b>24.96</b>	<b>3.8</b>	<b>\$100</b>
<b>Delfield</b> (www.delfield.com)	<b>Delfield</b>	<b>SSR1S-G</b>	<b>Reach-in</b>	<b>18.25</b>	<b>3.55</b>	<b>\$100</b>


**Updated 7/8/10**

Qualifying models must meet ENERGY STAR® Version 2.0 specification and must be listed in the California Energy Commission database. Products on this list qualify for purchases from the date they are added until the date they are removed. Review program application for complete list of program qualifications, terms, conditions and effective dates.

 <b>Company Name</b> (Website)	<b>Brand Name</b>	<b>Model Number</b>	<b>Style Type</b>	<b>Total Volume</b> (ft <sup>3</sup> )	<b>Daily Energy Use</b> (kWh)	<b>Rebate</b> (per unit)
<b>Delfield</b> (www.delfield.com)	<b>Delfield</b>	<b>SSR1S-GH</b>	<b>Reach-in</b>	<b>18.25</b>	<b>3.55</b>	<b>\$100</b>
<b>Delfield</b> (www.delfield.com)	<b>Delfield</b>	<b>SSR2-G</b>	<b>Reach-in</b>	<b>51.92</b>	<b>6.67</b>	<b>\$150</b>
<b>Delfield</b> (www.delfield.com)	<b>Delfield</b>	<b>SSR2-GH</b>	<b>Reach-in</b>	<b>51.92</b>	<b>6.67</b>	<b>\$150</b>
<b>Delfield</b> (www.delfield.com)	<b>Delfield</b>	<b>SSR2S-G</b>	<b>Reach-in</b>	<b>37.96</b>	<b>5.24</b>	<b>\$125</b>
<b>Delfield</b> (www.delfield.com)	<b>Delfield</b>	<b>SSR2S-GH</b>	<b>Reach-in</b>	<b>37.96</b>	<b>5.24</b>	<b>\$125</b>
<b>Delfield</b> (www.delfield.com)	<b>Delfield</b>	<b>SSR3-G</b>	<b>Reach-in</b>	<b>78.89</b>	<b>8.9</b>	<b>\$150</b>
<b>Delfield</b> (www.delfield.com)	<b>Delfield</b>	<b>SSR3-GH</b>	<b>Reach-in</b>	<b>78.89</b>	<b>8.9</b>	<b>\$150</b>
<b>Delfield</b> (www.delfield.com)	<b>Delfield</b>	<b>SSRPT1-G</b>	<b>Pass-Through</b>	<b>26.64</b>	<b>4.58</b>	<b>\$100</b>
<b>Delfield</b> (www.delfield.com)	<b>Delfield</b>	<b>SSRPT1-GH</b>	<b>Pass-Through</b>	<b>26.64</b>	<b>4.58</b>	<b>\$100</b>
<b>Delfield</b> (www.delfield.com)	<b>Delfield</b>	<b>SSRPT1-GHSH</b>	<b>Pass-Through</b>	<b>26.64</b>	<b>4.58</b>	<b>\$100</b>
<b>Delfield</b> (www.delfield.com)	<b>Delfield</b>	<b>SSRPT1-GS</b>	<b>Pass-Through</b>	<b>26.64</b>	<b>4.58</b>	<b>\$100</b>
<b>Delfield</b> (www.delfield.com)	<b>Delfield</b>	<b>SSRRI1-G</b>	<b>Roll-In</b>	<b>36.15</b>	<b>5.46</b>	<b>\$125</b>
<b>Delfield</b> (www.delfield.com)	<b>Delfield</b>	<b>SSRRI2-G</b>	<b>Roll-In</b>	<b>74.72</b>	<b>9.27</b>	<b>\$150</b>
<b>Electrolux Home Products</b> (professional.electroluxusa.com)	<b>Frigidaire</b>	<b>FCGM20****</b>	<b>Reach-in</b>	<b>21.9</b>	<b>2.7</b>	<b>\$100</b>
<b>Electrolux Home Products</b> (professional.electroluxusa.com)	<b>Kelvinator</b>	<b>KGM22****</b>	<b>Reach-in</b>	<b>21.9</b>	<b>2.7</b>	<b>\$100</b>
<b>Fogel de Centroamerica, S.A.</b>	<b>Fogel</b>	<b>CC-7-BEV</b>	<b>Reach-in</b>	<b>5.94</b>	<b>2.08</b>	<b>\$75</b>
<b>Fogel de Centroamerica, S.A.</b>	<b>Fogel</b>	<b>DECK-10</b>	<b>Reach-in</b>	<b>8.12</b>	<b>1.82</b>	<b>\$75</b>
<b>Fogel de Centroamerica, S.A.</b>	<b>Fogel</b>	<b>DECK-12</b>	<b>Reach-in</b>	<b>9.97</b>	<b>1.85</b>	<b>\$75</b>
<b>Fogel de Centroamerica, S.A.</b>	<b>Fogel</b>	<b>HC-12</b>	<b>Reach-in</b>	<b>10.38</b>	<b>2.09</b>	<b>\$75</b>
<b>Fogel de Centroamerica, S.A.</b>	<b>Fogel</b>	<b>VR-10-BEV</b>	<b>Reach-in</b>	<b>8.48</b>	<b>2.19</b>	<b>\$75</b>
<b>Fogel de Centroamerica, S.A.</b>	<b>Fogel</b>	<b>VR-12-BEV</b>	<b>Reach-in</b>	<b>10.38</b>	<b>2.1</b>	<b>\$75</b>
<b>Fogel de Centroamerica, S.A.</b>	<b>Fogel</b>	<b>VR-26-BEV</b>	<b>Reach-in</b>	<b>22.06</b>	<b>3.32</b>	<b>\$100</b>
<b>McCall Refrigeration</b> (www.mccallrefrigeration.com)	<b>Koolaire</b>	<b>KR-2</b>	<b>Reach-in</b>	<b>48.9</b>	<b>6.67</b>	<b>\$125</b>
<b>McCall Refrigeration</b> (www.mccallrefrigeration.com)	<b>Koolaire</b>	<b>MK-26GD</b>	<b>Reach-in</b>	<b>19.64</b>	<b>3.03</b>	<b>\$100</b>


**Updated 7/8/10**

Qualifying models must meet ENERGY STAR® Version 2.0 specification and must be listed in the California Energy Commission database. Products on this list qualify for purchases from the date they are added until the date they are removed. Review program application for complete list of program qualifications, terms, conditions and effective dates.

 <b>Company Name</b> (Website)	<b>Brand Name</b>	<b>Model Number</b>	<b>Style Type</b>	<b>Total Volume</b> (ft <sup>3</sup> )	<b>Daily Energy Use</b> (kWh)	<b>Rebate</b> (per unit)
<b>McCall Refrigeration</b> (www.mccallrefrigeration.com)	<b>Koolaire</b>	<b>MK-72GD</b>	<b>Reach-in</b>	<b>65.45</b>	<b>8.11</b>	<b>\$150</b>
<b>McCall Refrigeration</b> (www.mccallrefrigeration.com)	<b>McCall</b>	<b>MCCR1-G</b>	<b>Reach-in</b>	<b>24.96</b>	<b>3.8</b>	<b>\$100</b>
<b>McCall Refrigeration</b> (www.mccallrefrigeration.com)	<b>McCall</b>	<b>MCCR1-GH</b>	<b>Reach-in</b>	<b>24.96</b>	<b>3.8</b>	<b>\$100</b>
<b>McCall Refrigeration</b> (www.mccallrefrigeration.com)	<b>McCall</b>	<b>MCCR25-G</b>	<b>Reach-in</b>	<b>20</b>	<b>3.7</b>	<b>\$100</b>
<b>McCall Refrigeration</b> (www.mccallrefrigeration.com)	<b>McCall</b>	<b>MCCR25-GH</b>	<b>Reach-in</b>	<b>20</b>	<b>3.7</b>	<b>\$100</b>
<b>McCall Refrigeration</b> (www.mccallrefrigeration.com)	<b>McCall</b>	<b>MCCR2-G</b>	<b>Reach-in</b>	<b>51.92</b>	<b>6.68</b>	<b>\$150</b>
<b>McCall Refrigeration</b> (www.mccallrefrigeration.com)	<b>McCall</b>	<b>MCCR2-GH</b>	<b>Reach-in</b>	<b>51.92</b>	<b>6.68</b>	<b>\$150</b>
<b>McCall Refrigeration</b> (www.mccallrefrigeration.com)	<b>McCall</b>	<b>MCCR3-G</b>	<b>Reach-in</b>	<b>78.89</b>	<b>8.9</b>	<b>\$150</b>
<b>McCall Refrigeration</b> (www.mccallrefrigeration.com)	<b>McCall</b>	<b>MCCR3-GH</b>	<b>Reach-in</b>	<b>78.89</b>	<b>8.9</b>	<b>\$150</b>
<b>McCall Refrigeration</b> (www.mccallrefrigeration.com)	<b>McCall</b>	<b>MCCR51-G</b>	<b>Reach-in</b>	<b>43.5</b>	<b>5.59</b>	<b>\$125</b>
<b>McCall Refrigeration</b> (www.mccallrefrigeration.com)	<b>McCall</b>	<b>MCCR51-GH</b>	<b>Reach-in</b>	<b>43.5</b>	<b>5.59</b>	<b>\$125</b>
<b>McCall Refrigeration</b> (www.mccallrefrigeration.com)	<b>McCall</b>	<b>MCCRPT1-G</b>	<b>Pass-Through</b>	<b>26.64</b>	<b>4.58</b>	<b>\$100</b>
<b>McCall Refrigeration</b> (www.mccallrefrigeration.com)	<b>McCall</b>	<b>MCCRPT1-GH</b>	<b>Pass-Through</b>	<b>26.64</b>	<b>4.58</b>	<b>\$100</b>
<b>Perlick Corporation</b> (www.perlick.com)	<b>Perlick</b>	<b>BS32</b>	<b>Reach-in</b>	<b>7</b>	<b>1.97</b>	<b>\$75</b>
<b>Perlick Corporation</b> (www.perlick.com)	<b>Perlick</b>	<b>CS32</b>	<b>Reach-in</b>	<b>7</b>	<b>1.97</b>	<b>\$75</b>
<b>Perlick Corporation</b> (www.perlick.com)	<b>Perlick</b>	<b>R24</b>	<b>Reach-in</b>	<b>4.7</b>	<b>1.12</b>	<b>\$75</b>
<b>QBD Cooling Systems, Inc.</b> (www.qbd.com)	<b>QBD Cooling Systems, Inc.</b>	<b>CD10-H</b>	<b>Reach-in</b>	<b>9.22</b>	<b>2.19</b>	<b>\$75</b>
<b>QBD Cooling Systems, Inc.</b> (www.qbd.com)	<b>QBD Cooling Systems, Inc.</b>	<b>CD12-H</b>	<b>Reach-in</b>	<b>11.27</b>	<b>2.19</b>	<b>\$75</b>
<b>QBD Cooling Systems, Inc.</b> (www.qbd.com)	<b>QBD Cooling Systems, Inc.</b>	<b>CD14-H</b>	<b>Reach-in</b>	<b>14.33</b>	<b>2.82</b>	<b>\$75</b>
<b>QBD Cooling Systems, Inc.</b> (www.qbd.com)	<b>QBD Cooling Systems, Inc.</b>	<b>CD26-L1T5</b>	<b>Reach-in</b>	<b>23.13</b>	<b>3.79</b>	<b>\$100</b>
<b>QBD Cooling Systems, Inc.</b> (www.qbd.com)	<b>QBD Cooling Systems, Inc.</b>	<b>CD4148-S</b>	<b>Reach-in</b>	<b>14.64</b>	<b>2.48</b>	<b>\$75</b>


**Updated 7/8/10**

Qualifying models must meet ENERGY STAR® Version 2.0 specification and must be listed in the California Energy Commission database. Products on this list qualify for purchases from the date they are added until the date they are removed. Review program application for complete list of program qualifications, terms, conditions and effective dates.

 <b>Company Name</b> (Website)	<b>Brand Name</b>	<b>Model Number</b>	<b>Style Type</b>	<b>Total Volume</b> (ft <sup>3</sup> )	<b>Daily Energy Use</b> (kWh)	<b>Rebate</b> (per unit)
<b>QBD Cooling Systems, Inc.</b> (www.qbd.com)	<b>QBD Cooling Systems, Inc.</b>	<b>CD4154SL</b>	<b>Reach-in</b>	<b>14.31</b>	<b>2.9</b>	<b>\$75</b>
<b>QBD Cooling Systems, Inc.</b> (www.qbd.com)	<b>QBD Cooling Systems, Inc.</b>	<b>CD4156SL</b>	<b>Reach-in</b>	<b>15.09</b>	<b>3.05</b>	<b>\$100</b>
<b>QBD Cooling Systems, Inc.</b> (www.qbd.com)	<b>QBD Cooling Systems, Inc.</b>	<b>CD4160SL</b>	<b>Reach-in</b>	<b>16.54</b>	<b>3.05</b>	<b>\$100</b>
<b>QBD Cooling Systems, Inc.</b> (www.qbd.com)	<b>QBD Cooling Systems, Inc.</b>	<b>CD45S</b>	<b>Reach-in</b>	<b>37.13</b>	<b>5.78</b>	<b>\$125</b>
<b>QBD Cooling Systems, Inc.</b> (www.qbd.com)	<b>QBD Cooling Systems, Inc.</b>	<b>CD47HB</b>	<b>Reach-in</b>	<b>39.98</b>	<b>5.74</b>	<b>\$125</b>
<b>QBD Cooling Systems, Inc.</b> (www.qbd.com)	<b>QBD Cooling Systems, Inc.</b>	<b>SL10H</b>	<b>Reach-in</b>	<b>6.63</b>	<b>1.77</b>	<b>\$75</b>
<b>Traulsen</b> (www.traulsen.com/)	<b>Traulsen</b>	<b>G11000</b>	<b>Reach-in</b>	<b>24.2</b>	<b>4.43</b>	<b>\$100</b>
<b>Traulsen</b> (www.traulsen.com/)	<b>Traulsen</b>	<b>G11001</b>	<b>Reach-in</b>	<b>24.2</b>	<b>4.43</b>	<b>\$100</b>
<b>Traulsen</b> (www.traulsen.com/)	<b>Traulsen</b>	<b>G11010</b>	<b>Reach-in</b>	<b>24.2</b>	<b>4.43</b>	<b>\$100</b>
<b>Traulsen</b> (www.traulsen.com/)	<b>Traulsen</b>	<b>G11011</b>	<b>Reach-in</b>	<b>24.2</b>	<b>4.43</b>	<b>\$100</b>
<b>Traulsen</b> (www.traulsen.com/)	<b>Traulsen</b>	<b>G21000</b>	<b>Reach-in</b>	<b>46</b>	<b>6</b>	<b>\$125</b>
<b>Traulsen</b> (www.traulsen.com/)	<b>Traulsen</b>	<b>G21001</b>	<b>Reach-in</b>	<b>46</b>	<b>6</b>	<b>\$125</b>
<b>Traulsen</b> (www.traulsen.com/)	<b>Traulsen</b>	<b>G21002</b>	<b>Reach-in</b>	<b>46</b>	<b>6</b>	<b>\$125</b>
<b>Traulsen</b> (www.traulsen.com/)	<b>Traulsen</b>	<b>G21003</b>	<b>Reach-in</b>	<b>46</b>	<b>6</b>	<b>\$125</b>
<b>Traulsen</b> (www.traulsen.com/)	<b>Traulsen</b>	<b>G21010</b>	<b>Reach-in</b>	<b>46</b>	<b>6</b>	<b>\$125</b>
<b>Traulsen</b> (www.traulsen.com/)	<b>Traulsen</b>	<b>G21011</b>	<b>Reach-in</b>	<b>46</b>	<b>6</b>	<b>\$125</b>
<b>Traulsen</b> (www.traulsen.com/)	<b>Traulsen</b>	<b>G21012</b>	<b>Reach-in</b>	<b>46</b>	<b>6</b>	<b>\$125</b>
<b>Traulsen</b> (www.traulsen.com/)	<b>Traulsen</b>	<b>G21013</b>	<b>Reach-in</b>	<b>46</b>	<b>6</b>	<b>\$125</b>
<b>True Foodservice Equipment, Inc.</b> (www.truemfg.com)	<b>TRUE</b>	<b>GDM-10</b>	<b>Reach-in</b>	<b>8.1</b>	<b>2.08</b>	<b>\$75</b>
<b>True Foodservice Equipment, Inc.</b> (www.truemfg.com)	<b>TRUE</b>	<b>GDM-10-58</b>	<b>Reach-in</b>	<b>9.8</b>	<b>2.36</b>	<b>\$75</b>


**Updated 7/8/10**

Qualifying models must meet ENERGY STAR® Version 2.0 specification and must be listed in the California Energy Commission database. Products on this list qualify for purchases from the date they are added until the date they are removed. Review program application for complete list of program qualifications, terms, conditions and effective dates.

 <b>Company Name</b> (Website)	<b>Brand Name</b>	<b>Model Number</b>	<b>Style Type</b>	<b>Total Volume</b> (ft <sup>3</sup> )	<b>Daily Energy Use</b> (kWh)	<b>Rebate</b> (per unit)
<b>True Foodservice Equipment, Inc.</b> (www.truemfg.com)	TRUE	GDM-11SD	Reach-in	9.3	2.47	\$75
<b>True Foodservice Equipment, Inc.</b> (www.truemfg.com)	TRUE	GDM-12	Reach-in	10.1	2.49	\$75
<b>True Foodservice Equipment, Inc.</b> (www.truemfg.com)	TRUE	GDM-12FC	Reach-in	10.1	2.49	\$75
<b>True Foodservice Equipment, Inc.</b> (www.truemfg.com)	TRUE	GDM-12RF	Reach-in	10.1	2.49	\$75
<b>True Foodservice Equipment, Inc.</b> (www.truemfg.com)	TRUE	GDM-23	Reach-in	20.8	3.9	\$100
<b>True Foodservice Equipment, Inc.</b> (www.truemfg.com)	TRUE	GDM-23RF	Reach-in	22	4.04	\$100
<b>True Foodservice Equipment, Inc.</b> (www.truemfg.com)	TRUE	GDM-33	Reach-in	30.29	4.78	\$125
<b>True Foodservice Equipment, Inc.</b> (www.truemfg.com)	TRUE	GDM-35	Reach-in	34.3	5.21	\$125
<b>True Foodservice Equipment, Inc.</b> (www.truemfg.com)	TRUE	GDM-37	Reach-in	32.7	4.77	\$125
<b>True Foodservice Equipment, Inc.</b> (www.truemfg.com)	TRUE	GDM-41	Reach-in	34.3	4.83	\$125
<b>True Foodservice Equipment, Inc.</b> (www.truemfg.com)	TRUE	GDM-43	Reach-in	37.3	5.3	\$125
<b>True Foodservice Equipment, Inc.</b> (www.truemfg.com)	TRUE	GDM-49	Reach-in	45.2	5.96	\$125
<b>True Foodservice Equipment, Inc.</b> (www.truemfg.com)	TRUE	TSD-47G	Undercounter	43	5.15	\$125
<b>Turbo Air</b> (www.turboairinc.com)	Turbo Air	TGM-11R	Reach-in	10	2.52	\$75
<b>Turbo Air</b> (www.turboairinc.com)	Turbo Air	TGM-22R	Reach-in	20.3	3.52	\$100
<b>Turbo Air</b> (www.turboairinc.com)	Turbo Air	TGM-48R	Reach-in	44	6.05	\$125
<b>Turbo Air</b> (www.turboairinc.com)	Turbo Air	TGM-5R	Reach-in	4.7	1.55	\$75


**Updated 7/8/10**

Qualifying models must meet ENERGY STAR® Version 2.0 specification and must be listed in the California Energy Commission database. Products on this list qualify for purchases from the date they are added until the date they are removed. Review program application for complete list of program qualifications, terms, conditions and effective dates.

 <b>Company Name</b> (Website)	<b>Brand Name</b>	<b>Model Number</b>	<b>Style Type</b>	<b>Total Volume</b> (ft <sup>3</sup> )	<b>Daily Energy Use</b> (kWh)	<b>Rebate</b> (per unit)
<b>Universal Nolin</b> (www.universalnolin.com)	<b>Universal Nolin</b>	<b>MC1300S*****</b>	<b>Reach-in</b>	<b>46.96</b>	<b>6.46</b>	<b>\$125</b>
<b>Universal Nolin</b> (www.universalnolin.com)	<b>Universal Nolin</b>	<b>MC2000S*****</b>	<b>Reach-in</b>	<b>64.96</b>	<b>8.63</b>	<b>\$150</b>
<b>Vendo de México S.A. de C.V.</b> (http://www.vendodemexico.com.mx/)	<b>Vendo de MÃ©xico S.A. de C.V.</b>	<b>VR10 C BMAD</b>	<b>Reach-in</b>	<b>8.72</b>	<b>1.85</b>	<b>\$75</b>
<b>Victory Refrigeration, Inc.</b> (www.victory-refrig.com)	<b>Victory</b>	<b>RA-2D-S7-EWPT-GD</b>	<b>Pass-Through</b>	<b>56.3</b>	<b>6.93</b>	<b>\$150</b>
<b>Victory Refrigeration, Inc.</b> (www.victory-refrig.com)	<b>Victory</b>	<b>RA-2D-S7-GD</b>	<b>Reach-in</b>	<b>46.5</b>	<b>6.12</b>	<b>\$125</b>
<b>Victory Refrigeration, Inc.</b> (www.victory-refrig.com)	<b>Victory</b>	<b>RA-2D-S7-PT-GD</b>	<b>Pass-Through</b>	<b>50.4</b>	<b>7</b>	<b>\$150</b>
<b>Victory Refrigeration, Inc.</b> (www.victory-refrig.com)	<b>Victory</b>	<b>RA-3D-S7-GD</b>	<b>Reach-in</b>	<b>70.1</b>	<b>6.11</b>	<b>\$150</b>
<b>Victory Refrigeration, Inc.</b> (www.victory-refrig.com)	<b>Victory</b>	<b>RA-3D-S7-PT-GD</b>	<b>Pass-Through</b>	<b>75.9</b>	<b>9.31</b>	<b>\$150</b>
<b>Victory Refrigeration, Inc.</b> (www.victory-refrig.com)	<b>Victory</b>	<b>RS-2D-S7-EW-GD</b>	<b>Reach-in</b>	<b>50.3</b>	<b>6.74</b>	<b>\$150</b>
<b>Victory Refrigeration, Inc.</b> (www.victory-refrig.com)	<b>Victory</b>	<b>RS-2D-S7-EWPT-GD</b>	<b>Pass-Through</b>	<b>56.3</b>	<b>6.93</b>	<b>\$150</b>
<b>Victory Refrigeration, Inc.</b> (www.victory-refrig.com)	<b>Victory</b>	<b>RS-2D-S7-GD</b>	<b>Reach-in</b>	<b>46.5</b>	<b>6.12</b>	<b>\$125</b>
<b>Victory Refrigeration, Inc.</b> (www.victory-refrig.com)	<b>Victory</b>	<b>RS-2D-S7-PT-GD</b>	<b>Pass-Through</b>	<b>50.4</b>	<b>7</b>	<b>\$150</b>
<b>Victory Refrigeration, Inc.</b> (www.victory-refrig.com)	<b>Victory</b>	<b>RS-3D-S7-GD</b>	<b>Reach-in</b>	<b>70.1</b>	<b>6.11</b>	<b>\$150</b>
<b>Victory Refrigeration, Inc.</b> (www.victory-refrig.com)	<b>Victory</b>	<b>RS-3D-S7-PT-GD</b>	<b>Pass-Through</b>	<b>75.9</b>	<b>9.31</b>	<b>\$150</b>
<b>Victory Refrigeration, Inc.</b> (www.victory-refrig.com)	<b>Victory</b>	<b>RSA-2D-S7-EW-GD</b>	<b>Reach-in</b>	<b>50.3</b>	<b>6.74</b>	<b>\$150</b>
<b>Victory Refrigeration, Inc.</b> (www.victory-refrig.com)	<b>Victory</b>	<b>RSA-2D-S7-EWPT-GD</b>	<b>Pass-Through</b>	<b>56.3</b>	<b>6.93</b>	<b>\$150</b>


**Updated 7/8/10**

Qualifying models must meet ENERGY STAR® Version 2.0 specification and must be listed in the California Energy Commission database. Products on this list qualify for purchases from the date they are added until the date they are removed. Review program application for complete list of program qualifications, terms, conditions and effective dates.

 <b>Company Name</b> (Website)	<b>Brand Name</b>	<b>Model Number</b>	<b>Style Type</b>	<b>Total Volume</b> (ft <sup>3</sup> )	<b>Daily Energy Use</b> (kWh)	<b>Rebate</b> (per unit)
<b>Victory Refrigeration, Inc.</b> (www.victory-refrig.com)	Victory	RSA-2D-S7-GD	Reach-in	46.5	6.12	\$125
<b>Victory Refrigeration, Inc.</b> (www.victory-refrig.com)	Victory	RSA-2D-S7-PT-GD	Pass-Through	50.4	7	\$150
<b>Victory Refrigeration, Inc.</b> (www.victory-refrig.com)	Victory	RSA-3D-S7-GD	Reach-in	70.1	6.11	\$150
<b>Victory Refrigeration, Inc.</b> (www.victory-refrig.com)	Victory	RSA-3D-S7-PT-GD	Pass-Through	75.9	9.31	\$150


**Updated 7/8/10**

Qualifying models must meet ENERGY STAR® Version 2.0 specification and must be listed in the California Energy Commission database. Products on this list qualify for purchases from the date they are added until the date they are removed. Review program application for complete list of program qualifications, terms, conditions and effective dates.

 <b>Company Name</b> (Website)	<b>Brand Name</b>	<b>Model Number</b>	<b>Style Type</b>	<b>Total Volume</b> (ft <sup>3</sup> )	<b>Daily Energy Use</b> (kWh)	<b>Rebate</b> (per unit)
<b>Arctic Air</b> (www.articairstore.com)	Arctic Air	R22CW**	Reach-in	18.5	1.3	\$75
<b>Beverage Air</b> (www.beverage-air.com)	Beverage-Air	BB48Y*****	Reach-in	12.7	2.52	\$50
<b>Beverage Air</b> (www.beverage-air.com)	Beverage-Air	BM23*****	Reach-in	7.8	1.85	\$50
<b>Beverage Air</b> (www.beverage-air.com)	Beverage-Air	DD48Y*****	Reach-in	12.7	2.52	\$50
<b>Beverage Air</b> (www.beverage-air.com)	Beverage-Air	ER48-5A*S*****	Reach-in	46.7	3.21	\$125
<b>Beverage Air</b> (www.beverage-air.com)	Beverage-Air	PRI2-1AS-XDX***	Roll-In	67.4	4.99	\$200
<b>Beverage Air</b> (www.beverage-air.com)	Beverage-Air	SM34N-*****	Milk or Beverage	12.83	2	\$50
<b>Beverage Air</b> (www.beverage-air.com)	Beverage-Air	SM49N-*****	Milk or Beverage	15.8	1.93	\$75
<b>Beverage Air</b> (www.beverage-air.com)	Beverage-Air	SM58N-****	Milk or Beverage	24.5	2.25	\$75
<b>Beverage Air</b> (www.beverage-air.com)	Beverage-Air	SMF49Y*****	Milk or Beverage	19.09	2.78	\$75
<b>Beverage Air</b> (www.beverage-air.com)	Beverage-Air	ST34N-****	Milk or Beverage	13.1	1.85	\$50
<b>Beverage Air</b> (www.beverage-air.com)	Beverage-Air	ST49N-****	Milk or Beverage	19.2	2.2	\$75
<b>Beverage Air</b> (www.beverage-air.com)	Beverage-Air	WTR48A-*****	Work-Top Table	11.6	2.37	\$50
<b>Beverage Air</b> (www.beverage-air.com)	Beverage-Air	WTR48A-07	Work-Top Table	11.6	2.37	\$50
<b>Beverage Air</b> (www.beverage-air.com)	Beverage-Air	WTR48A-09	Work-Top Table	11.6	2.37	\$50
<b>Beverage Air</b> (www.beverage-air.com)	Beverage-Air	WTR48A-17	Work-Top Table	11.6	2.37	\$50
<b>Beverage Air</b> (www.beverage-air.com)	Beverage-Air	WTR48A-23	Work-Top Table	11.6	2.37	\$50
<b>Continental Refrigerator</b> (www.continental-refrig.com)	Continental	1R	Reach-in	20.05	2.59	\$75
<b>Continental Refrigerator</b> (www.continental-refrig.com)	Continental	1RE	Reach-in	22.56	2.71	\$75
<b>Continental Refrigerator</b> (www.continental-refrig.com)	Continental	1RE-PT	Pass-Through	22.56	2.71	\$75
<b>Continental Refrigerator</b> (www.continental-refrig.com)	Continental	1R-PT	Pass-Through	20.05	2.59	\$75
<b>Continental Refrigerator</b> (www.continental-refrig.com)	Continental	1RS	Reach-in	17.38	2.51	\$75


**Updated 7/8/10**

Qualifying models must meet ENERGY STAR® Version 2.0 specification and must be listed in the California Energy Commission database. Products on this list qualify for purchases from the date they are added until the date they are removed. Review program application for complete list of program qualifications, terms, conditions and effective dates.

 <b>Company Name</b> (Website)	<b>Brand Name</b>	<b>Model Number</b>	<b>Style Type</b>	<b>Total Volume</b> (ft <sup>3</sup> )	<b>Daily Energy Use</b> (kWh)	<b>Rebate</b> (per unit)
Continental Refrigerator (www.continental-refrig.com)	Continental	1RXS	Reach-in	24.26	3.01	\$75
Continental Refrigerator (www.continental-refrig.com)	Continental	2R	Reach-in	49.19	4.16	\$125
Continental Refrigerator (www.continental-refrig.com)	Continental	2RE	Reach-in	54.54	4.25	\$200
Continental Refrigerator (www.continental-refrig.com)	Continental	2RE-PT	Pass-Through	54.54	4.25	\$200
Continental Refrigerator (www.continental-refrig.com)	Continental	2R-PT	Pass-Through	49.19	4.16	\$125
Continental Refrigerator (www.continental-refrig.com)	Continental	3R	Reach-in	72.19	5.01	\$200
Continental Refrigerator (www.continental-refrig.com)	Continental	3RE	Reach-in	79.71	5.23	\$200
Continental Refrigerator (www.continental-refrig.com)	Continental	3RE-PT	Pass-Through	79.71	5.23	\$200
Continental Refrigerator (www.continental-refrig.com)	Continental	3R-PT	Pass-Through	72.19	5.01	\$200
Continental Refrigerator (www.continental-refrig.com)	Continental	CBC64***	Milk or Beverage	21.16	2.94	\$75
Continental Refrigerator (www.continental-refrig.com)	Continental	CBC95***	Milk or Beverage	32.14	3.91	\$125
Continental Refrigerator (www.continental-refrig.com)	Continental	DL1RE	Reach-in	23.14	3.05	\$75
Continental Refrigerator (www.continental-refrig.com)	Continental	DL1RE-PT	Pass-Through	23.14	3.05	\$75
Continental Refrigerator (www.continental-refrig.com)	Continental	DL3R	Reach-in	74.06	5.75	\$200
Continental Refrigerator (www.continental-refrig.com)	Continental	DL3RE	Reach-in	81.78	6	\$200
Continental Refrigerator (www.continental-refrig.com)	Continental	DL3RE-PT	Pass-Through	81.78	6	\$200
Continental Refrigerator (www.continental-refrig.com)	Continental	DL3R-PT	Pass-Through	74.06	5.75	\$200
Continental Refrigerator (www.continental-refrig.com)	Continental	MC4***-DCW	Milk or Beverage	19.79	2.1	\$75
Continental Refrigerator (www.continental-refrig.com)	Continental	MC4***-SCW	Milk or Beverage	19.79	2.84	\$75
Continental Refrigerator (www.continental-refrig.com)	Continental	MC5***-DCW	Milk or Beverage	23.74	2.64	\$75
<b>Delfield</b> (www.delfield.com)	Delfield	402	Work-Top Table	5.7	1.88	\$50
<b>Delfield</b> (www.delfield.com)	Delfield	406	Work-Top Table	5.7	1.88	\$50
<b>Delfield</b> (www.delfield.com)	Delfield	18650VDL	Reach-in	8.9	1.5	\$50
<b>Delfield</b> (www.delfield.com)	Delfield	18650VDR	Reach-in	8.9	1.5	\$50


**Updated 7/8/10**

Qualifying models must meet ENERGY STAR® Version 2.0 specification and must be listed in the California Energy Commission database. Products on this list qualify for purchases from the date they are added until the date they are removed. Review program application for complete list of program qualifications, terms, conditions and effective dates.

 <b>Company Name</b> (Website)	<b>Brand Name</b>	<b>Model Number</b>	<b>Style Type</b>	<b>Total Volume</b> (ft <sup>3</sup> )	<b>Daily Energy Use</b> (kWh)	<b>Rebate</b> (per unit)
<b>Delfield</b> (www.delfield.com)	Delfield	406-CA	Work-Top Table	5.7	1.88	\$50
<b>Delfield</b> (www.delfield.com)	Delfield	4460N	Undercounter	15.7	2.75	\$75
<b>Delfield</b> (www.delfield.com)	Delfield	6025XL-S	Reach-in	20	2.66	\$75
<b>Delfield</b> (www.delfield.com)	Delfield	6025XL-SH	Reach-in	20	2.66	\$75
<b>Delfield</b> (www.delfield.com)	Delfield	6051XL-S	Reach-in	43.5	3.65	\$125
<b>Delfield</b> (www.delfield.com)	Delfield	6051XL-SH	Reach-in	43.5	3.65	\$125
<b>Delfield</b> (www.delfield.com)	Delfield	D4460N	Undercounter	15.7	2.75	\$75
<b>Delfield</b> (www.delfield.com)	Delfield	F17VD84	Reach-in	8.9	1.5	\$50
<b>Delfield</b> (www.delfield.com)	Delfield	F18VD50	Reach-in	8.9	1.5	\$50
<b>Delfield</b> (www.delfield.com)	Delfield	F2982VDL	Reach-in	8.9	1.5	\$50
<b>Delfield</b> (www.delfield.com)	Delfield	F2982VDR	Reach-in	8.9	1.5	\$50
<b>Delfield</b> (www.delfield.com)	Delfield	KCM-50	Milk or Beverage	7.83	0.98	\$50
<b>Delfield</b> (www.delfield.com)	Delfield	KCM-60	Milk or Beverage	12.18	0.98	\$50
<b>Delfield</b> (www.delfield.com)	Delfield	KCM-74	Milk or Beverage	15.66	0.98	\$75
<b>Delfield</b> (www.delfield.com)	Delfield	N10-1313-34	Milk or Beverage	18.04	2.6	\$75
<b>Delfield</b> (www.delfield.com)	Delfield	N10-1313-36	Milk or Beverage	18.04	2.6	\$75
<b>Delfield</b> (www.delfield.com)	Delfield	N14-1313-34	Milk or Beverage	25.5	3.5	\$75
<b>Delfield</b> (www.delfield.com)	Delfield	N14-1313-36	Milk or Beverage	25.5	3.5	\$75
<b>Delfield</b> (www.delfield.com)	Delfield	N-1530	Milk or Beverage	21.38	2.6	\$75
<b>Delfield</b> (www.delfield.com)	Delfield	N-860	Milk or Beverage	13.4	1.9	\$50
<b>Delfield</b> (www.delfield.com)	Delfield	NDF-12	Milk or Beverage	17.19	2.6	\$75
<b>Delfield</b> (www.delfield.com)	Delfield	NDF18	Milk or Beverage	25.21	3.13	\$75
<b>Delfield</b> (www.delfield.com)	Delfield	SAR1-S	Reach-in	24.96	2.64	\$75
<b>Delfield</b> (www.delfield.com)	Delfield	SAR1-SH	Reach-in	24.96	2.64	\$75


**Updated 7/8/10**

Qualifying models must meet ENERGY STAR® Version 2.0 specification and must be listed in the California Energy Commission database. Products on this list qualify for purchases from the date they are added until the date they are removed. Review program application for complete list of program qualifications, terms, conditions and effective dates.

 <b>Company Name</b> (Website)	<b>Brand Name</b>	<b>Model Number</b>	<b>Style Type</b>	<b>Total Volume</b> (ft <sup>3</sup> )	<b>Daily Energy Use</b> (kWh)	<b>Rebate</b> (per unit)
Delfield (www.delfield.com)	Delfield	SAR1S-S	Reach-in	18.25	2.66	\$75
Delfield (www.delfield.com)	Delfield	SAR1S-SH	Reach-in	18.25	2.66	\$75
Delfield (www.delfield.com)	Delfield	SAR2-S	Reach-in	51.92	4.51	\$200
Delfield (www.delfield.com)	Delfield	SAR2-SH	Reach-in	51.92	4.51	\$200
Delfield (www.delfield.com)	Delfield	SAR2S-S	Reach-in	37.96	2.98	\$125
Delfield (www.delfield.com)	Delfield	SAR2S-SH	Reach-in	37.96	2.98	\$125
Delfield (www.delfield.com)	Delfield	SAR3-S	Reach-in	78.89	5.5	\$200
Delfield (www.delfield.com)	Delfield	SAR3-SH	Reach-in	78.89	5.5	\$200
Delfield (www.delfield.com)	Delfield	SARPT1-S	Pass-Through	26.64	3.14	\$75
Delfield (www.delfield.com)	Delfield	SARPT1-SH	Pass-Through	26.64	3.14	\$75
Delfield (www.delfield.com)	Delfield	SARRI2-S	Roll-In	74.72	5.85	\$200
Delfield (www.delfield.com)	Delfield	SARRI3-S	Roll-In	113.28	7.56	\$200
Delfield (www.delfield.com)	Delfield	SARRT3-S	Roll-Through	120.9	8.01	\$200
Delfield (www.delfield.com)	Delfield	SCM-50	Milk or Beverage	7.83	0.98	\$50
Delfield (www.delfield.com)	Delfield	SCM-60	Milk or Beverage	12.18	0.98	\$50
Delfield (www.delfield.com)	Delfield	SCM-74	Milk or Beverage	15.66	0.98	\$75
Delfield (www.delfield.com)	Delfield	SMR1-S	Reach-in	24.96	2.64	\$75
Delfield (www.delfield.com)	Delfield	SMR1-SH	Reach-in	24.96	2.64	\$75
Delfield (www.delfield.com)	Delfield	SMR1S-S	Reach-in	18.25	2.66	\$75
Delfield (www.delfield.com)	Delfield	SMR1S-SH	Reach-in	18.25	2.66	\$75
Delfield (www.delfield.com)	Delfield	SMR2-S	Reach-in	51.92	4.51	\$200
Delfield (www.delfield.com)	Delfield	SMR2-SH	Reach-in	51.92	4.51	\$200
Delfield (www.delfield.com)	Delfield	SMR2S-S	Reach-in	37.96	2.98	\$125
Delfield (www.delfield.com)	Delfield	SMR2S-SH	Reach-in	37.96	2.98	\$125


**Updated 7/8/10**

Qualifying models must meet ENERGY STAR® Version 2.0 specification and must be listed in the California Energy Commission database. Products on this list qualify for purchases from the date they are added until the date they are removed. Review program application for complete list of program qualifications, terms, conditions and effective dates.

 <b>Company Name</b> (Website)	<b>Brand Name</b>	<b>Model Number</b>	<b>Style Type</b>	<b>Total Volume</b> (ft <sup>3</sup> )	<b>Daily Energy Use</b> (kWh)	<b>Rebate</b> (per unit)
<b>Delfield</b> (www.delfield.com)	<b>Delfield</b>	<b>SMR3-S</b>	<b>Reach-in</b>	<b>78.89</b>	<b>5.51</b>	<b>\$200</b>
<b>Delfield</b> (www.delfield.com)	<b>Delfield</b>	<b>SMR3-SH</b>	<b>Reach-in</b>	<b>78.89</b>	<b>5.51</b>	<b>\$200</b>
<b>Delfield</b> (www.delfield.com)	<b>Delfield</b>	<b>SMRPT1-S</b>	<b>Pass-Through</b>	<b>26.64</b>	<b>3.14</b>	<b>\$75</b>
<b>Delfield</b> (www.delfield.com)	<b>Delfield</b>	<b>SMRPT1-SH</b>	<b>Pass-Through</b>	<b>26.64</b>	<b>3.14</b>	<b>\$75</b>
<b>Delfield</b> (www.delfield.com)	<b>Delfield</b>	<b>SMRRI2-S</b>	<b>Roll-In</b>	<b>74.72</b>	<b>5.86</b>	<b>\$200</b>
<b>Delfield</b> (www.delfield.com)	<b>Delfield</b>	<b>SMRRI3-S</b>	<b>Roll-In</b>	<b>113.28</b>	<b>7.56</b>	<b>\$200</b>
<b>Delfield</b> (www.delfield.com)	<b>Delfield</b>	<b>SMRRT3-S</b>	<b>Roll-Through</b>	<b>120.9</b>	<b>8.01</b>	<b>\$200</b>
<b>Delfield</b> (www.delfield.com)	<b>Delfield</b>	<b>SSR1-S</b>	<b>Reach-in</b>	<b>24.96</b>	<b>2.64</b>	<b>\$75</b>
<b>Delfield</b> (www.delfield.com)	<b>Delfield</b>	<b>SSR1-SH</b>	<b>Reach-in</b>	<b>24.96</b>	<b>2.64</b>	<b>\$75</b>
<b>Delfield</b> (www.delfield.com)	<b>Delfield</b>	<b>SSR1S-S</b>	<b>Reach-in</b>	<b>18.25</b>	<b>2.66</b>	<b>\$75</b>
<b>Delfield</b> (www.delfield.com)	<b>Delfield</b>	<b>SSR1S-SH</b>	<b>Reach-in</b>	<b>18.25</b>	<b>2.66</b>	<b>\$75</b>
<b>Delfield</b> (www.delfield.com)	<b>Delfield</b>	<b>SSR2-S</b>	<b>Reach-in</b>	<b>51.92</b>	<b>4.51</b>	<b>\$200</b>
<b>Delfield</b> (www.delfield.com)	<b>Delfield</b>	<b>SSR2-SH</b>	<b>Reach-in</b>	<b>51.92</b>	<b>4.51</b>	<b>\$200</b>
<b>Delfield</b> (www.delfield.com)	<b>Delfield</b>	<b>SSR2S-S</b>	<b>Reach-in</b>	<b>37.96</b>	<b>2.98</b>	<b>\$125</b>
<b>Delfield</b> (www.delfield.com)	<b>Delfield</b>	<b>SSR2S-SH</b>	<b>Reach-in</b>	<b>37.96</b>	<b>2.98</b>	<b>\$125</b>
<b>Delfield</b> (www.delfield.com)	<b>Delfield</b>	<b>SSR3-S</b>	<b>Reach-in</b>	<b>78.89</b>	<b>5.5</b>	<b>\$200</b>
<b>Delfield</b> (www.delfield.com)	<b>Delfield</b>	<b>SSR3-SH</b>	<b>Reach-in</b>	<b>78.89</b>	<b>5.5</b>	<b>\$200</b>
<b>Delfield</b> (www.delfield.com)	<b>Delfield</b>	<b>SSRPT1-S</b>	<b>Pass-Through</b>	<b>26.64</b>	<b>3.14</b>	<b>\$75</b>
<b>Delfield</b> (www.delfield.com)	<b>Delfield</b>	<b>SSRPT1-SH</b>	<b>Pass-Through</b>	<b>26.64</b>	<b>3.14</b>	<b>\$75</b>
<b>Delfield</b> (www.delfield.com)	<b>Delfield</b>	<b>SSRRI2-S</b>	<b>Roll-In</b>	<b>74.72</b>	<b>5.85</b>	<b>\$200</b>
<b>Delfield</b> (www.delfield.com)	<b>Delfield</b>	<b>SSRRI3-S</b>	<b>Roll-In</b>	<b>113.28</b>	<b>7.56</b>	<b>\$200</b>
<b>Delfield</b> (www.delfield.com)	<b>Delfield</b>	<b>SSRRT3-S</b>	<b>Roll-Through</b>	<b>120.9</b>	<b>8.01</b>	<b>\$200</b>
<b>Delfield</b> (www.delfield.com)	<b>Delfield</b>	<b>ST4048</b>	<b>Undercounter</b>	<b>11.4</b>	<b>2.04</b>	<b>\$50</b>
<b>Delfield</b> (www.delfield.com)	<b>Delfield</b>	<b>ST4460N</b>	<b>Undercounter</b>	<b>15.7</b>	<b>2.75</b>	<b>\$75</b>


Updated 7/8/10

Qualifying models must meet ENERGY STAR® Version 2.0 specification and must be listed in the California Energy Commission database. Products on this list qualify for purchases from the date they are added until the date they are removed. Review program application for complete list of program qualifications, terms, conditions and effective dates.

 <b>Company Name</b> (Website)	<b>Brand Name</b>	<b>Model Number</b>	<b>Style Type</b>	<b>Total Volume</b> (ft <sup>3</sup> )	<b>Daily Energy Use</b> (kWh)	<b>Rebate</b> (per unit)
<b>Delfield</b> (www.delfield.com)	Delfield	STD4460N	Undercounter	15.7	2.75	\$75
<b>Delfield</b> (www.delfield.com)	Delfield	UC4048	Undercounter	11.4	2.04	\$50
<b>Delfield</b> (www.delfield.com)	Delfield	UC4460N	Undercounter	15.7	2.75	\$75
<b>Delfield</b> (www.delfield.com)	Delfield	UCD4460N	Undercounter	15.7	2.75	\$75
<b>Delfield</b> (www.delfield.com)	Shelleyglas	KCM-50	Milk or Beverage	8.3	1.07	\$50
<b>Delfield</b> (www.delfield.com)	Shelleyglas	KCM-60	Milk or Beverage	13.1	1.32	\$50
<b>Delfield</b> (www.delfield.com)	Shelleyglas	KCM-74	Milk or Beverage	16.5	1.38	\$75
<b>Delfield</b> (www.delfield.com)	Shelleymatic	MFSC-2020	Milk or Beverage	9	1.1	\$50
<b>Delfield</b> (www.delfield.com)	Shelleymatic	MFSC-2821	Milk or Beverage	7.3	1	\$50
<b>Delfield</b> (www.delfield.com)	Shelleymatic	MFSC-31	Milk or Beverage	8.7	1.08	\$50
<b>Delfield</b> (www.delfield.com)	Shelleymatic	MFSC-44	Milk or Beverage	13.5	1.34	\$50
<b>Delfield</b> (www.delfield.com)	Shelleymatic	MFSC-57	Milk or Beverage	18.3	1.9	\$75
<b>Delfield</b> (www.delfield.com)	Shelleymatic	N-1200	Milk or Beverage	18.7	2.33	\$75
<b>Delfield</b> (www.delfield.com)	Shelleymatic	N-1530	Milk or Beverage	24	2.63	\$75
<b>Delfield</b> (www.delfield.com)	Shelleymatic	N-860	Milk or Beverage	13.4	2.02	\$50
<b>Electrolux Home Products</b> (professional.electroluxusa.com)	Frigidaire	FCRS20****	Reach-in	21.3	1	\$75
<b>Electrolux Home Products</b> (professional.electroluxusa.com)	Kelvinator	KRS22****	Reach-in	21.3	0.97	\$75
<b>Hoshizaki</b> (www.hoshizakiamerica.com)	Hoshizaki America	HUR-68A	Reach-in	20.2	2.77	\$75
<b>McCall Refrigeration</b> (www.mccallrefrigeration.com)	McCall	MCCR1-S	Reach-in	24.96	2.64	\$75
<b>McCall Refrigeration</b> (www.mccallrefrigeration.com)	McCall	MCCR1-SH	Reach-in	24.96	2.64	\$75
<b>McCall Refrigeration</b> (www.mccallrefrigeration.com)	McCall	MCCR25-S	Reach-in	20	2.66	\$75
<b>McCall Refrigeration</b> (www.mccallrefrigeration.com)	McCall	MCCR25-SH	Reach-in	20	2.66	\$75
<b>McCall Refrigeration</b> (www.mccallrefrigeration.com)	McCall	MCCR27	Undercounter	5.7	1.88	\$50
<b>McCall Refrigeration</b> (www.mccallrefrigeration.com)	McCall	MCCR2-S	Reach-in	51.92	4.51	\$200


Updated 7/8/10

Qualifying models must meet ENERGY STAR® Version 2.0 specification and must be listed in the California Energy Commission database. Products on this list qualify for purchases from the date they are added until the date they are removed. Review program application for complete list of program qualifications, terms, conditions and effective dates.

 <b>Company Name</b> (Website)	<b>Brand Name</b>	<b>Model Number</b>	<b>Style Type</b>	<b>Total Volume</b> (ft <sup>3</sup> )	<b>Daily Energy Use</b> (kWh)	<b>Rebate</b> (per unit)
<b>McCall Refrigeration</b> (www.mccallrefrigeration.com)	McCall	MCCR2-SH	Reach-in	51.92	4.51	\$200
<b>McCall Refrigeration</b> (www.mccallrefrigeration.com)	McCall	MCCR3-S	Reach-in	78.89	5.51	\$200
<b>McCall Refrigeration</b> (www.mccallrefrigeration.com)	McCall	MCCR3-SH	Reach-in	78.89	5.51	\$200
<b>McCall Refrigeration</b> (www.mccallrefrigeration.com)	McCall	MCCR48	Undercounter	11.4	2.04	\$50
<b>McCall Refrigeration</b> (www.mccallrefrigeration.com)	McCall	MCCR51-S	Reach-in	43.5	3.65	\$125
<b>McCall Refrigeration</b> (www.mccallrefrigeration.com)	McCall	MCCR51-SH	Reach-in	43.5	3.65	\$125
<b>McCall Refrigeration</b> (www.mccallrefrigeration.com)	McCall	MCCRPT1-S	Pass-Through	26.64	3.14	\$75
<b>McCall Refrigeration</b> (www.mccallrefrigeration.com)	McCall	MCCRPT1-SH	Pass-Through	26.64	3.14	\$75
<b>McCall Refrigeration</b> (www.mccallrefrigeration.com)	McCall	MCCRT60	Undercounter	15.7	2.75	\$75
<b>McCall Refrigeration</b> (www.mccallrefrigeration.com)	McCall	MCCSTR27	Undercounter	5.7	1.88	\$50
<b>McCall Refrigeration</b> (www.mccallrefrigeration.com)	McCall	MCCSTR48	Undercounter	11.4	2.04	\$50
<b>Ningbo Yingqi Metal Products Co., Ltd.</b> (http://www.yingqi.cn)	Ningbo Yingqi Metal Products Co., Ltd.	RF18D-A	Reach-in	1.62	0.98	\$50
<b>Ningbo Yingqi Metal Products Co., Ltd.</b> (http://www.yingqi.cn)	Ningbo Yingqi Metal Products Co., Ltd.	RF20D-A	Reach-in	1.77	0.79	\$50
<b>Norlake</b> (www.norlake.com)	Master-Bilt	BSD-80TR*	Reach-in	70.6	5.56	\$200
<b>Norlake</b> (www.norlake.com)	Master-Bilt	WSD-24SR*	Reach-in	19.5	2.44	\$75
<b>Norlake</b> (www.norlake.com)	Norlake	AR084***/0	Milk or Beverage	11	1.74	\$50
<b>Norlake</b> (www.norlake.com)	Norlake	AR122***/0	Milk or Beverage	17.79	2.52	\$75
<b>Norlake</b> (www.norlake.com)	Norlake	AR124***/0	Milk or Beverage	17.5	2.58	\$75
<b>Norlake</b> (www.norlake.com)	Norlake	AR162***/0	Milk or Beverage	21.75	2.24	\$75
<b>Norlake</b> (www.norlake.com)	Norlake	AR164***/0	Milk or Beverage	21.75	2.13	\$75
<b>Norlake</b> (www.norlake.com)	Norlake	BR241***/0W	Reach-in	19.5	2.44	\$75
<b>Norlake</b> (www.norlake.com)	Norlake	BR803***/0	Reach-in	70.6	5.56	\$200
<b>Norlake</b> (www.norlake.com)	Norlake	LR061WWW/0	Reach-in	4.5	0.6	\$50


**Updated 7/8/10**

Qualifying models must meet ENERGY STAR® Version 2.0 specification and must be listed in the California Energy Commission database. Products on this list qualify for purchases from the date they are added until the date they are removed. Review program application for complete list of program qualifications, terms, conditions and effective dates.

 <b>Company Name</b> (Website)	<b>Brand Name</b>	<b>Model Number</b>	<b>Style Type</b>	<b>Total Volume</b> (ft <sup>3</sup> )	<b>Daily Energy Use</b> (kWh)	<b>Rebate</b> (per unit)
<b>Norlake</b> (www.norlake.com)	Norlake	NSFR241WMW/OM	Reach-in	24	1.19	\$75
<b>Norlake</b> (www.norlake.com)	Norlake	NSLR041WMW/OM	Reach-in	4.6	1.69	\$50
<b>Norlake</b> (www.norlake.com)	Norlake	NSLR051SSS/OM	Reach-in	5	1.69	\$50
<b>Norlake</b> (www.norlake.com)	Norlake	NSLR051WMW/OM	Reach-in	5	1.69	\$50
<b>Norlake</b> (www.norlake.com)	Norlake	NSLR241WMW/OM	Reach-in	24	1.19	\$75
<b>Norlake</b> (www.norlake.com)	Norlake	SR122***/0	Milk or Beverage	14	2	\$50
<b>Norlake</b> (www.norlake.com)	Norlake	SR162***/0	Milk or Beverage	20.2	2.23	\$75
<b>Northland Refrigeration</b> (www.northland-refrig.com)	Imperial	RF265*	Reach-in	27.61	1.88	\$75
<b>Perlick Corporation</b> (www.perlick.com)	Perlick	BC24	Reach-in	4	1.17	\$50
<b>Perlick Corporation</b> (www.perlick.com)	Perlick	BC36	Reach-in	7.6	1.22	\$50
<b>Perlick Corporation</b> (www.perlick.com)	Perlick	BS32	Reach-in	7	1.72	\$50
<b>Perlick Corporation</b> (www.perlick.com)	Perlick	CS32	Reach-in	7	1.72	\$50
<b>Perlick Corporation</b> (www.perlick.com)	Perlick	DP32	Reach-in	7	1.4	\$50
<b>Perlick Corporation</b> (www.perlick.com)	Perlick	DS32	Reach-in	7	1.4	\$50
<b>Perlick Corporation</b> (www.perlick.com)	Perlick	R24	Reach-in	4.7	0.89	\$50
<b>Traulsen</b> (www.traulsen.com/)	Traulsen	AHT132WUT***	Reach-in	24.2	3.07	\$75
<b>Traulsen</b> (www.traulsen.com/)	Traulsen	RHT132WUT***	Reach-in	24.2	3.07	\$75
<b>Traulsen</b> (www.traulsen.com/)	Traulsen	G10000	Reach-in	24.2	2.29	\$75
<b>Traulsen</b> (www.traulsen.com/)	Traulsen	G10001	Reach-in	24.2	2.29	\$75
<b>Traulsen</b> (www.traulsen.com/)	Traulsen	G10002P	Reach-in	25.6	3.1	\$75
<b>Traulsen</b> (www.traulsen.com/)	Traulsen	G10003P	Reach-in	25.6	3.1	\$75
<b>Traulsen</b> (www.traulsen.com/)	Traulsen	G10004P	Reach-in	25.6	3.1	\$75
<b>Traulsen</b> (www.traulsen.com/)	Traulsen	G10005P	Reach-in	25.6	3.1	\$75
<b>Traulsen</b> (www.traulsen.com/)	Traulsen	G10010	Reach-in	24.2	2.32	\$75


**Updated 7/8/10**

Qualifying models must meet ENERGY STAR® Version 2.0 specification and must be listed in the California Energy Commission database. Products on this list qualify for purchases from the date they are added until the date they are removed. Review program application for complete list of program qualifications, terms, conditions and effective dates.

 <b>Company Name</b> (Website)	<b>Brand Name</b>	<b>Model Number</b>	<b>Style Type</b>	<b>Total Volume</b> (ft <sup>3</sup> )	<b>Daily Energy Use</b> (kWh)	<b>Rebate</b> (per unit)
<b>Traulsen</b> (www.traulsen.com/)	<b>Traulsen</b>	<b>G10011</b>	<b>Reach-in</b>	<b>24.2</b>	<b>2.32</b>	<b>\$75</b>
<b>Traulsen</b> (www.traulsen.com/)	<b>Traulsen</b>	<b>G10012P</b>	<b>Reach-in</b>	<b>25.6</b>	<b>3.1</b>	<b>\$75</b>
<b>Traulsen</b> (www.traulsen.com/)	<b>Traulsen</b>	<b>G10013P</b>	<b>Reach-in</b>	<b>25.6</b>	<b>3.1</b>	<b>\$75</b>
<b>Traulsen</b> (www.traulsen.com/)	<b>Traulsen</b>	<b>G10014P</b>	<b>Reach-in</b>	<b>25.6</b>	<b>3.1</b>	<b>\$75</b>
<b>Traulsen</b> (www.traulsen.com/)	<b>Traulsen</b>	<b>G10015P</b>	<b>Reach-in</b>	<b>25.6</b>	<b>3.1</b>	<b>\$75</b>
<b>Traulsen</b> (www.traulsen.com/)	<b>Traulsen</b>	<b>G20000</b>	<b>Reach-in</b>	<b>46</b>	<b>3.62</b>	<b>\$125</b>
<b>Traulsen</b> (www.traulsen.com/)	<b>Traulsen</b>	<b>G20001</b>	<b>Reach-in</b>	<b>46</b>	<b>3.62</b>	<b>\$125</b>
<b>Traulsen</b> (www.traulsen.com/)	<b>Traulsen</b>	<b>G20002</b>	<b>Reach-in</b>	<b>46</b>	<b>3.62</b>	<b>\$125</b>
<b>Traulsen</b> (www.traulsen.com/)	<b>Traulsen</b>	<b>G20003</b>	<b>Reach-in</b>	<b>46</b>	<b>3.62</b>	<b>\$125</b>
<b>Traulsen</b> (www.traulsen.com/)	<b>Traulsen</b>	<b>G20004P</b>	<b>Reach-in</b>	<b>48.8</b>	<b>4.3</b>	<b>\$125</b>
<b>Traulsen</b> (www.traulsen.com/)	<b>Traulsen</b>	<b>G20005P</b>	<b>Reach-in</b>	<b>48.8</b>	<b>4.3</b>	<b>\$125</b>
<b>Traulsen</b> (www.traulsen.com/)	<b>Traulsen</b>	<b>G20006P</b>	<b>Reach-in</b>	<b>48.8</b>	<b>4.3</b>	<b>\$125</b>
<b>Traulsen</b> (www.traulsen.com/)	<b>Traulsen</b>	<b>G20007P</b>	<b>Reach-in</b>	<b>48.8</b>	<b>4.3</b>	<b>\$125</b>
<b>Traulsen</b> (www.traulsen.com/)	<b>Traulsen</b>	<b>G20010</b>	<b>Reach-in</b>	<b>46</b>	<b>3.6</b>	<b>\$125</b>
<b>Traulsen</b> (www.traulsen.com/)	<b>Traulsen</b>	<b>G20011</b>	<b>Reach-in</b>	<b>46</b>	<b>3.6</b>	<b>\$125</b>
<b>Traulsen</b> (www.traulsen.com/)	<b>Traulsen</b>	<b>G20012</b>	<b>Reach-in</b>	<b>46</b>	<b>3.6</b>	<b>\$125</b>
<b>Traulsen</b> (www.traulsen.com/)	<b>Traulsen</b>	<b>G20013</b>	<b>Reach-in</b>	<b>46</b>	<b>3.6</b>	<b>\$125</b>
<b>Traulsen</b> (www.traulsen.com/)	<b>Traulsen</b>	<b>G20014P</b>	<b>Reach-in</b>	<b>48.8</b>	<b>4.3</b>	<b>\$125</b>
<b>Traulsen</b> (www.traulsen.com/)	<b>Traulsen</b>	<b>G20015P</b>	<b>Reach-in</b>	<b>48.8</b>	<b>4.3</b>	<b>\$125</b>
<b>Traulsen</b> (www.traulsen.com/)	<b>Traulsen</b>	<b>G20016P</b>	<b>Reach-in</b>	<b>48.8</b>	<b>4.3</b>	<b>\$125</b>
<b>Traulsen</b> (www.traulsen.com/)	<b>Traulsen</b>	<b>G20017P</b>	<b>Reach-in</b>	<b>48.8</b>	<b>4.3</b>	<b>\$125</b>
<b>Traulsen</b> (www.traulsen.com/)	<b>Traulsen</b>	<b>G30000</b>	<b>Reach-in</b>	<b>69.1</b>	<b>4.66</b>	<b>\$200</b>
<b>Traulsen</b> (www.traulsen.com/)	<b>Traulsen</b>	<b>G30001</b>	<b>Reach-in</b>	<b>69.1</b>	<b>4.66</b>	<b>\$200</b>
<b>Traulsen</b> (www.traulsen.com/)	<b>Traulsen</b>	<b>G30002</b>	<b>Reach-in</b>	<b>69.1</b>	<b>4.66</b>	<b>\$200</b>


**Updated 7/8/10**

Qualifying models must meet ENERGY STAR® Version 2.0 specification and must be listed in the California Energy Commission database. Products on this list qualify for purchases from the date they are added until the date they are removed. Review program application for complete list of program qualifications, terms, conditions and effective dates.

 <b>Company Name</b> (Website)	<b>Brand Name</b>	<b>Model Number</b>	<b>Style Type</b>	<b>Total Volume</b> (ft <sup>3</sup> )	<b>Daily Energy Use</b> (kWh)	<b>Rebate</b> (per unit)
<b>Traulsen</b> (www.traulsen.com/)	Traulsen	G30003	Reach-in	69.1	4.66	\$200
<b>Traulsen</b> (www.traulsen.com/)	Traulsen	G30010	Reach-in	69.1	4.68	\$200
<b>Traulsen</b> (www.traulsen.com/)	Traulsen	G30011	Reach-in	69.1	4.68	\$200
<b>Traulsen</b> (www.traulsen.com/)	Traulsen	G30012	Reach-in	69.1	4.68	\$200
<b>Traulsen</b> (www.traulsen.com/)	Traulsen	G30013	Reach-in	69.1	4.68	\$200
<b>Traulsen</b> (www.traulsen.com/)	Traulsen	TU044HT	Undercounter	9.8	1.5	\$50
<b>Traulsen</b> (www.traulsen.com/)	Traulsen	TU072HT	Undercounter	20	2.35	\$75
<b>Traulsen</b> (www.traulsen.com/)	Traulsen	TU100HT	Undercounter	32.3	3	\$125
<b>Traulsen</b> (www.traulsen.com/)	Traulsen	UHT48-LR	Undercounter	13	2.44	\$50
<b>True Foodservice Equipment, Inc.</b> (www.truemfg.com)	TRUE	T-19	Reach-in	17.6	2.75	\$75
<b>True Foodservice Equipment, Inc.</b> (www.truemfg.com)	TRUE	T-23	Reach-in	22.6	2.43	\$75
<b>True Foodservice Equipment, Inc.</b> (www.truemfg.com)	TRUE	T-23PT	Reach-in	24.2	3.09	\$75
<b>True Foodservice Equipment, Inc.</b> (www.truemfg.com)	TRUE	T-35	Reach-in	33.1	2.89	\$125
<b>True Foodservice Equipment, Inc.</b> (www.truemfg.com)	TRUE	T-49	Reach-in	43.5	3.5	\$125
<b>True Foodservice Equipment, Inc.</b> (www.truemfg.com)	TRUE	T-72	Reach-in	63.07	4.98	\$200
<b>True Foodservice Equipment, Inc.</b> (www.truemfg.com)	TRUE	TBB-3	Reach-in	23.6	3.05	\$75
<b>True Foodservice Equipment, Inc.</b> (www.truemfg.com)	TRUE	TDD-1	Reach-in	7.71	1.87	\$50
<b>True Foodservice Equipment, Inc.</b> (www.truemfg.com)	TRUE	TS-23	Reach-in	22.6	2.43	\$75
<b>True Foodservice Equipment, Inc.</b> (www.truemfg.com)	TRUE	TS-49	Reach-in	43.5	3.5	\$125


**Updated 7/8/10**

Qualifying models must meet ENERGY STAR® Version 2.0 specification and must be listed in the California Energy Commission database. Products on this list qualify for purchases from the date they are added until the date they are removed. Review program application for complete list of program qualifications, terms, conditions and effective dates.

 <b>Company Name</b> (Website)	<b>Brand Name</b>	<b>Model Number</b>	<b>Style Type</b>	<b>Total Volume</b> (ft <sup>3</sup> )	<b>Daily Energy Use</b> (kWh)	<b>Rebate</b> (per unit)
<b>True Foodservice Equipment, Inc.</b> (www.truemfg.com)	TRUE	TUC-27	Reach-in	6.54	1.86	\$50
<b>True Foodservice Equipment, Inc.</b> (www.truemfg.com)	TRUE	TUC-36	Reach-in	8.9	2.08	\$50
<b>True Foodservice Equipment, Inc.</b> (www.truemfg.com)	TRUE	TUC-44	Reach-in	10.18	2.11	\$50
<b>True Foodservice Equipment, Inc.</b> (www.truemfg.com)	TRUE	TUC-48	Reach-in	12.31	2.27	\$50
<b>True Foodservice Equipment, Inc.</b> (www.truemfg.com)	TRUE	TUC-60	Reach-in	15.65	2.37	\$75
<b>True Foodservice Equipment, Inc.</b> (www.truemfg.com)	TRUE	TUC-67	Reach-in	23.1	2.7	\$75
<b>True Foodservice Equipment, Inc.</b> (www.truemfg.com)	TRUE	TUC-72	Reach-in	19.06	2.72	\$75
<b>True Foodservice Equipment, Inc.</b> (www.truemfg.com)	TRUE	TWT-27	Reach-in	6.54	1.86	\$50
<b>True Foodservice Equipment, Inc.</b> (www.truemfg.com)	TRUE	TWT-36	Reach-in	8.9	2.08	\$50
<b>True Foodservice Equipment, Inc.</b> (www.truemfg.com)	TRUE	TWT-44	Reach-in	10.18	2.11	\$50
<b>True Foodservice Equipment, Inc.</b> (www.truemfg.com)	TRUE	TWT-48	Reach-in	12.31	2.27	\$50
<b>True Foodservice Equipment, Inc.</b> (www.truemfg.com)	TRUE	TWT-60	Reach-in	15.65	2.37	\$75
<b>True Foodservice Equipment, Inc.</b> (www.truemfg.com)	TRUE	TWT-67	Reach-in	23.1	2.7	\$75
<b>True Foodservice Equipment, Inc.</b> (www.truemfg.com)	TRUE	TWT-72	Reach-in	19.06	2.72	\$75
<b>Turbo Air</b> (www.turboairinc.com)	Beverage-Air	KR48*1AS*****	Reach-in	44.9	4.02	\$125
<b>Turbo Air</b> (www.turboairinc.com)	Centaur	CSD-1R	Reach-in	21.8	2.97	\$75
<b>Turbo Air</b> (www.turboairinc.com)	Centaur	CSD-1DR	Reach-in	21.3	2.53	\$75


**Updated 7/8/10**

Qualifying models must meet ENERGY STAR® Version 2.0 specification and must be listed in the California Energy Commission database. Products on this list qualify for purchases from the date they are added until the date they are removed. Review program application for complete list of program qualifications, terms, conditions and effective dates.

 <b>Company Name</b> (Website)	<b>Brand Name</b>	<b>Model Number</b>	<b>Style Type</b>	<b>Total Volume</b> (ft <sup>3</sup> )	<b>Daily Energy Use</b> (kWh)	<b>Rebate</b> (per unit)
<b>Turbo Air</b> (www.turboairinc.com)	Centaur	CUR-36	Undercounter	9.7	2.24	\$50
<b>Turbo Air</b> (www.turboairinc.com)	Green World	GSB-23SR	Reach-in	21	2.69	\$75
<b>Turbo Air</b> (www.turboairinc.com)	Master-Bilt	UC-28SR	Undercounter	6.9	1.46	\$50
<b>Turbo Air</b> (www.turboairinc.com)	Master-Bilt	UC-48DR	Undercounter	12.6	1.8	\$50
<b>Turbo Air</b> (www.turboairinc.com)	Turbo Air	GST-40DR	Reach-in	38.4	3.16	\$125
<b>Turbo Air</b> (www.turboairinc.com)	Turbo Air	M3R24-1	Reach-in	21.8	2.97	\$75
<b>Turbo Air</b> (www.turboairinc.com)	Turbo Air	MSR-49NM	Reach-in	44.9	4.02	\$125
<b>Turbo Air</b> (www.turboairinc.com)	Turbo Air	TST-36SD	Reach-in	9.6	1.2	\$50
<b>Turbo Air</b> (www.turboairinc.com)	Turbo Air	TUR-36SD	Undercounter	9.7	2.24	\$50
<b>Turbo Air</b> (www.turboairinc.com)	Turbo Air	TUR-48SD	Undercounter	12.6	1.8	\$50
<b>Turbo Air</b> (www.turboairinc.com)	Turbo Air	TUR-72SD	Undercounter	18	2.58	\$75
<b>Utility Refrigerator</b> (www.utilityrefrigerator.com)	Utility	PT-R-60-**-S-S-D	Pass-Through	55.6	4.46	\$200
<b>Utility Refrigerator</b> (www.utilityrefrigerator.com)	Utility	PT-R-60-**-S-S-D-X	Pass-Through	55.6	4.46	\$200
<b>Utility Refrigerator</b> (www.utilityrefrigerator.com)	Utility	R-60-**-S-D	Reach-in	55.6	4.46	\$200
<b>Utility Refrigerator</b> (www.utilityrefrigerator.com)	Utility	R-60-**-S-D-X	Reach-in	55.6	4.46	\$200
<b>Victory Refrigeration, Inc.</b> (www.victory-refrig.com)	Victory	RA-3D-S7	Reach-in	70.1	4.7	\$200
<b>Victory Refrigeration, Inc.</b> (www.victory-refrig.com)	Victory	RS-3D-S7	Reach-in	70.1	4.7	\$200
<b>Victory Refrigeration, Inc.</b> (www.victory-refrig.com)	Victory	RSA-3D-S7	Reach-in	70.1	4.7	\$200
<b>Victory Refrigeration, Inc.</b> (www.victory-refrig.com)	Victory	VR-3	Reach-in	68.7	5.27	\$200
<b>Victory Refrigeration, Inc.</b> (www.victory-refrig.com)	Victory	VSR-3	Reach-in	68.7	5.27	\$200
<b>W C Wood</b> (http://www.wcwood.com/)	Excellence	DBC20S	Reach-in	19.7	1.23	\$75


**Updated 7/8/10**

Qualifying models must meet ENERGY STAR® Version 2.0 specification and must be listed in the California Energy Commission database. Products on this list qualify for purchases from the date they are added until the date they are removed. Review program application for complete list of program qualifications, terms, conditions and effective dates.

 <b>Company Name</b> (Website)	<b>Brand Name</b>	<b>Model Number</b>	<b>Style Type</b>	<b>Total Volume</b> (ft <sup>3</sup> )	<b>Daily Energy Use</b> (kWh)	<b>Rebate</b> (per unit)
<b>W C Wood</b> ( <a href="http://www.wcwood.com/">http://www.wcwood.com/</a> )	Vencold	VC-R20SD	Reach-in	19.7	1.23	\$75


**Updated 7/8/10**

Qualifying models must meet ENERGY STAR® Version 2.0 specification and must be listed in the California Energy Commission database. Products on this list qualify for purchases from the date they are added until the date they are removed. Review program application for complete list of program qualifications, terms, conditions and effective dates.

 <b>Company Name</b> (Website)	<b>Brand Name</b>	<b>Model Number</b>	<b>Style Type</b>	<b>Total Volume</b> (ft <sup>3</sup> )	<b>Daily Energy Use</b> (kWh)	<b>Rebate</b> (per unit)
<b>Beverage Air</b> (www.beverage-air.com)	<b>Beverage-Air</b>	<b>EF48-5B*G*-XDX**</b>	<b>Reach-in</b>	<b>46.6</b>	<b>22.79</b>	<b>\$500</b>
<b>Beverage Air</b> (www.beverage-air.com)	<b>Beverage-Air</b>	<b>EF74-5B*G*-XDX**</b>	<b>Reach-in</b>	<b>74</b>	<b>29.4</b>	<b>\$1,000</b>
<b>Beverage Air</b> (www.beverage-air.com)	<b>Beverage-Air</b>	<b>PF2-5B*G*-XDX***</b>	<b>Reach-in</b>	<b>46.6</b>	<b>22.79</b>	<b>\$500</b>
<b>Beverage Air</b> (www.beverage-air.com)	<b>Beverage-Air</b>	<b>PF3-5B*G*-XDX***</b>	<b>Reach-in</b>	<b>74</b>	<b>29.4</b>	<b>\$1,000</b>
<b>Beverage Air</b> (www.beverage-air.com)	<b>Beverage-Air</b>	<b>T50LGP*****</b>	<b>Reach-in</b>	<b>46.46</b>	<b>13.83</b>	<b>\$500</b>
<b>Delfield</b> (www.delfield.com)	<b>Delfield</b>	<b>SAF1-G</b>	<b>Reach-in</b>	<b>24.96</b>	<b>11.29</b>	<b>\$250</b>
<b>Delfield</b> (www.delfield.com)	<b>Delfield</b>	<b>SAF1-GH</b>	<b>Reach-in</b>	<b>24.96</b>	<b>11.29</b>	<b>\$250</b>
<b>Delfield</b> (www.delfield.com)	<b>Delfield</b>	<b>SAF2-G</b>	<b>Reach-in</b>	<b>55.42</b>	<b>19.95</b>	<b>\$1,000</b>
<b>Delfield</b> (www.delfield.com)	<b>Delfield</b>	<b>SAF2-GH</b>	<b>Reach-in</b>	<b>55.42</b>	<b>19.95</b>	<b>\$1,000</b>
<b>Delfield</b> (www.delfield.com)	<b>Delfield</b>	<b>SAF3-G</b>	<b>Reach-in</b>	<b>78.89</b>	<b>29.07</b>	<b>\$1,000</b>
<b>Delfield</b> (www.delfield.com)	<b>Delfield</b>	<b>SAF3-GH</b>	<b>Reach-in</b>	<b>78.89</b>	<b>29.07</b>	<b>\$1,000</b>
<b>Delfield</b> (www.delfield.com)	<b>Delfield</b>	<b>SMF1-G</b>	<b>Reach-in</b>	<b>24.96</b>	<b>11.29</b>	<b>\$250</b>
<b>Delfield</b> (www.delfield.com)	<b>Delfield</b>	<b>SMF1-GH</b>	<b>Reach-in</b>	<b>24.96</b>	<b>11.29</b>	<b>\$250</b>
<b>Delfield</b> (www.delfield.com)	<b>Delfield</b>	<b>SMF2-G</b>	<b>Reach-in</b>	<b>55.42</b>	<b>19.95</b>	<b>\$1,000</b>
<b>Delfield</b> (www.delfield.com)	<b>Delfield</b>	<b>SMF2-GH</b>	<b>Reach-in</b>	<b>55.42</b>	<b>19.95</b>	<b>\$1,000</b>
<b>Delfield</b> (www.delfield.com)	<b>Delfield</b>	<b>SMF3-G</b>	<b>Reach-in</b>	<b>78.89</b>	<b>29.07</b>	<b>\$1,000</b>
<b>Delfield</b> (www.delfield.com)	<b>Delfield</b>	<b>SMF3-GH</b>	<b>Reach-in</b>	<b>78.89</b>	<b>29.07</b>	<b>\$1,000</b>
<b>Delfield</b> (www.delfield.com)	<b>Delfield</b>	<b>SSF1-G</b>	<b>Reach-in</b>	<b>24.96</b>	<b>11.29</b>	<b>\$250</b>
<b>Delfield</b> (www.delfield.com)	<b>Delfield</b>	<b>SSF1-GH</b>	<b>Reach-in</b>	<b>24.96</b>	<b>11.29</b>	<b>\$250</b>
<b>Delfield</b> (www.delfield.com)	<b>Delfield</b>	<b>SSF2-G</b>	<b>Reach-in</b>	<b>55.42</b>	<b>19.95</b>	<b>\$1,000</b>
<b>Delfield</b> (www.delfield.com)	<b>Delfield</b>	<b>SSF2-GH</b>	<b>Reach-in</b>	<b>55.42</b>	<b>19.95</b>	<b>\$1,000</b>
<b>Delfield</b> (www.delfield.com)	<b>Delfield</b>	<b>SSF3-G</b>	<b>Reach-in</b>	<b>78.89</b>	<b>29.07</b>	<b>\$1,000</b>
<b>Delfield</b> (www.delfield.com)	<b>Delfield</b>	<b>SSF3-GH</b>	<b>Reach-in</b>	<b>78.89</b>	<b>29.07</b>	<b>\$1,000</b>
<b>Electrolux Home Products</b> (professional.electroluxusa.com)	<b>Frigidaire</b>	<b>FCCG07***</b>	<b>Reach-in</b>	<b>8.5</b>	<b>2.4</b>	<b>\$200</b>


**Updated 7/8/10**

Qualifying models must meet ENERGY STAR® Version 2.0 specification and must be listed in the California Energy Commission database. Products on this list qualify for purchases from the date they are added until the date they are removed. Review program application for complete list of program qualifications, terms, conditions and effective dates.

 <b>Company Name</b> (Website)	<b>Brand Name</b>	<b>Model Number</b>	<b>Style Type</b>	<b>Total Volume</b> (ft <sup>3</sup> )	<b>Daily Energy Use</b> (kWh)	<b>Rebate</b> (per unit)
<b>Electrolux Home Products</b> (professional.electroluxusa.com)	<b>Frigidaire</b>	<b>FCCG15***</b>	<b>Reach-in</b>	<b>16.8</b>	<b>3</b>	<b>\$250</b>
<b>Electrolux Home Products</b> (professional.electroluxusa.com)	<b>Frigidaire</b>	<b>FCCG20***</b>	<b>Reach-in</b>	<b>21.3</b>	<b>3.7</b>	<b>\$250</b>
<b>Electrolux Home Products</b> (professional.electroluxusa.com)	<b>Kelvinator</b>	<b>KCG07***</b>	<b>Reach-in</b>	<b>8.5</b>	<b>2.38</b>	<b>\$200</b>
<b>Electrolux Home Products</b> (professional.electroluxusa.com)	<b>Kelvinator</b>	<b>KCG20***</b>	<b>Reach-in</b>	<b>21.3</b>	<b>3.69</b>	<b>\$250</b>
<b>Husmann Corp.</b> (www.husmann.com)	<b>Husmann Corp.</b>	<b>HGL-1-BS</b>	<b>Reach-in</b>	<b>24.19</b>	<b>15.03</b>	<b>\$250</b>
<b>Husmann Corp.</b> (www.husmann.com)	<b>Husmann Corp.</b>	<b>HGL-1-TS</b>	<b>Reach-in</b>	<b>24.19</b>	<b>15.03</b>	<b>\$250</b>
<b>McCall Refrigeration</b> (www.mccallrefrigeration.com)	<b>McCall</b>	<b>MCCF1-G</b>	<b>Reach-in</b>	<b>24.96</b>	<b>11.29</b>	<b>\$250</b>
<b>McCall Refrigeration</b> (www.mccallrefrigeration.com)	<b>McCall</b>	<b>MCCF1-GH</b>	<b>Reach-in</b>	<b>24.96</b>	<b>11.29</b>	<b>\$250</b>
<b>McCall Refrigeration</b> (www.mccallrefrigeration.com)	<b>McCall</b>	<b>MCCF2-G</b>	<b>Reach-in</b>	<b>55.42</b>	<b>19.95</b>	<b>\$1,000</b>
<b>McCall Refrigeration</b> (www.mccallrefrigeration.com)	<b>McCall</b>	<b>MCCF2-GH</b>	<b>Reach-in</b>	<b>55.42</b>	<b>19.95</b>	<b>\$1,000</b>
<b>McCall Refrigeration</b> (www.mccallrefrigeration.com)	<b>McCall</b>	<b>MCCF3-G</b>	<b>Reach-in</b>	<b>78.89</b>	<b>29.07</b>	<b>\$1,000</b>
<b>McCall Refrigeration</b> (www.mccallrefrigeration.com)	<b>McCall</b>	<b>MCCF3-GH</b>	<b>Reach-in</b>	<b>78.89</b>	<b>29.07</b>	<b>\$1,000</b>
<b>Stajac Industries</b> (www.stajac.com)	<b>Excellence</b>	<b>CTF-2</b>	<b>Reach-in</b>	<b>1.86</b>	<b>1.31</b>	<b>\$200</b>
<b>Stajac Industries</b> (www.stajac.com)	<b>Excellence</b>	<b>CTF-2-XXX</b>	<b>Reach-in</b>	<b>1.86</b>	<b>1.62</b>	<b>\$200</b>
<b>Stajac Industries</b> (www.stajac.com)	<b>Summit</b>	<b>SCFU285</b>	<b>Reach-in</b>	<b>1.86</b>	<b>1.31</b>	<b>\$200</b>
<b>Stajac Industries</b> (www.stajac.com)	<b>Summit</b>	<b>SCFU285-XXX</b>	<b>Reach-in</b>	<b>1.86</b>	<b>1.62</b>	<b>\$200</b>
<b>True Foodservice Equipment, Inc.</b> (www.truemfg.com)	<b>TRUE</b>	<b>GDM-49F</b>	<b>Reach-in</b>	<b>45.2</b>	<b>24.71</b>	<b>\$500</b>


**Updated 7/8/10**

Qualifying models must meet ENERGY STAR® Version 2.0 specification and must be listed in the California Energy Commission database. Products on this list qualify for purchases from the date they are added until the date they are removed. Review program application for complete list of program qualifications, terms, conditions and effective dates.

	Company Name (Website)	Brand Name	Model Number	Style Type	Total Volume (ft <sup>3</sup> )	Daily Energy Use (kWh)	Rebate (per unit)
	<b>Arctic Air</b> (www.articairco.com)	Arctic Air	F22CW**	Reach-in	18.5	3.17	\$150
	<b>Beverage Air</b> (www.beverage-air.com)	Beverage-Air	3801 THERMO	Reach-in	27.11	4.45	\$150
	<b>Beverage Air</b> (www.beverage-air.com)	Beverage-Air	BT30CW-EXPR	Reach-in	25.7	4.6	\$150
	<b>Beverage Air</b> (www.beverage-air.com)	Beverage-Air	BT30CWFMS	Reach-in	27.11	4.45	\$150
	<b>Beverage Air</b> (www.beverage-air.com)	Beverage-Air	EF24-5B*S*****	Reach-in	22	6.92	\$150
	<b>Beverage Air</b> (www.beverage-air.com)	Beverage-Air	EF74-5A*S-XDX**	Reach-in	64.4	15.36	\$600
	<b>Beverage Air</b> (www.beverage-air.com)	Beverage-Air	F-27SFC	Reach-in	27.11	4.45	\$150
	<b>Beverage Air</b> (www.beverage-air.com)	Beverage-Air	PF3-5A*S-XDX***	Reach-in	64.4	15.36	\$600
	<b>Beverage Air</b> (www.beverage-air.com)	Beverage-Air	PF11-1AS-XDX***	Roll-In	32.2	9.88	\$300
	<b>Continental Refrigerator</b> (www.continental-refrig.com)	Continental	1FX	Reach-in	30.32	11.02	\$300
	<b>Continental Refrigerator</b> (www.continental-refrig.com)	Continental	1FX-PT	Pass-Through	30.32	11.02	\$300
	<b>Continental Refrigerator</b> (www.continental-refrig.com)	Continental	2F	Reach-in	49.19	12.9	\$300
	<b>Continental Refrigerator</b> (www.continental-refrig.com)	Continental	2FE	Reach-in	54.54	13.11	\$600
	<b>Continental Refrigerator</b> (www.continental-refrig.com)	Continental	2FE-PT	Pass-Through	54.54	13.11	\$600
	<b>Continental Refrigerator</b> (www.continental-refrig.com)	Continental	2F-PT	Pass-Through	49.19	12.9	\$300
	<b>Continental Refrigerator</b> (www.continental-refrig.com)	Continental	2FS	Reach-in	36.89	11.88	\$300
	<b>Continental Refrigerator</b> (www.continental-refrig.com)	Continental	2FSE	Reach-in	30.32	11.02	\$300
	<b>Continental Refrigerator</b> (www.continental-refrig.com)	Continental	DL2F	Reach-in	50.47	13.75	\$600
	<b>Continental Refrigerator</b> (www.continental-refrig.com)	Continental	DL2FE	Reach-in	55.96	14.1	\$600
	<b>Continental Refrigerator</b> (www.continental-refrig.com)	Continental	DL2FE-PT	Pass-Through	55.96	14.1	\$600
	<b>Continental Refrigerator</b> (www.continental-refrig.com)	Continental	DL2F-PT	Pass-Through	50.47	13.75	\$600
	<b>Delfield</b> (www.delfield.com)	Delfield	6151XL-S	Reach-in	43.5	11.75	\$300
	<b>Delfield</b> (www.delfield.com)	Delfield	6151XL-SH	Reach-in	43.5	11.75	\$300
	<b>Delfield</b> (www.delfield.com)	Delfield	6176XL-S	Reach-in	66.5	15.59	\$600


**Updated 7/8/10**

Qualifying models must meet ENERGY STAR® Version 2.0 specification and must be listed in the California Energy Commission database. Products on this list qualify for purchases from the date they are added until the date they are removed. Review program application for complete list of program qualifications, terms, conditions and effective dates.

	<b>Company Name</b> (Website)	<b>Brand Name</b>	<b>Model Number</b>	<b>Style Type</b>	<b>Total Volume</b> (ft <sup>3</sup> )	<b>Daily Energy Use</b> (kWh)	<b>Rebate</b> (per unit)
	<b>Delfield</b> (www.delfield.com)	Delfield	6176XL-SH	Reach-in	66.5	15.59	\$600
	<b>Delfield</b> (www.delfield.com)	Delfield	SAF1-S	Reach-in	24.96	7.63	\$150
	<b>Delfield</b> (www.delfield.com)	Delfield	SAF1-SH	Reach-in	24.96	7.63	\$150
	<b>Delfield</b> (www.delfield.com)	Delfield	SAF2N-S	Reach-in	43.94	11.13	\$300
	<b>Delfield</b> (www.delfield.com)	Delfield	SAF2N-SH	Reach-in	43.94	11.13	\$300
	<b>Delfield</b> (www.delfield.com)	Delfield	SAF2S-S	Reach-in	37.96	10.54	\$300
	<b>Delfield</b> (www.delfield.com)	Delfield	SAF2S-SH	Reach-in	37.96	10.54	\$300
	<b>Delfield</b> (www.delfield.com)	Delfield	SAF3-S	Reach-in	78.89	16.25	\$600
	<b>Delfield</b> (www.delfield.com)	Delfield	SAF3-SH	Reach-in	78.89	16.25	\$600
	<b>Delfield</b> (www.delfield.com)	Delfield	SAFPT2-S	Pass-Through	55.42	14.26	\$600
	<b>Delfield</b> (www.delfield.com)	Delfield	SAFPT2-SH	Pass-Through	55.42	14.26	\$600
	<b>Delfield</b> (www.delfield.com)	Delfield	SAFRI1-S	Roll-In	36.15	11.57	\$300
	<b>Delfield</b> (www.delfield.com)	Delfield	SMF1-S	Reach-in	24.96	7.63	\$150
	<b>Delfield</b> (www.delfield.com)	Delfield	SMF1-SH	Reach-in	24.96	7.63	\$150
	<b>Delfield</b> (www.delfield.com)	Delfield	SMF2N-S	Reach-in	43.94	11.13	\$300
	<b>Delfield</b> (www.delfield.com)	Delfield	SMF2N-SH	Reach-in	43.94	11.13	\$300
	<b>Delfield</b> (www.delfield.com)	Delfield	SMF2S-S	Reach-in	37.96	10.55	\$300
	<b>Delfield</b> (www.delfield.com)	Delfield	SMF2S-SH	Reach-in	37.96	10.55	\$300
	<b>Delfield</b> (www.delfield.com)	Delfield	SMF3-S	Reach-in	78.89	16.26	\$600
	<b>Delfield</b> (www.delfield.com)	Delfield	SMF3-SH	Reach-in	78.89	16.26	\$600
	<b>Delfield</b> (www.delfield.com)	Delfield	SMFPT2-S	Pass-Through	55.42	14.26	\$600
	<b>Delfield</b> (www.delfield.com)	Delfield	SMFPT2-SH	Pass-Through	55.42	14.26	\$600
	<b>Delfield</b> (www.delfield.com)	Delfield	SMFRI1-S	Roll-In	36.15	11.57	\$300
	<b>Delfield</b> (www.delfield.com)	Delfield	SSF1-S	Reach-in	24.96	7.63	\$150
	<b>Delfield</b> (www.delfield.com)	Delfield	SSF1-SH	Reach-in	24.96	7.63	\$150


**Updated 7/8/10**

Qualifying models must meet ENERGY STAR® Version 2.0 specification and must be listed in the California Energy Commission database. Products on this list qualify for purchases from the date they are added until the date they are removed. Review program application for complete list of program qualifications, terms, conditions and effective dates.

	<b>Company Name</b> (Website)	<b>Brand Name</b>	<b>Model Number</b>	<b>Style Type</b>	<b>Total Volume</b> (ft <sup>3</sup> )	<b>Daily Energy Use</b> (kWh)	<b>Rebate</b> (per unit)
	<b>Delfield</b> (www.delfield.com)	Delfield	SSF2N-S	Reach-in	43.94	11.13	\$300
	<b>Delfield</b> (www.delfield.com)	Delfield	SSF2N-SH	Reach-in	43.94	11.13	\$300
	<b>Delfield</b> (www.delfield.com)	Delfield	SSF2S-S	Reach-in	37.96	10.54	\$300
	<b>Delfield</b> (www.delfield.com)	Delfield	SSF2S-SH	Reach-in	37.96	10.54	\$300
	<b>Delfield</b> (www.delfield.com)	Delfield	SSF3-S	Reach-in	78.89	16.25	\$600
	<b>Delfield</b> (www.delfield.com)	Delfield	SSF3-SH	Reach-in	78.89	16.25	\$600
	<b>Delfield</b> (www.delfield.com)	Delfield	SSFPT2-S	Pass-Through	55.42	14.26	\$600
	<b>Delfield</b> (www.delfield.com)	Delfield	SSFPT2-SH	Pass-Through	55.42	14.26	\$600
	<b>Delfield</b> (www.delfield.com)	Delfield	SSFRI1-S	Roll-In	36.15	11.57	\$300
	<b>Electrolux Home Products</b> (professional.electroluxusa.com)	Frigidaire	FCCS07***	Reach-in	8.2	1.6	\$100
	<b>Electrolux Home Products</b> (professional.electroluxusa.com)	Frigidaire	FCCS15***	Reach-in	15.9	2.4	\$150
	<b>Electrolux Home Products</b> (professional.electroluxusa.com)	Frigidaire	FCCS20***	Reach-in	20.9	2.9	\$150
	<b>Electrolux Home Products</b> (professional.electroluxusa.com)	Frigidaire	FCFS20****	Reach-in	21.1	6.6	\$150
	<b>Electrolux Home Products</b> (professional.electroluxusa.com)	Kelvinator	KCS07***	Reach-in	8.2	1.65	\$100
	<b>Electrolux Home Products</b> (professional.electroluxusa.com)	Kelvinator	KCS20***	Reach-in	20.9	2.88	\$150
	<b>Electrolux Home Products</b> (professional.electroluxusa.com)	Kelvinator	KFS22****	Reach-in	21.1	6.56	\$150
	<b>McCall Refrigeration</b> (www.mccallrefrigeration.com)	McCall	MCCF1-S	Reach-in	24.96	7.63	\$150
	<b>McCall Refrigeration</b> (www.mccallrefrigeration.com)	McCall	MCCF1-SH	Reach-in	24.96	7.63	\$150
	<b>McCall Refrigeration</b> (www.mccallrefrigeration.com)	McCall	MCCF3-S	Reach-in	78.89	16.26	\$600
	<b>McCall Refrigeration</b> (www.mccallrefrigeration.com)	McCall	MCCF3-SH	Reach-in	78.89	16.26	\$600
	<b>McCall Refrigeration</b> (www.mccallrefrigeration.com)	McCall	MCCF51-S	Reach-in	43.5	11.75	\$300
	<b>McCall Refrigeration</b> (www.mccallrefrigeration.com)	McCall	MCCF51-SH	Reach-in	43.5	11.75	\$300
	<b>McCall Refrigeration</b> (www.mccallrefrigeration.com)	McCall	MCCF76-S	Reach-in	66.5	15.59	\$600
	<b>McCall Refrigeration</b> (www.mccallrefrigeration.com)	McCall	MCCF76-SH	Reach-in	66.5	15.59	\$600


**Updated 7/8/10**

Qualifying models must meet ENERGY STAR® Version 2.0 specification and must be listed in the California Energy Commission database. Products on this list qualify for purchases from the date they are added until the date they are removed. Review program application for complete list of program qualifications, terms, conditions and effective dates.

 <b>Company Name (Website)</b>	<b>Brand Name</b>	<b>Model Number</b>	<b>Style Type</b>	<b>Total Volume (ft<sup>3</sup>)</b>	<b>Daily Energy Use (kWh)</b>	<b>Rebate (per unit)</b>
<b>Norlake</b> (www.norlake.com)	<b>Master-Bilt</b>	<b>BSD-80TF*</b>	<b>Reach-in</b>	<b>70.6</b>	<b>16.88</b>	<b>\$600</b>
<b>Norlake</b> (www.norlake.com)	<b>Norlake</b>	<b>BF803***/8</b>	<b>Reach-in</b>	<b>70.6</b>	<b>16.88</b>	<b>\$600</b>
<b>Norlake</b> (www.norlake.com)	<b>Norlake</b>	<b>LF041WWW/OM</b>	<b>Reach-in</b>	<b>3.5</b>	<b>0.81</b>	<b>\$100</b>
<b>Northland Refrigeration</b> (www.northland-refrig.com)	<b>Imperial</b>	<b>UF30*</b>	<b>Reach-in</b>	<b>27.65</b>	<b>6.53</b>	<b>\$150</b>
<b>Traulsen</b> (www.traulsen.com/)	<b>Traulsen</b>	<b>ALT332NUT***</b>	<b>Reach-in</b>	<b>69.1</b>	<b>13.94</b>	<b>\$600</b>
<b>Traulsen</b> (www.traulsen.com/)	<b>Traulsen</b>	<b>RLT332NUT***</b>	<b>Reach-in</b>	<b>69.1</b>	<b>13.94</b>	<b>\$600</b>
<b>Traulsen</b> (www.traulsen.com/)	<b>Traulsen</b>	<b>G12000</b>	<b>Reach-in</b>	<b>24.2</b>	<b>8.61</b>	<b>\$150</b>
<b>Traulsen</b> (www.traulsen.com/)	<b>Traulsen</b>	<b>G12001</b>	<b>Reach-in</b>	<b>24.2</b>	<b>8.61</b>	<b>\$150</b>
<b>Traulsen</b> (www.traulsen.com/)	<b>Traulsen</b>	<b>G12010</b>	<b>Reach-in</b>	<b>24.2</b>	<b>8.65</b>	<b>\$150</b>
<b>Traulsen</b> (www.traulsen.com/)	<b>Traulsen</b>	<b>G12011</b>	<b>Reach-in</b>	<b>24.2</b>	<b>8.65</b>	<b>\$150</b>
<b>Traulsen</b> (www.traulsen.com/)	<b>Traulsen</b>	<b>G22000</b>	<b>Reach-in</b>	<b>46</b>	<b>12.42</b>	<b>\$300</b>
<b>Traulsen</b> (www.traulsen.com/)	<b>Traulsen</b>	<b>G22001</b>	<b>Reach-in</b>	<b>46</b>	<b>12.42</b>	<b>\$300</b>
<b>Traulsen</b> (www.traulsen.com/)	<b>Traulsen</b>	<b>G22002</b>	<b>Reach-in</b>	<b>46</b>	<b>12.42</b>	<b>\$300</b>
<b>Traulsen</b> (www.traulsen.com/)	<b>Traulsen</b>	<b>G22003</b>	<b>Reach-in</b>	<b>46</b>	<b>12.42</b>	<b>\$300</b>
<b>Traulsen</b> (www.traulsen.com/)	<b>Traulsen</b>	<b>G22010</b>	<b>Reach-in</b>	<b>46</b>	<b>12.48</b>	<b>\$300</b>
<b>Traulsen</b> (www.traulsen.com/)	<b>Traulsen</b>	<b>G22011</b>	<b>Reach-in</b>	<b>46</b>	<b>12.48</b>	<b>\$300</b>
<b>Traulsen</b> (www.traulsen.com/)	<b>Traulsen</b>	<b>G22012</b>	<b>Reach-in</b>	<b>46</b>	<b>12.48</b>	<b>\$300</b>
<b>Traulsen</b> (www.traulsen.com/)	<b>Traulsen</b>	<b>G22013</b>	<b>Reach-in</b>	<b>46</b>	<b>12.48</b>	<b>\$300</b>
<b>True Foodservice Equipment, Inc.</b> (www.truemfg.com)	<b>TRUE</b>	<b>T-23F</b>	<b>Reach-in</b>	<b>19.5</b>	<b>6.38</b>	<b>\$150</b>
<b>True Foodservice Equipment, Inc.</b> (www.truemfg.com)	<b>TRUE</b>	<b>T-49F</b>	<b>Reach-in</b>	<b>42.1</b>	<b>12.41</b>	<b>\$300</b>
<b>True Foodservice Equipment, Inc.</b> (www.truemfg.com)	<b>TRUE</b>	<b>T-72F</b>	<b>Reach-in</b>	<b>63.1</b>	<b>15.55</b>	<b>\$600</b>
<b>True Foodservice Equipment, Inc.</b> (www.truemfg.com)	<b>TRUE</b>	<b>TS-23F</b>	<b>Reach-in</b>	<b>19.5</b>	<b>5.96</b>	<b>\$150</b>


**Updated 7/8/10**

Qualifying models must meet ENERGY STAR® Version 2.0 specification and must be listed in the California Energy Commission database. Products on this list qualify for purchases from the date they are added until the date they are removed. Review program application for complete list of program qualifications, terms, conditions and effective dates.

 <b>Company Name (Website)</b>	<b>Brand Name</b>	<b>Model Number</b>	<b>Style Type</b>	<b>Total Volume (ft<sup>3</sup>)</b>	<b>Daily Energy Use (kWh)</b>	<b>Rebate (per unit)</b>
<b>True Foodservice Equipment, Inc.</b> (www.truemfg.com)	TRUE	TS-49F	Reach-in	46.2	12.41	\$300
<b>Turbo Air</b> (www.turboairinc.com)	Beverage-Air	KF74*5AS*****	Reach-in	70.5	17.22	\$600
<b>Turbo Air</b> (www.turboairinc.com)	Master-Bilt	CCR-49DF	Reach-in	46	13.53	\$300
<b>Turbo Air</b> (www.turboairinc.com)	Master-Bilt	CCR-72TF	Reach-in	70.5	17.22	\$600
<b>Turbo Air</b> (www.turboairinc.com)	Turbo Air	TSF-49SD	Reach-in	46	13.53	\$300
<b>Turbo Air</b> (www.turboairinc.com)	Turbo Air	TSF-72SD	Reach-in	70.5	17.22	\$600
<b>Turbo Air</b> (www.turboairinc.com)	Turbo Air	TUF-28SD	Reach-in	6.1	2.21	\$100
<b>Turbo Air</b> (www.turboairinc.com)	Turbo Air	TUF-48SD	Reach-in	23	6.07	\$150
<b>Victory Refrigeration, Inc.</b> (www.victory-refrig.com)	Victory	FA-1D-S7	Reach-in	21.5	7.45	\$150
<b>Victory Refrigeration, Inc.</b> (www.victory-refrig.com)	Victory	FA-2D-S7	Reach-in	46.5	11.64	\$300
<b>Victory Refrigeration, Inc.</b> (www.victory-refrig.com)	Victory	FS-1D-S7	Reach-in	21.5	7.45	\$150
<b>Victory Refrigeration, Inc.</b> (www.victory-refrig.com)	Victory	FS-2D-S7	Reach-in	46.5	11.64	\$300
<b>Victory Refrigeration, Inc.</b> (www.victory-refrig.com)	Victory	FSA-1D-S7	Reach-in	21.5	7.45	\$150
<b>Victory Refrigeration, Inc.</b> (www.victory-refrig.com)	Victory	FSA-2D-S7	Reach-in	46.5	11.64	\$300
<b>W C Wood</b> (www.wcwood.com/)	Excellence	DBF20S	Reach-in	19.7	4.11	\$150
<b>W C Wood</b> (www.wcwood.com/)	Vencold	VC-F20SD	Reach-in	19.7	4.11	\$150


**Updated 7/8/10**

Products on this list qualify for purchases from the date they are added until the date they are removed. Valid for machines generating 60 grams (2 oz.) or lighter ice cubes, as well as flaked, crushed, or fragmented ice machines that meet the ENERGY STAR® energy efficiency thresholds by Ice harvest (IHR) rate. Only air cooled machines are eligible. Check your utility rebate application for terms and conditions, and effective program dates. Note: only cube machines are eligible for ENERGY STAR®

 <b>Company Name</b> (Website)	<b>Machine Type</b>	<b>Model Number</b>	<b>Condenser</b>	<b>Ice Harvest Rate</b> (lbs/day)	<b>Potable Water Use Rate</b> (gal/100lbs)	<b>Energy Use Rate</b> (kWh/100lb)	<b>Rebate</b> (per unit)	<b>Ice Type</b>
Cornelius (www.cornelius.com)	IMH-A	XAC322	----	269	16.7	7.00	\$50	Cube
Cornelius (www.cornelius.com)	IMH-A	XAC330	----	269	16.7	7.00	\$50	Cube
Cornelius (www.cornelius.com)	IMH-A	CCM0430AF1	----	368	24.4	6.10	\$75	Cube
Cornelius (www.cornelius.com)	IMH-A	CCM0430AH1	----	368	24.4	6.10	\$75	Cube
Cornelius (www.cornelius.com)	IMH-A	CCM0522AF1	----	370	23.1	5.90	\$75	Cube
Cornelius (www.cornelius.com)	IMH-A	CCM0522AH1	----	370	23.1	5.90	\$75	Cube
Cornelius (www.cornelius.com)	IMH-A	CCM1448AF3	----	1131	19.6	5.00	\$200	Cube
Cornelius (www.cornelius.com)	IMH-A	CCM1448AH3	----	1131	19.6	5.00	\$200	Cube
Cornelius (www.cornelius.com)	IMH-A	CCM1448AF2	----	1136	19.9	5.06	\$200	Cube
Cornelius (www.cornelius.com)	IMH-A	CCM1448AH2	----	1136	19.9	5.06	\$200	Cube
Cornelius (www.cornelius.com)	RCU-A	CCM0630RF2	RC06002	502	24.9	6.28	\$125	Cube
Cornelius (www.cornelius.com)	RCU-A	CCM0630RH2	RC06002	502	24.9	6.28	\$125	Cube
Cornelius (www.cornelius.com)	RCU-A	CCM0830RF2	RC08002	768	21.5	5.30	\$125	Cube
Cornelius (www.cornelius.com)	RCU-A	CCM0830RH2	RC08002	768	21.5	5.30	\$125	Cube
Cornelius (www.cornelius.com)	RCU-A	CCM1530RF2	RC14002C	1216	19.5	4.60	\$200	Cube
Cornelius (www.cornelius.com)	RCU-A	CCM1530RH2	RC14002C	1216	19.5	4.60	\$200	Cube


**Updated 7/8/10**

Products on this list qualify for purchases from the date they are added until the date they are removed. Valid for machines generating 60 grams (2 oz.) or lighter ice cubes, as well as flaked, crushed, or fragmented ice machines that meet the ENERGY STAR® energy efficiency thresholds by Ice harvest (IHR) rate. Only air cooled machines are eligible. Check your utility rebate application for terms and conditions, and effective program dates. Note: only cube machines are eligible for ENERGY STAR®

 <b>Company Name</b> (Website)	<b>Machine Type</b>	<b>Model Number</b>	<b>Condenser</b>	<b>Ice Harvest Rate</b> (lbs/day)	<b>Potable Water Use Rate</b> (gal/100lbs)	<b>Energy Use Rate</b> (kWh/100lb)	<b>Rebate</b> (per unit)	<b>Ice Type</b>
<b>Cornelius</b> (www.cornelius.com)	SC-A	CCU0150AF1	----	112	34	11.80	\$50	Cube
<b>Cornelius</b> (www.cornelius.com)	SC-A	CCU0150AH1	----	112	34	11.80	\$50	Cube
<b>Cornelius</b> (www.cornelius.com)	SC-A	CCU0220AF1	----	175	30.3	8.80	\$50	Cube
<b>Cornelius</b> (www.cornelius.com)	SC-A	CCU0220AH1	----	175	30.3	8.80	\$50	Cube
<b>Cornelius</b> (www.cornelius.com)	SC-A	CCU0300AF1	----	228	32.9	8.60	\$50	Cube
<b>Cornelius</b> (www.cornelius.com)	SC-A	CCU0300AH1	----	228	32.9	8.60	\$50	Cube
<b>Follett</b> (www.follettice.com)	IMH-A	HCC1400A	----	1060	13.2	5.10	\$200	Nugget
<b>Follett</b> (www.follettice.com)	IMH-A	HMC1400A	----	1060	13.2	5.10	\$200	Nugget
<b>Follett</b> (www.follettice.com)	RCU-A	HCD1400N	178640	1120	13.2	4.80	\$200	Nugget
<b>Follett</b> (www.follettice.com)	RCU-A	HCD1400R	178640	1120	13.2	4.80	\$200	Nugget
<b>Follett</b> (www.follettice.com)	RCU-A	HMD1400N	178640	1120	13.2	4.80	\$200	Nugget
<b>Follett</b> (www.follettice.com)	RCU-A	HMD1400R	178640	1120	13.2	4.80	\$200	Nugget
<b>Hoshizaki</b> (www.hoshizakiamerica.com)	IMH-A	KM-320MAH	----	278	18.4	6.90	\$50	Cube
<b>Hoshizaki</b> (www.hoshizakiamerica.com)	IMH-A	F-500BAF-C	----	333	12	6.50	\$75	Flake
<b>Hoshizaki</b> (www.hoshizakiamerica.com)	IMH-A	F-450MAH	----	355	12	6.20	\$75	Flake


**Updated 7/8/10**

Products on this list qualify for purchases from the date they are added until the date they are removed. Valid for machines generating 60 grams (2 oz.) or lighter ice cubes, as well as flaked, crushed, or fragmented ice machines that meet the ENERGY STAR® energy efficiency thresholds by Ice harvest (IHR) rate. Only air cooled machines are eligible. Check your utility rebate application for terms and conditions, and effective program dates. Note: only cube machines are eligible for ENERGY STAR®

 <b>Company Name</b> (Website)	<b>Machine Type</b>	<b>Model Number</b>	<b>Condenser</b>	<b>Ice Harvest Rate</b> (lbs/day)	<b>Potable Water Use Rate</b> (gal/100lbs)	<b>Energy Use Rate</b> (kWh/100lb)	<b>Rebate</b> (per unit)	<b>Ice Type</b>
Hoshizaki (www.hoshizakiamerica.com)	IMH-A	KM-600MAH	----	503	19.7	5.66	\$125	Cube
Hoshizaki (www.hoshizakiamerica.com)	IMH-A	KML-631MAH	----	589	24	5.30	\$125	Cube
Hoshizaki (www.hoshizakiamerica.com)	IMH-A	KM-1300SAH3	----	1132	23.6	4.90	\$200	Cube
Hoshizaki (www.hoshizakiamerica.com)	IMH-A	KM-1800SAH3	----	1532	21.1	4.60	\$250	Cube
Hoshizaki (www.hoshizakiamerica.com)	RCU-A	KM-515MRH	URC-5F	452	20.8	5.80	\$75	Cube
Hoshizaki (www.hoshizakiamerica.com)	RCU-A	KML-631MRH	URC-9F	589	24	5.30	\$125	Cube
Hoshizaki (www.hoshizakiamerica.com)	RCU-A	F-1001MRH-C	URC-6F	695	12	5.50	\$125	Flake
Hoshizaki (www.hoshizakiamerica.com)	RCU-A	KMD-850MRH	URC-9F	698	19.5	5.40	\$125	Cube
Hoshizaki (www.hoshizakiamerica.com)	RCU-A	KMS-750MLH	SRK-7H	700	15.6	5.60	\$125	Cube
Hoshizaki (www.hoshizakiamerica.com)	RCU-A	KMD-901MRH	URC-9F	775	20	5.30	\$125	Cube
Hoshizaki (www.hoshizakiamerica.com)	RCU-A	KM-1340MRH	URC-14F	1251	18.3	4.50	\$200	Cube
Hoshizaki (www.hoshizakiamerica.com)	RCU-A	KM-1300SRH3	URC-12F	1266	19.8	4.40	\$200	Cube
Hoshizaki (www.hoshizakiamerica.com)	RCU-A	KM-1601MRH3	URC-21F	1392	19.2	4.60	\$200	Cube
Hoshizaki (www.hoshizakiamerica.com)	RCU-A	KM-1601MRH	URC-21F	1422	18.5	4.50	\$200	Cube
Hoshizaki (www.hoshizakiamerica.com)	RCU-A	F-2000MRH-C	URC-20F	1490	12	4.60	\$200	Flake


**Updated 7/8/10**

Products on this list qualify for purchases from the date they are added until the date they are removed. Valid for machines generating 60 grams (2 oz.) or lighter ice cubes, as well as flaked, crushed, or fragmented ice machines that meet the ENERGY STAR® energy efficiency thresholds by Ice harvest (IHR) rate. Only air cooled machines are eligible. Check your utility rebate application for terms and conditions, and effective program dates. Note: only cube machines are eligible for ENERGY STAR®

 <b>Company Name</b> (Website)	<b>Machine Type</b>	<b>Model Number</b>	<b>Condenser</b>	<b>Ice Harvest Rate</b> (lbs/day)	<b>Potable Water Use Rate</b> (gal/100lbs)	<b>Energy Use Rate</b> (kWh/100lb)	<b>Rebate</b> (per unit)	<b>Ice Type</b>
<b>Hoshizaki</b> (www.hoshizakiamerica.com)	RCU-A	KM-1601SRH	URC-21F	1505	24.9	4.30	\$250	Cube
<b>Hoshizaki</b> (www.hoshizakiamerica.com)	RCU-A	F-2000MRH3-C	URC-20F	1525	12	4.60	\$250	Flake
<b>Hoshizaki</b> (www.hoshizakiamerica.com)	RCU-A	KM-2000SRH3	URC-20F	1748	20	4.40	\$250	Cube
<b>Hoshizaki</b> (www.hoshizakiamerica.com)	RCU-A	KM-2100SRH3	URC-22F	1810	21.1	4.26	\$250	Cube
<b>Hoshizaki</b> (www.hoshizakiamerica.com)	RCU-A	KM-2500SRH3	URC-23F	2250	18.6	4.5	\$250	Cube
<b>ICE-O-Matic</b> (www.iceomatic.com)	IMH-A	ICE0400FT	----	357	25	6.30	\$75	Cube
<b>ICE-O-Matic</b> (www.iceomatic.com)	IMH-A	ICE0400HT	----	357	25	6.30	\$75	Cube
<b>ICE-O-Matic</b> (www.iceomatic.com)	IMH-A	ICE0406FA		358	24	5.95	\$75	Cube
<b>ICE-O-Matic</b> (www.iceomatic.com)	IMH-A	ICE0406HA		358	24	5.95	\$75	Cube
<b>ICE-O-Matic</b> (www.iceomatic.com)	IMH-A	ICE0400FA	----	368	24.4	6.10	\$75	Cube
<b>ICE-O-Matic</b> (www.iceomatic.com)	IMH-A	ICE0400HA	----	368	24.4	6.30	\$75	Cube
<b>ICE-O-Matic</b> (www.iceomatic.com)	IMH-A	ICE0520FA	----	370	23.1	5.90	\$75	Cube
<b>ICE-O-Matic</b> (www.iceomatic.com)	IMH-A	ICE0520HA	----	370	23.1	5.90	\$75	Cube
<b>ICE-O-Matic</b> (www.iceomatic.com)	IMH-A	ICE1407FA	----	1131	19.6	5.00	\$200	Cube
<b>ICE-O-Matic</b> (www.iceomatic.com)	IMH-A	ICE1407HA	----	1131	19.6	5.00	\$200	Cube
<b>ICE-O-Matic</b> (www.iceomatic.com)	IMH-A	ICE1406FA3	----	1136	19.94	5.06	\$200	Cube


**Updated 7/8/10**

Products on this list qualify for purchases from the date they are added until the date they are removed. Valid for machines generating 60 grams (2 oz.) or lighter ice cubes, as well as flaked, crushed, or fragmented ice machines that meet the ENERGY STAR® energy efficiency thresholds by Ice harvest (IHR) rate. Only air cooled machines are eligible. Check your utility rebate application for terms and conditions, and effective program dates. Note: only cube machines are eligible for ENERGY STAR®

 <b>Company Name</b> (Website)	<b>Machine Type</b>	<b>Model Number</b>	<b>Condenser</b>	<b>Ice Harvest Rate</b> (lbs/day)	<b>Potable Water Use Rate</b> (gal/100lbs)	<b>Energy Use Rate</b> (kWh/100lb)	<b>Rebate</b> (per unit)	<b>Ice Type</b>
<b>ICE-O-Matic</b> (www.iceomatic.com)	IMH-A	ICE1406HA3	----	1136	19.94	5.06	\$200	Cube
<b>ICE-O-Matic</b> (www.iceomatic.com)	RCU-A	ICE0606FR	VRC1061	502	24.9	6.28	\$125	Cube
<b>ICE-O-Matic</b> (www.iceomatic.com)	RCU-A	ICE0606HR	VRC1061	502	24.9	6.28	\$125	Cube
<b>ICE-O-Matic</b> (www.iceomatic.com)	RCU-A	ICE806FR4	VRC2061	790	22.11	5.02	\$125	Cube
<b>ICE-O-Matic</b> (www.iceomatic.com)	RCU-A	ICE806HR4	VRC2061	790	22.11	5.02	\$125	Cube
<b>ICE-O-Matic</b> (www.iceomatic.com)	RCU-A	ICE1007FR4	VRC2061	810	20.2	5.14	\$125	Cube
<b>ICE-O-Matic</b> (www.iceomatic.com)	RCU-A	ICE1007HR4	VRC2061	810	20.2	5.14	\$125	Cube
<b>ICE-O-Matic</b> (www.iceomatic.com)	RCU-A	ICE1506FR	VRC2661	1216	19.5	4.60	\$200	Cube
<b>ICE-O-Matic</b> (www.iceomatic.com)	RCU-A	ICE1506HR	VRC2661	1216	19.5	4.60	\$200	Cube
<b>ICE-O-Matic</b> (www.iceomatic.com)	SC-A	ICEU150FA	----	112	34	11.80	\$50	Cube
<b>ICE-O-Matic</b> (www.iceomatic.com)	SC-A	ICEU150HA	----	112	34	11.80	\$50	Cube
<b>ICE-O-Matic</b> (www.iceomatic.com)	SC-A	ICEU220FA	----	175	30.3	8.80	\$50	Cube
<b>ICE-O-Matic</b> (www.iceomatic.com)	SC-A	ICEU220HA	----	175	30.36	8.80	\$50	Cube
<b>ICE-O-Matic</b> (www.iceomatic.com)	SC-A	ICEU300FA	----	228	32.9	8.60	\$50	Cube
<b>ICE-O-Matic</b> (www.iceomatic.com)	SC-A	ICEU300HA	----	228	32.9	8.60	\$50	Cube
<b>Manitowoc</b> (www.manitowocfsg.com)	IMH-A	SD-0322A	----	250	18	6.90	\$50	Cube


**Updated 7/8/10**

Products on this list qualify for purchases from the date they are added until the date they are removed. Valid for machines generating 60 grams (2 oz.) or lighter ice cubes, as well as flaked, crushed, or fragmented ice machines that meet the ENERGY STAR® energy efficiency thresholds by Ice harvest (IHR) rate. Only air cooled machines are eligible. Check your utility rebate application for terms and conditions, and effective program dates. Note: only cube machines are eligible for ENERGY STAR®

 <b>Company Name</b> (Website)	<b>Machine Type</b>	<b>Model Number</b>	<b>Condenser</b>	<b>Ice Harvest Rate</b> (lbs/day)	<b>Potable Water Use Rate</b> (gal/100lbs)	<b>Energy Use Rate</b> (kWh/100lb)	<b>Rebate</b> (per unit)	<b>Ice Type</b>
<b>Manitowoc</b> (www.manitowocfsg.com)	<b>IMH-A</b>	<b>SY-0324A</b>	----	<b>250</b>	<b>18</b>	<b>6.90</b>	<b>\$50</b>	<b>Cube</b>
<b>Manitowoc</b> (www.manitowocfsg.com)	<b>IMH-A</b>	<b>SY-0424A</b>	----	<b>355</b>	<b>18</b>	<b>6.50</b>	<b>\$75</b>	<b>Cube</b>
<b>Manitowoc</b> (www.manitowocfsg.com)	<b>IMH-A</b>	<b>SY-0454A</b>	----	<b>365</b>	<b>18</b>	<b>6.30</b>	<b>\$75</b>	<b>Cube</b>
<b>Manitowoc</b> (www.manitowocfsg.com)	<b>IMH-A</b>	<b>SD-0602A</b>	----	<b>540</b>	<b>20</b>	<b>5.60</b>	<b>\$125</b>	<b>Cube</b>
<b>Manitowoc</b> (www.manitowocfsg.com)	<b>IMH-A</b>	<b>SY-0604A</b>	----	<b>540</b>	<b>20</b>	<b>5.60</b>	<b>\$125</b>	<b>Cube</b>
<b>Manitowoc</b> (www.manitowocfsg.com)	<b>IMH-A</b>	<b>SN-650N</b>	----	<b>581</b>	<b>12</b>	<b>5.50</b>	<b>\$125</b>	<b>Nugget</b>
<b>Manitowoc</b> (www.manitowocfsg.com)	<b>IMH-A</b>	<b>SY-0854A</b>	----	<b>725</b>	<b>18</b>	<b>5.30</b>	<b>\$125</b>	<b>Cube</b>
<b>Manitowoc</b> (www.manitowocfsg.com)	<b>IMH-A</b>	<b>SD-1402A</b>	----	<b>1170</b>	<b>22.5</b>	<b>4.88</b>	<b>\$200</b>	<b>Cube</b>
<b>Manitowoc</b> (www.manitowocfsg.com)	<b>IMH-A</b>	<b>SD-1402A3</b>		<b>1170</b>	<b>22.5</b>	<b>4.83</b>	<b>\$200</b>	<b>Cube</b>
<b>Manitowoc</b> (www.manitowocfsg.com)	<b>IMH-A</b>	<b>SY-1404A</b>		<b>1200</b>	<b>22.5</b>	<b>4.88</b>	<b>\$200</b>	<b>Cube</b>
<b>Manitowoc</b> (www.manitowocfsg.com)	<b>IMH-A</b>	<b>SY-1404A3</b>		<b>1200</b>	<b>22.5</b>	<b>4.83</b>	<b>\$200</b>	<b>Cube</b>
<b>Manitowoc</b> (www.manitowocfsg.com)	<b>RCU-A</b>	<b>IB-0682DC</b>	<b>CVD-0685</b>	<b>550</b>	<b>21.6</b>	<b>5.78</b>	<b>\$125</b>	<b>Cube</b>
<b>Manitowoc</b> (www.manitowocfsg.com)	<b>RCU-A</b>	<b>IB-0682DC</b>	<b>CVD-06853</b>	<b>550</b>	<b>21.6</b>	<b>5.78</b>	<b>\$125</b>	<b>Cube</b>
<b>Manitowoc</b> (www.manitowocfsg.com)	<b>RCU-A</b>	<b>IB-0684YC</b>	<b>CVD-0685</b>	<b>555</b>	<b>21.6</b>	<b>5.80</b>	<b>\$125</b>	<b>Cube</b>
<b>Manitowoc</b> (www.manitowocfsg.com)	<b>RCU-A</b>	<b>IB-0684YC</b>	<b>CVD-06853</b>	<b>555</b>	<b>21.6</b>	<b>5.80</b>	<b>\$125</b>	<b>Cube</b>
<b>Manitowoc</b> (www.manitowocfsg.com)	<b>RCU-A</b>	<b>SD-0692N</b>	<b>JC-0895</b>	<b>570</b>	<b>20</b>	<b>5.90</b>	<b>\$125</b>	<b>Cube</b>


**Updated 7/8/10**

Products on this list qualify for purchases from the date they are added until the date they are removed. Valid for machines generating 60 grams (2 oz.) or lighter ice cubes, as well as flaked, crushed, or fragmented ice machines that meet the ENERGY STAR® energy efficiency thresholds by Ice harvest (IHR) rate. Only air cooled machines are eligible. Check your utility rebate application for terms and conditions, and effective program dates. Note: only cube machines are eligible for ENERGY STAR®

 <b>Company Name</b> (Website)	<b>Machine Type</b>	<b>Model Number</b>	<b>Condenser</b>	<b>Ice Harvest Rate</b> (lbs/day)	<b>Potable Water Use Rate</b> (gal/100lbs)	<b>Energy Use Rate</b> (kWh/100lb)	<b>Rebate</b> (per unit)	<b>Ice Type</b>
<b>Manitowoc</b> (www.manitowocfsg.com)	RCU-A	SY-0694N	JC-0895	570	20	5.90	\$125	Cube
<b>Manitowoc</b> (www.manitowocfsg.com)	RCU-A	SD-0892N3	JC-0895	645	18	5.70	\$125	Cube
<b>Manitowoc</b> (www.manitowocfsg.com)	RCU-A	IB-0824YC	CVD-0885	690	18	5.60	\$125	Cube
<b>Manitowoc</b> (www.manitowocfsg.com)	RCU-A	IB-0824YC	CVD-0883	690	18	5.60	\$125	Cube
<b>Manitowoc</b> (www.manitowocfsg.com)	RCU-A	SY-0874C	CVD-0885	705	18	5.50	\$125	Cube
<b>Manitowoc</b> (www.manitowocfsg.com)	RCU-A	SY-0874C	CVD-08853	705	18	5.50	\$125	Cube
<b>Manitowoc</b> (www.manitowocfsg.com)	RCU-A	SY-0894N	JC-0895	750	18	5.30	\$125	Cube
<b>Manitowoc</b> (www.manitowocfsg.com)	RCU-A	SY-0894N3	JC-0895	750	18	5.20	\$125	Cube
<b>Manitowoc</b> (www.manitowocfsg.com)	RCU-A	SD-1072C	CVD-1085	800	19	5.10	\$125	Cube
<b>Manitowoc</b> (www.manitowocfsg.com)	RCU-A	SD-1072C	CVD-10853	800	19	5.10	\$125	Cube
<b>Manitowoc</b> (www.manitowocfsg.com)	RCU-A	SY-1074C	CVD-1085	850	18	5.00	\$125	Cube
<b>Manitowoc</b> (www.manitowocfsg.com)	RCU-A	SY-1074C	CVD-10853	850	18	5.00	\$125	Cube
<b>Manitowoc</b> (www.manitowocfsg.com)	RCU-A	SD-1492N3	JC-1395	1210	22.5	4.45	\$200	Cube
<b>Manitowoc</b> (www.manitowocfsg.com)	RCU-A	SD-1492N	JC-1395	1210	22.5	4.52	\$200	Cube
<b>Manitowoc</b> (www.manitowocfsg.com)	RCU-A	SY-1494N	JC-1395	1230	22.5	4.52	\$200	Cube
<b>Manitowoc</b> (www.manitowocfsg.com)	RCU-A	SY-1494N3	JC-1395	1230	22.5	4.45	\$200	Cube


**Updated 7/8/10**

Products on this list qualify for purchases from the date they are added until the date they are removed. Valid for machines generating 60 grams (2 oz.) or lighter ice cubes, as well as flaked, crushed, or fragmented ice machines that meet the ENERGY STAR® energy efficiency thresholds by Ice harvest (IHR) rate. Only air cooled machines are eligible. Check your utility rebate application for terms and conditions, and effective program dates. Note: only cube machines are eligible for ENERGY STAR®

 <b>Company Name</b> (Website)	<b>Machine Type</b>	<b>Model Number</b>	<b>Condenser</b>	<b>Ice Harvest Rate</b> (lbs/day)	<b>Potable Water Use Rate</b> (gal/100lbs)	<b>Energy Use Rate</b> (kWh/100lb)	<b>Rebate</b> (per unit)	<b>Ice Type</b>
<b>Manitowoc</b> (www.manitowocfsg.com)	RCU-A	SD-1892N	JC-1395	1510	20	4.60	\$250	Cube
<b>Manitowoc</b> (www.manitowocfsg.com)	RCU-A	SD-1892N3	JC-1395	1510	20	4.50	\$250	Cube
<b>Manitowoc</b> (www.manitowocfsg.com)	RCU-A	QY-1894S3	JC-1895	1520	20	4.57	\$250	Cube
<b>Manitowoc</b> (www.manitowocfsg.com)	RCU-A	SY-1894N	JC-1395	1540	20	4.59	\$250	Cube
<b>Manitowoc</b> (www.manitowocfsg.com)	RCU-A	SY-1894N3	JC-1395	1540	20	4.55	\$250	Cube
<b>Manitowoc</b> (www.manitowocfsg.com)	RCU-A	SD-3072C	CVD-30853	2350	19.7	4.64	\$250	Cube
<b>Manitowoc</b> (www.manitowocfsg.com)	SC-A	QD-0212A	----	155	33.5	9.90	\$50	Cube
<b>Manitowoc</b> (www.manitowocfsg.com)	SC-A	QY-0214A	----	155	33.5	9.90	\$50	Cube
<b>Manitowoc</b> (www.manitowocfsg.com)	SC-A	QD-0272A	----	215	32.4	9.00	\$50	Cube
<b>Manitowoc</b> (www.manitowocfsg.com)	SC-A	QY-0274A	----	215	32.4	9.00	\$50	Cube
<b>Scotsman</b> (www.scotsman-ice.com)	IMH-A	C0830MA-3#	----	724	21.6	5.30	\$125	Cube
<b>Scotsman</b> (www.scotsman-ice.com)	IMH-A	C0830MA-32#	----	724	21.6	5.30	\$125	Cube
<b>Scotsman</b> (www.scotsman-ice.com)	IMH-A	C0830SA-3#	----	724	21.6	5.30	\$125	Cube
<b>Scotsman</b> (www.scotsman-ice.com)	IMH-A	C0830SA-32#	----	724	21.6	5.30	\$125	Cube
<b>Scotsman</b> (www.scotsman-ice.com)	RCU-A	C0630MR-32#	ERC311-32#	616	18.7	5.80	\$125	Cube
<b>Scotsman</b> (www.scotsman-ice.com)	RCU-A	C0630SR-32#	ERC311-32#	616	18.7	5.80	\$125	Cube


**Updated 7/8/10**

Products on this list qualify for purchases from the date they are added until the date they are removed. Valid for machines generating 60 grams (2 oz.) or lighter ice cubes, as well as flaked, crushed, or fragmented ice machines that meet the ENERGY STAR® energy efficiency thresholds by Ice harvest (IHR) rate. Only air cooled machines are eligible. Check your utility rebate application for terms and conditions, and effective program dates. Note: only cube machines are eligible for ENERGY STAR®

 <b>Company Name</b> (Website)	<b>Machine Type</b>	<b>Model Number</b>	<b>Condenser</b>	<b>Ice Harvest Rate</b> (lbs/day)	<b>Potable Water Use Rate</b> (gal/100lbs)	<b>Energy Use Rate</b> (kWh/100lb)	<b>Rebate</b> (per unit)	<b>Ice Type</b>
<b>Scotsman</b> (www.scotsman-ice.com)	RCU-A	FME 804RS	ERC101-1A	625	12	5.70	\$125	Flake
<b>Scotsman</b> (www.scotsman-ice.com)	RCU-A	EH222ML-1	C0800CP-32#, 3# ERC680-32#	700	18	5.50	\$125	Cube
<b>Scotsman</b> (www.scotsman-ice.com)	RCU-A	EH222SL-1	C0800CP-32#, 3# ERC680-32#	700	18	5.50	\$125	Cube
<b>Scotsman</b> (www.scotsman-ice.com)	RCU-A	C1030MR-3#,	ERC311-32#	851	18.2	5.00	\$125	Cube
<b>Scotsman</b> (www.scotsman-ice.com)	RCU-A	C1030MR-32#,	ERC311-32#	851	18.2	5.00	\$125	Cube
<b>Scotsman</b> (www.scotsman-ice.com)	RCU-A	C1030SR-3#,	ERC311-32#	851	18.2	5.00	\$125	Cube
<b>Scotsman</b> (www.scotsman-ice.com)	RCU-A	C1030SR-32#,	ERC311-32#	851	18.2	5.00	\$125	Cube
<b>Scotsman</b> (www.scotsman-ice.com)	RCU-A	EH430ML-1#	C1410CP-32#,3# ERC1086-32#	1200	18.5	4.70	\$200	Cube
<b>Scotsman</b> (www.scotsman-ice.com)	RCU-A	EH430SL-1#	C1410CP-32#,3# ERC1086-32#	1200	18.5	4.70	\$200	Cube
<b>Scotsman</b> (www.scotsman-ice.com)	RCU-A	EH330SL-1#	C1200CP-3# ERC1086-32#	1230	17.4	4.80	\$200	Cube
<b>Scotsman</b> (www.scotsman-ice.com)	RCU-A	EH330SL-1#	C1200CP-32# ERC1086-32#	1230	17.4	4.80	\$200	Cube
<b>Scotsman</b> (www.scotsman-ice.com)	RCU-A	EH430ML-1#	C1800CP-32#,3# ERC2086-32#	1567	17.6	4.60	\$250	Cube

**Updated 7/8/10**

Products on this list qualify for purchases from the date they are added until the date they are removed. Valid for machines generating 60 grams (2 oz.) or lighter ice cubes, as well as flaked, crushed, or fragmented ice machines that meet the ENERGY STAR® energy efficiency thresholds by Ice harvest (IHR) rate. Only air cooled machines are eligible. Check your utility rebate application for terms and conditions, and effective program dates. Note: only cube machines are eligible for ENERGY STAR®

 <b>Company Name</b> (Website)	<b>Machine Type</b>	<b>Model Number</b>	<b>Condenser</b>	<b>Ice Harvest Rate</b> (lbs/day)	<b>Potable Water Use Rate</b> (gal/100lbs)	<b>Energy Use Rate</b> (kWh/100lb)	<b>Rebate</b> (per unit)	<b>Ice Type</b>
<b>Scotsman</b> (www.scotsman-ice.com)	RCU-A	EH430SL-1#	C1410CP-32#,3# ERC1086-32#	1567	17.6	4.60	\$250	Cube
<b>Scotsman</b> (www.scotsman-ice.com)	RCU-A	EH430SL-1#	C1800CP-32#,3# ERC2086-32#	1567	17.6	4.60	\$250	Cube
<b>Scotsman</b> (www.scotsman-ice.com)	SC-A	CU1526MA-1#	----	110	18	11.50	\$50	Cube
<b>Scotsman</b> (www.scotsman-ice.com)	SC-A	CU1526SA-1#	----	110	18	11.50	\$50	Cube
<b>Scotsman</b> (www.scotsman-ice.com)	SC-A	CU2026MA-1#	----	155	18	9.70	\$50	Cube
<b>Scotsman</b> (www.scotsman-ice.com)	SC-A	CU2026SA-1#	----	155	18	9.70	\$50	Cube
<b>Scotsman</b> (www.scotsman-ice.com)	SC-A	CU2026MA-32#	----	155	18	9.70	\$50	Cube
<b>Scotsman</b> (www.scotsman-ice.com)	SC-A	CU2026SA-32#	----	155	18	9.70	\$50	Cube
<b>Scotsman</b> (www.scotsman-ice.com)	SC-A	CU3030MA-1#	----	217	18	8.50	\$50	Cube
<b>Scotsman</b> (www.scotsman-ice.com)	SC-A	CU3030SA-1#	----	217	18	8.50	\$50	Cube
<b>Scotsman</b> (www.scotsman-ice.com)	SC-A	CU3030MA-32#	----	217	18	8.50	\$50	Cube
<b>Scotsman</b> (www.scotsman-ice.com)	SC-A	CU3030SA-32#	----	217	18	8.50	\$50	Cube

**Updated 7/8/10**

Products on this list qualify for purchases from the date they are added until the date they are removed. Valid for machines generating 60 grams (2 oz.) or lighter ice cubes, as well as flaked, crushed, or fragmented ice machines that meet the Consortium for Energy Efficiency (CEE) Tier III energy efficiency thresholds by Ice harvest (IHR) rate. Only air cooled machines are eligible.

Check your utility rebate application for terms and conditions, and effective program dates. Note: only cube machines are eligible for CEE.

Company Name (Website)	Machine Type	Model Number	Condenser	Ice Harvest Rate (lbs/day)	Potable Water Use Rate (gal/100lbs)	Energy Use Rate (kWh/100lb)	Rebate (per unit)	Ice Type
Follett (www.follettice.com)	IMH-A	12CI400A	----	280	12.6	5.70	\$100	Nugget
Follett (www.follettice.com)	IMH-A	12HI400A	----	280	12.6	5.70	\$100	Nugget
Follett (www.follettice.com)	IMH-A	D400A	----	314	12.6	5.70	\$150	Nugget
Follett (www.follettice.com)	IMH-A	MCD400A	----	314	12.6	5.70	\$150	Nugget
Follett (www.follettice.com)	IMH-A	MFD400A	----	314	12.6	5.70	\$150	Nugget
Follett (www.follettice.com)	IMH-A	R400A	----	314	12.6	5.70	\$150	Nugget
Follett (www.follettice.com)	IMH-A	25CI400A	----	300	12.6	5.70	\$100	Nugget
Follett (www.follettice.com)	IMH-A	25HI400A	----	300	12.6	5.70	\$100	Nugget
Follett (www.follettice.com)	IMH-A	50CI400A	----	300	12.6	5.70	\$100	Nugget
Follett (www.follettice.com)	IMH-A	50HI400A	----	300	12.6	5.70	\$100	Nugget
Follett (www.follettice.com)	IMH-A	110CR400A	----	323	12.6	5.70	\$150	Nugget
Follett (www.follettice.com)	IMH-A	110CT400A	----	323	12.6	5.70	\$150	Nugget
Follett (www.follettice.com)	IMH-A	110FB400A	----	323	12.6	5.70	\$150	Nugget
Follett (www.follettice.com)	IMH-A	25CR400A	----	323	12.6	5.70	\$150	Nugget

**Updated 7/8/10**

Products on this list qualify for purchases from the date they are added until the date they are removed. Valid for machines generating 60 grams (2 oz.) or lighter ice cubes, as well as flaked, crushed, or fragmented ice machines that meet the Consortium for Energy Efficiency (CEE) Tier III energy efficiency thresholds by Ice harvest (IHR) rate. Only air cooled machines are eligible.

Check your utility rebate application for terms and conditions, and effective program dates. Note: only cube machines are eligible for CEE.

Company Name (Website)	Machine Type	Model Number	Condenser	Ice Harvest Rate (lbs/day)	Potable Water Use Rate (gal/100lbs)	Energy Use Rate (kWh/100lb)	Rebate (per unit)	Ice Type
Follett (www.follettice.com)	IMH-A	25CT400A	----	323	12.6	5.70	\$150	Nugget
Follett (www.follettice.com)	IMH-A	25FB400A	----	323	12.6	5.70	\$150	Nugget
Follett (www.follettice.com)	IMH-A	25HR400A	----	323	12.6	5.70	\$150	Nugget
Follett (www.follettice.com)	IMH-A	25HT400A	----	323	12.6	5.70	\$150	Nugget
Follett (www.follettice.com)	IMH-A	50CR400A	----	323	12.6	5.70	\$150	Nugget
Follett (www.follettice.com)	IMH-A	50CT400A	----	323	12.6	5.70	\$150	Nugget
Follett (www.follettice.com)	IMH-A	50HB400A	----	323	12.6	5.70	\$150	Nugget
Follett (www.follettice.com)	IMH-A	50HR400A	----	323	12.6	5.70	\$150	Nugget
Follett (www.follettice.com)	IMH-A	50HT400A	----	323	12.6	5.70	\$150	Nugget
Follett (www.follettice.com)	IMH-A	HCC1000A	----	830	13.6	5.10	\$250	Nugget
Follett (www.follettice.com)	IMH-A	HMC1000A	----	830	13.6	5.10	\$250	Nugget
Follett (www.follettice.com)	RCU-A	HCD1000N	168504	765	13.6	5.10	\$250	Nugget
Follett (www.follettice.com)	RCU-A	HCD1000R	168504	765	13.6	5.10	\$250	Nugget
Follett (www.follettice.com)	RCU-A	HMD1000N	178640	765	13.6	5.10	\$250	Nugget

**Updated 7/8/10**

Products on this list qualify for purchases from the date they are added until the date they are removed. Valid for machines generating 60 grams (2 oz.) or lighter ice cubes, as well as flaked, crushed, or fragmented ice machines that meet the Consortium for Energy Efficiency (CEE) Tier III energy efficiency thresholds by Ice harvest (IHR) rate. Only air cooled machines are eligible.

Check your utility rebate application for terms and conditions, and effective program dates. Note: only cube machines are eligible for CEE.

Company Name (Website)	Machine Type	Model Number	Condenser	Ice Harvest Rate (lbs/day)	Potable Water Use Rate (gal/100lbs)	Energy Use Rate (kWh/100lb)	Rebate (per unit)	Ice Type
<b>Follett</b> (www.follettice.com)	RCU-A	HMD1000R	178640	765	13.6	5.10	\$250	Nugget
<b>Hoshizaki</b> (www.hoshizakiamerica.com)	IMH-A	KML-451MAH	----	349	18	6.10	\$150	Cube
<b>Hoshizaki</b> (www.hoshizakiamerica.com)	IMH-A	KMD-450MAH	----	387	18.9	5.48	\$150	Cube
<b>Hoshizaki</b> (www.hoshizakiamerica.com)	IMH-A	F-801MAH-C	----	552	12	5.10	\$250	Flake
<b>Hoshizaki</b> (www.hoshizakiamerica.com)	IMH-A	F-801MAH	----	599	12	4.50	\$250	Flake
<b>Hoshizaki</b> (www.hoshizakiamerica.com)	IMH-A	F-1500MAH-C	----	990	12	4.50	\$250	Flake
<b>Hoshizaki</b> (www.hoshizakiamerica.com)	IMH-A	KM-1301SAH3	----	1159	15.6	4.60	\$400	Cube
<b>Hoshizaki</b> (www.hoshizakiamerica.com)	IMH-A	KM-1301SAH	----	1164	15.7	4.50	\$400	Cube
<b>Hoshizaki</b> (www.hoshizakiamerica.com)	IMH-A	KM-1340MAH	----	1167	18.3	4.70	\$400	Cube
<b>Hoshizaki</b> (www.hoshizakiamerica.com)	IMH-A	F-1500MAH	----	1170	12	3.80	\$400	Flake
<b>Hoshizaki</b> (www.hoshizakiamerica.com)	IMH-A	KM-1900SAH3	----	1530	17	4.1	\$500	Cube
<b>Hoshizaki</b> (www.hoshizakiamerica.com)	IMH-A	KM-1900SAH	----	1560	18.8	4.10	\$500	Cube
<b>Hoshizaki</b> (www.hoshizakiamerica.com)	RCU-A	KM-461MRH	URC-5F	396	18	6.00	\$150	Cube
<b>Hoshizaki</b> (www.hoshizakiamerica.com)	RCU-A	KM-650MRH	URC-5F	554	20	5.40	\$250	Cube

**Updated 7/8/10**

**Products on this list qualify for purchases from the date they are added until the date they are removed. Valid for machines generating 60 grams (2 oz.) or lighter ice cubes, as well as flaked, crushed, or fragmented ice machines that meet the Consortium for Energy Efficiency (CEE) Tier III energy efficiency thresholds by Ice harvest (IHR) rate. Only air cooled machines are eligible.**

Check your utility rebate application for terms and conditions, and effective program dates. Note: only cube machines are eligible for CEE.

Company Name (Website)	Machine Type	Model Number	Condenser	Ice Harvest Rate (lbs/day)	Potable Water Use Rate (gal/100lbs)	Energy Use Rate (kWh/100lb)	Rebate (per unit)	Ice Type
Hoshizaki (www.hoshizakiamerica.com)	RCU-A	F-1001MRH-C	URC-6F	695	12	4.90	\$250	Flake
Hoshizaki (www.hoshizakiamerica.com)	RCU-A	F-1001MLH-C	----	705	12	1.13	\$250	Flake
Hoshizaki (www.hoshizakiamerica.com)	RCU-A	F-1001MRH	URC-6F	745	12	4.90	\$250	Flake
Hoshizaki (www.hoshizakiamerica.com)	RCU-A	F-1500MRH-C	URC-12F	1120	12	4.18	\$400	Flake
Hoshizaki (www.hoshizakiamerica.com)	RCU-A	KM-1301SRH3	URC-14F	1197	16	4.30	\$400	Cube
Hoshizaki (www.hoshizakiamerica.com)	RCU-A	KM-1301SRH	URC-14F	1222	16.6	4.10	\$400	Cube
Hoshizaki (www.hoshizakiamerica.com)	RCU-A	F-1500MRH	URC-12F	1300	12	3.72	\$400	Flake
Hoshizaki (www.hoshizakiamerica.com)	RCU-A	KM-1900SRH	URC-21F	1616	20	3.90	\$500	Cube
Hoshizaki (www.hoshizakiamerica.com)	RCU-A	KM-1900SRH3	URC-21F	1660	20	4.10	\$500	Cube
Hoshizaki (www.hoshizakiamerica.com)	RCU-A	F-2000MRH	URC-20F	1675	12	4.00	\$500	Flake
Hoshizaki (www.hoshizakiamerica.com)	RCU-A	F-2000MRH3	URC-20F	1695	12	4.10	\$500	Flake
Hoshizaki (www.hoshizakiamerica.com)	SC-A	KM-101BAH	----	88	23	9.40	\$100	Cube
Hoshizaki (www.hoshizakiamerica.com)	SC-A	KM-201BAH	----	165	22	7.50	\$100	Cube
Hoshizaki (www.hoshizakiamerica.com)	SC-A	KM-151BAH	----	121	17.8	8.40	\$100	Cube

**Updated 7/8/10**

Products on this list qualify for purchases from the date they are added until the date they are removed. Valid for machines generating 60 grams (2 oz.) or lighter ice cubes, as well as flaked, crushed, or fragmented ice machines that meet the Consortium for Energy Efficiency (CEE) Tier III energy efficiency thresholds by Ice harvest (IHR) rate. Only air cooled machines are eligible.

Check your utility rebate application for terms and conditions, and effective program dates. Note: only cube machines are eligible for CEE.

Company Name (Website)	Machine Type	Model Number	Condenser	Ice Harvest Rate (lbs/day)	Potable Water Use Rate (gal/100lbs)	Energy Use Rate (kWh/100lb)	Rebate (per unit)	Ice Type
<b>Hoshizaki</b> (www.hoshizakiamerica.com)	SC-A	KM-260BAH	----	200	20.3	7.50	\$100	Cube
<b>Hoshizaki</b> (www.hoshizakiamerica.com)	SC-A	DCM270BAH	----	215	12	7.60	\$100	Flake
<b>Hoshizaki</b> (www.hoshizakiamerica.com)	SC-A	DCM270BAH-OS	----	220	12	7.30	\$100	Flake
<b>Hoshizaki</b> (www.hoshizakiamerica.com)	SC-A	F-300BAF	----	232	12	6.70	\$100	Flake
<b>Hoshizaki</b> (www.hoshizakiamerica.com)	SC-A	F-330BAH	----	250	12	5.80	\$100	Flake
<b>Hoshizaki</b> (www.hoshizakiamerica.com)	SC-A	DT-400BAH-OS	----	296	12	7.60	\$100	Flake
<b>Hoshizaki</b> (www.hoshizakiamerica.com)	SC-A	F-330BAH-C	----	330	12	6.70	\$150	Flake
<b>Hoshizaki</b> (www.hoshizakiamerica.com)	SC-A	F-500BAF	----	359	12	6.00	\$150	Flake
<b>Hoshizaki</b> (www.hoshizakiamerica.com)	SC-A	DCM500BAF	----	385	12	6.60	\$150	Flake
<b>Hoshizaki</b> (www.hoshizakiamerica.com)	SC-A	DCM-500BAH-OS	----	385	12	6.60	\$150	Flake
<b>Hoshizaki</b> (www.hoshizakiamerica.com)	SC-A	DKM-500BAH	----	406	16.3	6.80	\$150	Cube
<b>Hoshizaki</b> (www.hoshizakiamerica.com)	SC-A	DCM-750BAH	----	567	12	6.30	\$250	Flake
<b>Hoshizaki</b> (www.hoshizakiamerica.com)	SC-A	DCM-750BAH-OS	----	567	12	6.30	\$250	Flake
<b>Howe Corporation</b> (www.howecorp.com)	RCU-A	1000-RLH	1000-RHS	1070	12	2.50	\$400	Flake

**Updated 7/8/10**

Products on this list qualify for purchases from the date they are added until the date they are removed. Valid for machines generating 60 grams (2 oz.) or lighter ice cubes, as well as flaked, crushed, or fragmented ice machines that meet the Consortium for Energy Efficiency (CEE) Tier III energy efficiency thresholds by Ice harvest (IHR) rate. Only air cooled machines are eligible.

Check your utility rebate application for terms and conditions, and effective program dates. Note: only cube machines are eligible for CEE.

Company Name (Website)	Machine Type	Model Number	Condenser	Ice Harvest Rate (lbs/day)	Potable Water Use Rate (gal/100lbs)	Energy Use Rate (kWh/100lb)	Rebate (per unit)	Ice Type
<b>Howe Corporation</b> (www.howecorp.com)	RCU-A	2000-RLH	2000-RHS	2000	12	3.10	\$500	Flake
<b>ICE-O-Matic</b> (www.iceomatic.com)	IMH-A	EMF450AS	----	420	12	4.90	\$150	Flake
<b>ICE-O-Matic</b> (www.iceomatic.com)	IMH-A	GEM0650A	----	520	12	5.30	\$250	Flake
<b>ICE-O-Matic</b> (www.iceomatic.com)	IMH-A	EMF800AS	----	628	12	4.40	\$250	Flake
<b>ICE-O-Matic</b> (www.iceomatic.com)	IMH-A	GEM0956A	----	780	12	3.90	\$250	Flake
<b>ICE-O-Matic</b> (www.iceomatic.com)	IMH-A	EMF1106AS	----	876	12	3.70	\$250	Flake
<b>ICE-O-Matic</b> (www.iceomatic.com)	IMH-A	GEM1256A	----	945	12	3.70	\$250	Flake
<b>ICE-O-Matic</b> (www.iceomatic.com)	IMH-A	EMF2306AS	----	1836	12	3.00	\$500	Flake
<b>ICE-O-Matic</b> (www.iceomatic.com)	RCU-A	GEM0956R	GRC1061	830	12	4.10	\$250	Flake
<b>ICE-O-Matic</b> (www.iceomatic.com)	RCU-A	EMF1106R	VRC1061B	940	12	3.90	\$250	Flake
<b>ICE-O-Matic</b> (www.iceomatic.com)	RCU-A	GEM1256R	GRC2061	1005	12	3.60	\$400	Flake
<b>ICE-O-Matic</b> (www.iceomatic.com)	RCU-A	EMF2306R	VRC2061B	1868	12	2.80	\$500	Flake
<b>ICE-O-Matic</b> (www.iceomatic.com)	SC-A	EF250A32S	----	319	12	5.60	\$150	Flake
<b>ICE-O-Matic</b> (www.iceomatic.com)	SC-A	EF250A38S	----	319	12	5.60	\$150	Flake
<b>ICE-O-Matic</b> (www.iceomatic.com)	SC-A	EF450A32S	----	360	12	5.80	\$150	Flake
<b>ICE-O-Matic</b> (www.iceomatic.com)	SC-A	EF450A38S	----	360	12	5.80	\$150	Flake

**Updated 7/8/10**

Products on this list qualify for purchases from the date they are added until the date they are removed. Valid for machines generating 60 grams (2 oz.) or lighter ice cubes, as well as flaked, crushed, or fragmented ice machines that meet the Consortium for Energy Efficiency (CEE) Tier III energy efficiency thresholds by Ice harvest (IHR) rate. Only air cooled machines are eligible.

Check your utility rebate application for terms and conditions, and effective program dates. Note: only cube machines are eligible for CEE.

Company Name (Website)	Machine Type	Model Number	Condenser	Ice Harvest Rate (lbs/day)	Potable Water Use Rate (gal/100lbs)	Energy Use Rate (kWh/100lb)	Rebate (per unit)	Ice Type
<b>ICE-O-Matic</b> (www.iceomatic.com)	SC-A	EF450A48S	----	360	12	5.80	\$150	Flake
<b>ICE-O-Matic</b> (www.iceomatic.com)	SC-A	EF800A38S	----	616	12	4.60	\$250	Flake
<b>ICE-O-Matic</b> (www.iceomatic.com)	SC-A	EF800A48S	----	616	12	4.60	\$250	Flake
<b>Manitowoc</b> (www.manitowocfsg.com)	IMH-A	SF-0406A	----	331	12	6.00	\$150	Flake
<b>Manitowoc</b> (www.manitowocfsg.com)	IMH-A	SN-450A	----	361	12	6.03	\$150	Nugget
<b>Manitowoc</b> (www.manitowocfsg.com)	IMH-A	SD-0502A	----	420	18	5.50	\$150	Cube
<b>Manitowoc</b> (www.manitowocfsg.com)	IMH-A	SY-0504A	----	440	18	5.40	\$150	Cube
<b>Manitowoc</b> (www.manitowocfsg.com)	IMH-A	SN-650A	----	564	12	5.07	\$250	Nugget
<b>Manitowoc</b> (www.manitowocfsg.com)	IMH-A	SY-0854A3	----	725	18	5.20	\$250	Cube
<b>Manitowoc</b> (www.manitowocfsg.com)	IMH-A	QF-0806A	----	740	12	4.90	\$250	Flake
<b>Manitowoc</b> (www.manitowocfsg.com)	IMH-A	SF-0906A	----	744	12	4.00	\$250	Flake
<b>Manitowoc</b> (www.manitowocfsg.com)	IMH-A	SF-0906A3	----	744	12	4.00	\$250	Flake
<b>Manitowoc</b> (www.manitowocfsg.com)	IMH-A	SN-958A	----	763	12	4.00	\$250	Nugget
<b>Manitowoc</b> (www.manitowocfsg.com)	IMH-A	SN-958A3	----	763	12	4.00	\$250	Nugget
<b>Manitowoc</b> (www.manitowocfsg.com)	IMH-A	SF-1206A	----	1018	12	3.80	\$400	Flake
<b>Manitowoc</b> (www.manitowocfsg.com)	IMH-A	SF-1206A3	----	1018	12	3.80	\$400	Flake

**Updated 7/8/10**

Products on this list qualify for purchases from the date they are added until the date they are removed. Valid for machines generating 60 grams (2 oz.) or lighter ice cubes, as well as flaked, crushed, or fragmented ice machines that meet the Consortium for Energy Efficiency (CEE) Tier III energy efficiency thresholds by Ice harvest (IHR) rate. Only air cooled machines are eligible.

Check your utility rebate application for terms and conditions, and effective program dates. Note: only cube machines are eligible for CEE.

Company Name (Website)	Machine Type	Model Number	Condenser	Ice Harvest Rate (lbs/day)	Potable Water Use Rate (gal/100lbs)	Energy Use Rate (kWh/100lb)	Rebate (per unit)	Ice Type
<b>Manitowoc</b> (www.manitowocfsg.com)	IMH-A	SN-1258A	----	1110	12	3.52	\$400	Nugget
<b>Manitowoc</b> (www.manitowocfsg.com)	IMH-A	SN-1258A3		1110	12	3.52	\$400	Nugget
<b>Manitowoc</b> (www.manitowocfsg.com)	RCU-A	SD-0592N	JC-0495	425	18	6.10	\$150	Cube
<b>Manitowoc</b> (www.manitowocfsg.com)	RCU-A	SY-0594N	JC-0495	450	18	5.80	\$150	Cube
<b>Manitowoc</b> (www.manitowocfsg.com)	RCU-A	SD-0682C	CVD-0685	575	18.8	5.42	\$250	Cube
<b>Manitowoc</b> (www.manitowocfsg.com)	RCU-A	SD-0682C	CVD-06853	575	18.8	5.42	\$250	Cube
<b>Manitowoc</b> (www.manitowocfsg.com)	RCU-A	SY-0684C	CVD-0685	590	18.8	5.43	\$250	Cube
<b>Manitowoc</b> (www.manitowocfsg.com)	RCU-A	SY-0684C	CVD-06853	590	18.8	5.43	\$250	Cube
<b>Manitowoc</b> (www.manitowocfsg.com)	RCU-A	SF-0976A	RFC-0985	811	12	4.10	\$250	Flake
<b>Manitowoc</b> (www.manitowocfsg.com)	RCU-A	SF-0976C	RFC-0985	811	12	4.10	\$250	Flake
<b>Manitowoc</b> (www.manitowocfsg.com)	RCU-A	SF-0978C	RFC-0985	879	12	4.10	\$250	Flake
<b>Manitowoc</b> (www.manitowocfsg.com)	RCU-A	SN-1278C	RFC-1285	1019	12	3.91	\$400	Nugget
<b>Manitowoc</b> (www.manitowocfsg.com)	RCU-A	SN-1278C	RFC-12853	1019	12	3.90	\$400	Nugget
<b>Manitowoc</b> (www.manitowocfsg.com)	RCU-A	SF-1276C	RFC-1285	1025	12	3.86	\$400	Flake
<b>Manitowoc</b> (www.manitowocfsg.com)	RCU-A	SF-1276C	RFC-12853	1025	12	3.90	\$400	Flake
<b>Manitowoc</b> (www.manitowocfsg.com)	RCU-A	SD-0684C	CVD-06853	590	18.8	5.43	\$250	Cube

**Updated 7/8/10**

**Products on this list qualify for purchases from the date they are added until the date they are removed. Valid for machines generating 60 grams (2 oz.) or lighter ice cubes, as well as flaked, crushed, or fragmented ice machines that meet the Consortium for Energy Efficiency (CEE) Tier III energy efficiency thresholds by Ice harvest (IHR) rate. Only air cooled machines are eligible.**

Check your utility rebate application for terms and conditions, and effective program dates. Note: only cube machines are eligible for CEE.

Company Name (Website)	Machine Type	Model Number	Condenser	Ice Harvest Rate (lbs/day)	Potable Water Use Rate (gal/100lbs)	Energy Use Rate (kWh/100lb)	Rebate (per unit)	Ice Type
<b>Manitowoc</b> (www.manitowocfsg.com)	RCU-A	SD-1472C	CVD1485	1220	18	4.40	\$400	Cube
<b>Manitowoc</b> (www.manitowocfsg.com)	RCU-A	SD-1472C	CVD14853	1220	18	4.30	\$400	Cube
<b>Manitowoc</b> (www.manitowocfsg.com)	RCU-A	SY-1474C	CVD1485	1235	18	4.50	\$400	Cube
<b>Manitowoc</b> (www.manitowocfsg.com)	RCU-A	SY-1474C	CVD14853	1235	18	4.30	\$400	Cube
<b>Manitowoc</b> (www.manitowocfsg.com)	RCU-A	SD-1872C	CVD1885	1500	18	4.50	\$400	Cube
<b>Manitowoc</b> (www.manitowocfsg.com)	RCU-A	SD-1872C	CVD18853	1500	18	4.50	\$400	Cube
<b>Manitowoc</b> (www.manitowocfsg.com)	RCU-A	SY-1874C	CVD1885	1550	18	4.50	\$500	Cube
<b>Manitowoc</b> (www.manitowocfsg.com)	RCU-A	SY-1874C	CVD18853	1550	18	4.50	\$500	Cube
<b>Manitowoc</b> (www.manitowocfsg.com)	RCU-A	SD-3074C	CVD-30853	2420	19.7	4.51	\$500	Cube
<b>Manitowoc</b> (www.manitowocfsg.com)	SC-A	SN-12A	----	253	12	7.11	\$100	Nugget
<b>Manitowoc</b> (www.manitowocfsg.com)	SC-A	SN12-AT	----	253	12	7.10	\$100	Nugget
<b>Manitowoc</b> (www.manitowocfsg.com)	SC-A	SN-20A	----	253	12	7.11	\$100	Nugget
<b>Manitowoc</b> (www.manitowocfsg.com)	SC-A	QF-0406A	----	300	12	5.32	\$100	Flake
<b>Scotsman</b> (www.scotsman-ice.com)	IMH-A	C0322MA-1#	----	255	19	6.60	\$100	Cube
<b>Scotsman</b> (www.scotsman-ice.com)	IMH-A	C0322MA-32#	----	255	19	6.60	\$100	Cube

**Updated 7/8/10**

Products on this list qualify for purchases from the date they are added until the date they are removed. Valid for machines generating 60 grams (2 oz.) or lighter ice cubes, as well as flaked, crushed, or fragmented ice machines that meet the Consortium for Energy Efficiency (CEE) Tier III energy efficiency thresholds by Ice harvest (IHR) rate. Only air cooled machines are eligible.

Check your utility rebate application for terms and conditions, and effective program dates. Note: only cube machines are eligible for CEE.

Company Name (Website)	Machine Type	Model Number	Condenser	Ice Harvest Rate (lbs/day)	Potable Water Use Rate (gal/100lbs)	Energy Use Rate (kWh/100lb)	Rebate (per unit)	Ice Type
Scotsman (www.scotsman-ice.com)	IMH-A	C0322SA-1#	----	255	19	6.60	\$100	Cube
Scotsman (www.scotsman-ice.com)	IMH-A	C0322SA-32#	----	255	19	6.60	\$100	Cube
Scotsman (www.scotsman-ice.com)	IMH-A	C0330MA-1#	----	280	19	6.00	\$100	Cube
Scotsman (www.scotsman-ice.com)	IMH-A	C0330MA-32#	----	280	19	6.00	\$100	Cube
Scotsman (www.scotsman-ice.com)	IMH-A	C0330SA-1#	----	280	19	6.00	\$100	Cube
Scotsman (www.scotsman-ice.com)	IMH-A	C0330SA-32#	----	280	19	6.00	\$100	Cube
Scotsman (www.scotsman-ice.com)	IMH-A	NME454AS	----	370	12	5.20	\$150	Nugget
Scotsman (www.scotsman-ice.com)	IMH-A	MFE400AS	----	380	12	5.50	\$150	Flake
Scotsman (www.scotsman-ice.com)	IMH-A	FME504AS	----	400	12	4.80	\$150	Flake
Scotsman (www.scotsman-ice.com)	IMH-A	NME654AS	----	520	12	5.30	\$250	Nugget
Scotsman (www.scotsman-ice.com)	IMH-A	FME804AS	----	595	12	4.90	\$250	Flake
Scotsman (www.scotsman-ice.com)	IMH-A	NME954AS	----	780	12	3.90	\$250	Nugget
Scotsman (www.scotsman-ice.com)	IMH-A	C1030MA-3#,	----	844	18.4	5.00	\$250	Cube
Scotsman (www.scotsman-ice.com)	IMH-A	C1030MA-32#,	----	844	18.4	5.00	\$250	Cube

**Updated 7/8/10**

Products on this list qualify for purchases from the date they are added until the date they are removed. Valid for machines generating 60 grams (2 oz.) or lighter ice cubes, as well as flaked, crushed, or fragmented ice machines that meet the Consortium for Energy Efficiency (CEE) Tier III energy efficiency thresholds by Ice harvest (IHR) rate. Only air cooled machines are eligible.

Check your utility rebate application for terms and conditions, and effective program dates. Note: only cube machines are eligible for CEE.

Company Name (Website)	Machine Type	Model Number	Condenser	Ice Harvest Rate (lbs/day)	Potable Water Use Rate (gal/100lbs)	Energy Use Rate (kWh/100lb)	Rebate (per unit)	Ice Type
Scotsman (www.scotsman-ice.com)	IMH-A	C1030SA-3#,	----	844	18.4	5.00	\$250	Cube
Scotsman (www.scotsman-ice.com)	IMH-A	C1030SA-32#,	----	844	18.4	5.00	\$250	Cube
Scotsman (www.scotsman-ice.com)	IMH-A	FME1204AS	----	870	12	3.30	\$250	Flake
Scotsman (www.scotsman-ice.com)	IMH-A	NME1254AS	----	945	12	3.70	\$250	Nugget
Scotsman (www.scotsman-ice.com)	IMH-A	FME1504AS	----	1110	12	3.40	\$400	Flake
Scotsman (www.scotsman-ice.com)	IMH-A	C1448MA-3#,	----	1242	18.5	4.60	\$400	Cube
Scotsman (www.scotsman-ice.com)	IMH-A	C1448MA-32#,	----	1242	18.5	4.60	\$400	Cube
Scotsman (www.scotsman-ice.com)	IMH-A	C1448SA-3#,	----	1242	18.5	4.60	\$400	Cube
Scotsman (www.scotsman-ice.com)	IMH-A	C1448SA-32#,	----	1242	18.5	4.60	\$400	Cube
Scotsman (www.scotsman-ice.com)	IMH-A	NME1854AS	----	1595	12	3.90	\$500	Nugget
Scotsman (www.scotsman-ice.com)	IMH-A	FME2404AS	----	1800	12	3.30	\$500	Flake
Scotsman (www.scotsman-ice.com)	IMH-A	F0522A-1A	----	320	12	6.10	\$150	Flake
Scotsman (www.scotsman-ice.com)	IMH-A	F0822A-1A	----	580	12	4.70	\$250	Flake
Scotsman (www.scotsman-ice.com)	IMH-A	F0822A-32A	----	580	12	4.70	\$250	Flake

**Updated 7/8/10**

Products on this list qualify for purchases from the date they are added until the date they are removed. Valid for machines generating 60 grams (2 oz.) or lighter ice cubes, as well as flaked, crushed, or fragmented ice machines that meet the Consortium for Energy Efficiency (CEE) Tier III energy efficiency thresholds by Ice harvest (IHR) rate. Only air cooled machines are eligible.

Check your utility rebate application for terms and conditions, and effective program dates. Note: only cube machines are eligible for CEE.

Company Name (Website)	Machine Type	Model Number	Condenser	Ice Harvest Rate (lbs/day)	Potable Water Use Rate (gal/100lbs)	Energy Use Rate (kWh/100lb)	Rebate (per unit)	Ice Type
Scotsman (www.scotsman-ice.com)	IMH-A	F1222A-32A	----	825	12	3.90	\$250	Flake
Scotsman (www.scotsman-ice.com)	IMH-A	F1222A-3A	----	825	12	3.90	\$250	Flake
Scotsman (www.scotsman-ice.com)	IMH-A	F1522A-32A	----	1100	12	3.70	\$400	Flake
Scotsman (www.scotsman-ice.com)	IMH-A	N0422A-1A	----	310	12	6.30	\$150	Nugget
Scotsman (www.scotsman-ice.com)	IMH-A	N0622A-1A	----	500	12	5.30	\$150	Nugget
Scotsman (www.scotsman-ice.com)	IMH-A	N0622A-32A	----	500	12	5.30	\$150	Nugget
Scotsman (www.scotsman-ice.com)	IMH-A	N0922A-32A	----	765	12	4.70	\$250	Nugget
Scotsman (www.scotsman-ice.com)	IMH-A	N0922A-3A	----	765	12	4.70	\$250	Nugget
Scotsman (www.scotsman-ice.com)	IMH-A	N1322A-32A	----	950	12	4.20	\$250	Nugget
Scotsman (www.scotsman-ice.com)	RCU-A	EH130SL-1#	C0600CP-32# ERC680-32#	530	18.4	5.70	\$250	Cube
Scotsman (www.scotsman-ice.com)	RCU-A	C0830MR-3#,	ERC311-32#	780	18.4	4.70	\$250	Cube
Scotsman (www.scotsman-ice.com)	RCU-A	C0830MR-32#,	ERC311-32#	780	18.4	4.70	\$250	Cube
Scotsman (www.scotsman-ice.com)	RCU-A	C0830SR-3#,	ERC311-32#	780	18.4	4.70	\$250	Cube
Scotsman (www.scotsman-ice.com)	RCU-A	C0830SR-32#,	ERC311-32#	780	18.4	4.70	\$250	Cube

**Updated 7/8/10**

Products on this list qualify for purchases from the date they are added until the date they are removed. Valid for machines generating 60 grams (2 oz.) or lighter ice cubes, as well as flaked, crushed, or fragmented ice machines that meet the Consortium for Energy Efficiency (CEE) Tier III energy efficiency thresholds by Ice harvest (IHR) rate. Only air cooled machines are eligible.

Check your utility rebate application for terms and conditions, and effective program dates. Note: only cube machines are eligible for CEE.

Company Name (Website)	Machine Type	Model Number	Condenser	Ice Harvest Rate (lbs/day)	Potable Water Use Rate (gal/100lbs)	Energy Use Rate (kWh/100lb)	Rebate (per unit)	Ice Type
Scotsman (www.scotsman-ice.com)	RCU-A	NME954RS	ERC151	830	12	4.10	\$250	Nugget
Scotsman (www.scotsman-ice.com)	RCU-A	FME1204RS	ERC151	890	12	3.40	\$250	Flake
Scotsman (www.scotsman-ice.com)	RCU-A	NME1254RS	ERC201	1005	12	3.60	\$400	Nugget
Scotsman (www.scotsman-ice.com)	RCU-A	FME1504RS	ERC201	1100	12	3.30	\$400	Flake
Scotsman (www.scotsman-ice.com)	RCU-A	C1848MR-3#,	ERC611-32#	1645	17.9	4.30	\$500	Cube
Scotsman (www.scotsman-ice.com)	RCU-A	C1848MR-32#,	ERC611-32#	1645	17.9	4.30	\$500	Cube
Scotsman (www.scotsman-ice.com)	RCU-A	C1848SR-3#,	ERC611-32#	1645	17.9	4.30	\$500	Cube
Scotsman (www.scotsman-ice.com)	RCU-A	C1848SR-32#,	ERC611-32#	1645	17.9	4.30	\$500	Cube
Scotsman (www.scotsman-ice.com)	RCU-A	FME2404RS	ERC302	1780	12	3.40	\$500	Flake
Scotsman (www.scotsman-ice.com)	RCU-A	NME1854RS	ERC302	1800	12	3.90	\$500	Nugget
Scotsman (www.scotsman-ice.com)	RCU-A	F0822R-1A	ERC111-1A	610	12	5.10	\$250	Flake
Scotsman (www.scotsman-ice.com)	RCU-A	F1222R-32A	ERC211-32A	1000	12	3.40	\$250	Flake
Scotsman (www.scotsman-ice.com)	RCU-A	F1222R-3A	ERC211-32A	1000	12	3.40	\$250	Flake
Scotsman (www.scotsman-ice.com)	RCU-A	N0622R-1A	ERC111-1A	530	12	5.60	\$250	Nugget

**Updated 7/8/10**

Products on this list qualify for purchases from the date they are added until the date they are removed. Valid for machines generating 60 grams (2 oz.) or lighter ice cubes, as well as flaked, crushed, or fragmented ice machines that meet the Consortium for Energy Efficiency (CEE) Tier III energy efficiency thresholds by Ice harvest (IHR) rate. Only air cooled machines are eligible.

Check your utility rebate application for terms and conditions, and effective program dates. Note: only cube machines are eligible for CEE.

Company Name (Website)	Machine Type	Model Number	Condenser	Ice Harvest Rate (lbs/day)	Potable Water Use Rate (gal/100lbs)	Energy Use Rate (kWh/100lb)	Rebate (per unit)	Ice Type
Scotsman (www.scotsman-ice.com)	RCU-A	N0622R-32A	ERC111-1A	530	12	5.60	\$250	Nugget
Scotsman (www.scotsman-ice.com)	RCU-A	N0922R-32A	ERC311-1A	835	12	4.00	\$250	Nugget
Scotsman (www.scotsman-ice.com)	RCU-A	N0922R-3A	ERC311-1A	835	12	4.00	\$250	Nugget
Scotsman (www.scotsman-ice.com)	RCU-A	N1322R-32A	ERC311-1A	1030	12	4.00	\$400	Nugget
Scotsman (www.scotsman-ice.com)	SC-A	AFE325AS	----	264	12	5.60	\$100	Flake
Scotsman (www.scotsman-ice.com)	SC-A	MDT3F12A	----	294	12	5.60	\$100	Flake
Scotsman (www.scotsman-ice.com)	SC-A	AFE400A	----	300	12	5.40	\$100	Flake
Scotsman (www.scotsman-ice.com)	SC-A	MDT4F12A	----	351	12	5.60	\$150	Flake
Scotsman (www.scotsman-ice.com)	SC-A	MDT5N25A	----	409	12	5.40	\$150	Flake
Scotsman (www.scotsman-ice.com)	SC-A	MDT5N40A	----	409	12	5.40	\$150	Flake
Scotsman (www.scotsman-ice.com)	SC-A	MDT6N90A	----	540	12	5.60	\$250	Flake
Scotsman (www.scotsman-ice.com)	SC-A	NSE654AS	----	560	12	5.30	\$250	Nugget

**Updated 7/8/10**

The control system must be used in conjunction with variable speed fan motor controls. Project Installation Worksheet must be submitted with rebate application. List effective January 1, 2010. Check your utility rebate application for terms and conditions, and effective program dates.

<b>Company Name (Website)</b>	<b>Brand Name</b>	<b>Installation Type</b>	<b>Rebate*</b>
<b>Captive Air</b> (www.captiveaire.com)	<b>Energy Management System fo Kitchen Hoods</b>	<b>Existing Hood Retrofit</b>	<b>\$350/hp</b>
		<b>New Hood</b>	<b>\$300/hp</b>
<b>Halton Company</b> (www.haltoncompany.com)	<b>M.A.R.V.E.L.</b>	<b>New Hood</b>	<b>\$300/hp</b>
<b>Melink</b> (www.melinkcorp.com)	<b>Intelli-Hood</b>	<b>Existing Hood Retrofit</b>	<b>\$350/hp</b>
		<b>New Hood</b>	<b>\$300/hp</b>

Note: Demand Ventilation Control rebates are calculated per the total rated nameplate exhaust fan horsepower for the fans controlled by the demand ventilation system