

Updated 12/15/08

NOTE: Check your utility rebate application for terms and conditions, and effective program dates.

Company Name (Website)	Model Name	Model Number	Type*	Size	Fuel Type	Energy Efficiency (%)	Idle Energy Rate (Btu/h)	Water Use (gph)	Rebate (per unit)
Alto-Shaam (www.alto-shaam.com)	Combitherm	ML7-14 7-14GASML 7-14ML	Counter	Full	Gas	54%	15,700	19.0	\$750
	Combitherm	7-14ESG	Counter	Full	Gas	54%	10,176	8.3	
	Combitherm	6-10ESG	Counter	Half	Gas	N/A			
	Combitherm	12-18ESG	Floor	Full	Gas	N/A			
	Combitherm	10-10ESG	Floor	Half	Gas	N/A			
Blodgett (www.blodgett.com)	Blodgett	BCX-14G	Counter	Full	Gas	N/A	35,666	1.5	
Cleveland (www.clevelandrange.com)	Convotherm	OGB-6.20	Counter	Full	Gas	67%	4,562	18.3	
	Convotherm	OGB-6.10	Counter	Half	Gas	N/A			
	Convotherm	OGB-10.20	Floor	Full	Gas	N/A			
	Convotherm	OGB-12.20	Floor	Full	Gas	N/A			
	Convotherm	OGB-10.10	Floor	Half	Gas	N/A			
	Convotherm	OGB-20.20	Roll-In	Full	Gas	N/A			
	Convotherm	OGB-20.10	Roll-In	Half	Gas	N/A			
	Convotherm	OGS-6.20	Counter	Full	Gas	49%	10,530	18.3	
	Convotherm	OGS-6.10	Counter	Half	Gas	N/A			
	Convotherm	OGS-10.20	Floor	Full	Gas	N/A			
	Convotherm	OGS-12.20	Floor	Full	Gas	N/A			
	Convotherm	OGS-10.10	Floor	Half	Gas	N/A			
	Convotherm	OGS-20.20	Roll-In	Full	Gas	N/A			
Convotherm	OGS-20.10	Roll-In	Half	Gas	N/A				
Electrolux (professional.electroluxusa.com)	Air-O-Steam	O 260148 O 260095	Counter	Half	Gas	45%	16,456	26.6	
	Air-O-Steam	O 260150 O 260097	Floor	Full	Gas	N/A			
	Air-O-Steam	O 260149 O 260096	Floor	Half	Gas	N/A			
	Air-O-Steam	O 260152 O 260099	Roll-In	Full	Gas	N/A			
	Air-O-Steam	O 260151 O 260098	Roll-In	Half	Gas	N/A			
Eloma (www.eloma.com)	Genius	T 611	Counter	Half	Gas	50%	N/A	0.8	
	Genius	T 1011	Floor	Half	Gas	N/A			
	Genius	T 12-21	Floor	Full	Gas	N/A			
	Genius	T 2011	Roll-In	Half	Gas	N/A			
	Genius	T 2022	Roll-In	Full	Gas	N/A			
Henny Penny (www.hennypenny.com)	ClassicCombi	GCC-620	Counter	Full	Gas	N/A			
	ClassicCombi	GCC-615	Counter	Half	Gas	56%	10,176	4.5	
	ClassicCombi	GCC-120	Floor	Full	Gas	N/A			
	ClassicCombi	GCC-115	Floor	Half	Gas	N/A			
	ClassicCombi	GCC-220	Roll-In	Full	Gas	N/A			
	ClassicCombi	GCC-215	Roll-In	Half	Gas	N/A			
	SmartCombi	GSC-620	Counter	Full	Gas	N/A			

Note: Data based on applying ASTM F1639-revised July 2008

*Type based on ASTM Standard Specification F1495

N/A = Data Not Available

Updated 12/15/08

NOTE: Check your utility rebate application for terms and conditions, and effective program dates.

Company Name (Website)	Model Name	Model Number	Type*	Size	Fuel Type	Energy Efficiency (%)	Idle Energy Rate (kW)	Water Use (gph)	Rebate (per unit)
Henny Penny (www.hennypenny.com)	SmartCombi	GSC-615	Counter	Half	Gas	53%	12,285	5.7	\$750
	SmartCombi	GSC-120	Floor	Full	Gas	N/A			
	SmartCombi	GSC-115	Floor	Half	Gas	67%	82,202	1.0	
	SmartCombi	GSC-220	Roll-In	Full	Gas	N/A			
	SmartCombi	GSC-215	Roll-In	Half	Gas	N/A			
Lainox (www.lainox.com)	The Cube	MG 061	Counter	Half	Gas	N/A			
	The Cube	MG 102	Floor	Full	Gas	45%	80,813	17.5	
	The Cube	MG 101	Floor	Half	Gas	N/A			
	The Cube	MG 202	Roll-In	Full	Gas	N/A			
	The Cube	MG 201	Roll-In	Half	Gas	N/A			
Rational (www.rationalusa.com)	SelfCooking Center	SCC 62G	Counter	Full	Gas	50%	34,260	19.8	
	SelfCooking Center	SCC 61G	Counter	Half	Gas	N/A			
	SelfCooking Center	SCC 102G	Floor	Full	Gas	N/A			
	SelfCooking Center	SCC 101G	Floor	Half	Gas	N/A			
	SelfCooking Center	SCC 202G	Roll-In	Full	Gas	N/A			
	SelfCooking Center	SCC 201G	Roll-In	Half	Gas	N/A			

Note: Data based on applying ASTM F1639-revised July 2008

*Type based on ASTM Standard Specification F1495

N/A = Data Not Available

Updated 12/15/2008

NOTE: Check your utility rebate application for terms and conditions, and effective program dates.

Company Name (Website)	Model Name	Model Number	Size	Config.	Fuel Type	Energy Efficiency (%)	Idle Energy Rate (Btu/h)	Rebate (per oven)*
Alto-Shaam (www.alto-shaam.com)	Platinum Series	ASC-4G	Full	Single	Gas	42.0%	21,000	\$500
	Platinum Series	2-ASC-4G	Full	Double	Gas	42.0%	42,000	\$1,000
American Range (www.americanrange.com)	Majestic	M-1	Full	Single	Gas	40.4%	15,473	\$500
	Majestic	M-2	Full	Double	Gas	40.0%	30,946	\$1,000
	Majestic	MSD-1	Full	Single	Gas	40.7%	14,548	\$500
	Majestic	MSD-2	Full	Double	Gas	40.7%	29,096	\$1,000
Bakers Pride (www.bakerspride.com)	Cyclone	CO11-G1	Full	Single	Gas	43.0%	10,800	\$500
	Cyclone	CO11-G2	Full	Double	Gas	43.0%	21,600	\$1,000
	Cyclone	GDCO-G1	Full	Single	Gas	43.0%	10,800	\$500
	Cyclone	GDCO-G2	Full	Double	Gas	43.0%	21,600	\$1,000
Blodgett (www.blodgett.com)	-	DFG100	Full	Single	Gas	41.0%	N/A	\$500
	-	DFG100 Double	Full	Double	Gas	41.0%	N/A	\$1,000
	-	DFG100 Xcel	Full	Single	Gas	41.3%	17,500	\$500
	-	DFG100 Xcel Double	Full	Double	Gas	41.0%	35,000	\$1,000
	-	DFG200	Full	Single	Gas	44.1%	12,300	\$500
	-	DFG200 Double	Full	Double	Gas	44.0%	24,600	\$1,000
	-	SHO-G	Full	Single	Gas	44.5%	14,500	\$500
	-	SHO-G Double	Full	Double	Gas	45.0%	29,000	\$1,000
	-	Zephaire-G	Full	Single	Gas	44.7%	14,000	\$500
	-	Zephaire-G Double	Full	Double	Gas	45.0%	28,000	\$1,000
Doyon Inc. (www.doyon.qc.ca)	Jet Air Ovens	JA**G	Full	Single	Gas	43.0%	21,500	\$500
Duke Manufacturing (www.dukemfg.com)	613 Series	613G2V	Full	Double	Gas	54.0%	19,920	\$1,000
	613 Series	613G1V	Full	Single	Gas	54.0%	9,960	\$500
	E Series	E101-G	Full	Single	Gas	54.0%	N/A	\$500
	E Series	E102-G	Full	Double	Gas	54.0%	N/A	\$1,000
Garland (www.garland-group.com)	Master 200	MCO-GS-10-S MCO-GD-10-S	Full	Single	Gas	43.4%	15,600	\$500
	Master 200	MCO-GS-20-S MCO-GD-20-S	Full	Double	Gas	43.0%	31,200	\$1,000
	Master 450	MCO-GS-10 MCO-GD-10	Full	Single	Gas	42.1%	16,818	\$500
	Master 450	MCO-GS-20 MCO-GD-20	Full	Double	Gas	42.0%	33,636	\$1,000
	Moisture Plus	MP-GS-10-D	Full	Single	Gas	44.0%	17,387	\$500
	Moisture Plus	MP-GS-20-D	Full	Double	Gas	44.0%	17,387	\$1,000

Note: Data based on applying ASTM F-1496
N/A = Data Not Available

*Rebate amount is calculated per oven cavity.
Double-stacked ovens qualify for a double rebate.

Updated 12/15/2008

NOTE: Check your utility rebate application for terms and conditions, and effective program dates.

Company Name (Website)	Model Name	Model Number	Size	Config.	Fuel Type	Energy Efficiency (%)	Idle Energy Rate (Btu/h)	Rebate (per oven)*
Hobart (www.hobartcorp.com)	-	HGC501 HGC504	Full	Single	Gas	46.3%	11,900	\$500
	-	HGC502	Full	Double	Gas	46.0%	23,800	\$1,000
Imperial (www.imperialrange.com)	Turbo-Flow	ICV-1	Full	Single	Gas	40.0%	N/A	\$500
	Turbo-Flow	ICV-2	Full	Double	Gas	40.0%	N/A	\$1,000
	Turbo-Flow	ICVD-1	Full	Single	Gas	40.0%	12,200	\$500
	Turbo-Flow	ICVD-2	Full	Double	Gas	40.0%	24,400	\$1,000
	Turbo-Flow	ICVG-1	Full	Single	Gas	40.1%	11,340	\$500
	Turbo-Flow	ICVG-2	Full	Double	Gas	40.1%	22,680	\$1,000
Lang (www.langworld.com)	-	GCCO-AP GCOF-AP1	Full	Single	Gas	41.0%	14,200	\$500
	-	2GCCO-AP GCOF-AP2	Full	Double	Gas	41.0%	28,400	\$1,000
	-	OCGFS_1 GCSF-ES1	Full	Single	Gas	42.1%	9,438	\$500
	-	OCGFS_2 GCSF-ES2	Full	Double	Gas	42.0%	18,876	\$1,000
Moffat (www.moffat.com)	-	G32MS	Full	Single	Gas	46.7%	12,300	\$500
Montague (www.montaguecompany.com)	Vectaire	HX-63A	Full	Single	Gas	43.9%	12,900	\$500
	Vectaire	HX2-63	Full	Double	Gas	44.0%	25,800	\$1,000
Royal Range (www.royalranges.com)	-	RCOS-1	Full	Single	Gas	46.2%	13,064	\$500
	-	RCOS-2	Full	Double	Gas	46.0%	26,128	\$1,000
Southbend (www.southbendnc.com)	Bronze Series	BG-12	Full	Single	Gas	47.2%	13,427	\$500
	Bronze Series	BG-22	Full	Double	Gas	47.0%	26,854	\$1,000
	Marathoner Gold	GS-15	Full	Single	Gas	46.2%	13,990	\$500
	Marathoner Gold	GS-25	Full	Double	Gas	46.0%	27,980	\$1,000
	Silver Star	SLGS-12	Full	Single	Gas	45.9%	13,949	\$500
	Silver Star	SLGS-22	Full	Double	Gas	46.0%	27,898	\$1,000
Vulcan (www.vulcanhart.com)	-	SG44D	Full	Double	Gas	48.0%	22,720	\$1,000
	-	SG4D	Full	Single	Gas	47.8%	11,360	\$500
	-	VC44G	Full	Double	Gas	46.0%	23,800	\$1,000
	-	VC4G	Full	Single	Gas	46.3%	11,900	\$500
Wolf (www.wolfrange.com)	-	WKGD1	Full	Single	Gas	46.3%	11,900	\$500
	-	WKGD2	Full	Double	Gas	46.0%	23,800	\$1,000

Note: Data based on applying ASTM F-1496
N/A = Data Not Available

*Rebate amount is calculated per oven cavity.
Double-stacked ovens qualify for a double rebate.

Updated 12/15/08

NOTE: Check your utility rebate application for terms and conditions, and effective program dates.

Company Name (Website)	Brand Name	Model Number	Fuel Type	Energy Efficiency (%)	Idle Energy Rate (Btu/h)	Rebate (per oven)*
Adamatic Corporation (www.adamatic.com)	Adamatic	PRO2G	Gas	50.4	37,852	\$2,000
Baxter (www.baxtermfg.com)	Baxter	BXA1G	Gas	N/A		\$1,000
	Baxter	BXA2G	Gas	55.7	32,321	\$2,000
Sveba-Dahlen (www.sveba-dahlen.se)	Dahlen	C152	Gas	N/A	N/A	\$1,000
	Dahlen	V22	Gas	N/A	N/A	\$1,000
	Dahlen	V42	Gas	52.0	28,292	\$2,000
Gemini Bakery Equipment, Co. (www.geminibe.com)	Gemini	C152	Gas	N/A		\$1,000
	Gemini	V42	Gas	52.0	28,292	\$2,000
LBC Bakery Equipment (www.langbakery.com)	LBC	LRO-1G-N	Gas	53.3	29,705	\$1,000
	LBC	LRO-2G	Gas	54.3	23,485	\$2,000
Hobart (www.hobartcorp.com)	Hobart	HBA-1G	Gas	N/A		\$1,000
	Hobart	HBA-2G	Gas	55.7	32,321	\$2,000
Revent (www.revent.se)	Revent	726	Gas	N/A		\$1,000
	Revent	724	Gas	61.7	26,030	\$2,000
TMB Baking (www.tmbbaking.com)	TMB Baking	XL2	Gas	53.3	35,890	\$2,000

Note: Data based on applying ASTM F2093

N/A = Data Not Available

Qualified Conveyor Ovens

Updated 12/15/2008

NOTE: Check your utility rebate application for terms and conditions, and effective program dates.


Company Name (Website)	Model Name	Model Number	Conveyor Width (in.)	Fuel Type	Energy Efficiency (%)	Idle Rate (Btu/h)	Rebate (per oven)*
Middleby (www.middleby.com)	-	PS570	32	Gas	47.4	40,600	\$750

Note: Data based on applying ASTM F1817

N/A = Data Not Available

Updated 12/15/2008

NOTE: Check your utility rebate application for terms and conditions, and effective program dates.

 Company Name (Website)	Model Name	Model Number	Fuel Type	Energy Efficiency (%)	Idle Energy Rate (Btu/h)	Production Capacity (lb/h)	Rebate (per vat)
Alto-Shaam (www.alto-shaam.com)	-	ASF-60G	Gas	65.5	4,072	82	\$500
Dean (dean.enodis.com)	Decathlon	HD*50G	Gas	52.1	8,386	72	
Frymaster (www.frymaster.com)	-	BIH*55	Gas	55.2	5,604	69	
	-	FPH50	Gas	50.0	6,400	57	
	-	BK*55C	Gas	55.2	5,604	69	
	-	BKFP*55C	Gas	55.2	5,604	69	
	Protector™	FPGL*30	Gas	56.4	4,382	68	
	LOV	BIGLA*30	Gas	56.4	4,382	68	
	-	H*55	Gas	55.2	5,604	69	
	-	MJH*50	Gas	50.0	6,400	57	
	-	MPH*55	Gas	55.2	5,604	69	
	-	PMJH*50	Gas	50.0	6,400	57	
-	YSCFH*14G	Gas	52.1	8,386	72		
Henny Penny (www.hennypenny.com)	-	OFG-32*	Gas	50.3	7,040	62	
	-	OGA-32*	Gas	50.3	7,040	62	
Keating (www.keatingofchicago.com)	Incredible Frying Machine	IFM 14	Gas	57.4	4,700	57	
Pitco (www.pitco.com)	-	MGII	Gas	54.0	8,510	67	
	-	SGC	Gas	50.5	4,899	55	
	-	SGH50	Gas	54.0	8,510	67	
	-	SSH55 SFSSH55 SSHF55	Gas	55.1	8,140	72	
	-	SSH55R SFSSH55R SSHF55R	Gas	52.6	8,900	N/A	
	-	SSH60 SFSSH60 SSHF60	Gas	58.5	8,705	76	
	-	SSH60R SFSSH60R SSHF60R	Gas	51.9	8,446	74	
	-						
Ultrafryer Systems (www.ultrafryer.com)	Par 3	C-P30-14	Gas	59.6	4,120	60	
	-	PD-14	Gas	N/A	N/A	N/A	
	Par 3	F-P30-14 B-P30-14	Gas	64.7	4,180	73	
	Par 3	PDEX 1V 1-14	Gas	64.7	4,180	73	

Note: Data based on applying ASTM F1361
 *denotes the number of fryers in a fryer battery
 N/A = Data Not Available

Updated 12/15/2008

NOTE: Check your utility rebate application for terms and conditions, and effective program dates.

Company Name (Website)	Model Name	Model Number	Vat Width (in.)	Fuel Type	Energy Efficiency (%)	Idle Energy Rate (Btu/h)	Rebate (per vat)
Alto-Shaam (www.alto-shaam.com)	-	ASF-75G	22	Gas	71.0	4,825	\$500
Dean (dean.enodis.com)	-	HDx60G	18	Gas	52.2	10,242	
Henny Penny (www.hennypenny.com)	-	OGA-34*	18	Gas	N/A	N/A	
	-	OFG-34*	18	Gas	51.4	23,652	
Pitco (www.pitco.com)	-	SGM24 SFSGM24 SGMF24	24	Gas	52.4	15,356	
	-	SSH60W SFSSH60W SSH60W	18	Gas	56.6	10,669	
	-	SSH75 SFSSH75 SSH75	18	Gas	61.1	11,226	
	-	SSH75R SFSSH75R SSH75R	18	Gas	55.8	11,819	
Ultrafryer Systems (www.ultrafryer.com)	Par 2	F-P20-18 B-P20-18	18	Gas	59.4	6,281	
	Par 2.5	F-P25-18 B-P25-18	18	Gas	58.9	5,710	
	Par 3	F-P30-18 B-P30-18	18	Gas	61.1	5,993	
	Par 4	P40-18	18	Gas	74.3	4,909	

Note: Data based on applying ASTM F2144

N/A = Data Not Available

*** denotes the number of frypots in a fryer battery**

Updated 12/15/08

NOTE: Check your utility rebate application for terms and conditions, and effective program dates.

Company Name (Website)	Brand Name	Model Name	Model Number (all sizes)	Fuel Type	Energy Efficiency (%)	Idle Energy Rate* (Btu/h/ft ²)	Rebate (per unit)
AccuTemp (www.accutemp.net)	AccuTemp	Accu-Steam	GG	Gas	47.2	2,524	\$125
Garland (www.garland-group.com)	Garland	-	CG	Gas	40.7	2,329	
Imperial (www.imperialrange.com)	Imperial	-	ITG	Gas	38.6	3,159	
	Imperial	-	ISAE	Gas	39.6	3,035	
Jade (www.jaderange.com)	Jade	Supreme	JGT	Gas	40.2	2,588	
Keating (www.keatingofchicago.com)	Keating	Miraclean	Miraclean	Gas	44.2	2,400	
Wells (www.wellsbloomfield.com)	Wells	-	WG	Gas	39.5	3,196	
Vulcan (www.vulcanhart.com)	Vulcan	-	9**RE	Gas	40.5	2,518	
Wolf (www.wolfrange.com)	Wolf	Therm-O-Ray	IRG	Gas	42.0	2,483	


Note: Data based on applying ASTM F1275

N/A = Data Not Available

*** idle rate and production capacity normalized per square foot of cooking surface**

Updated 12/15/2008

NOTE: Check your utility rebate application for terms and conditions, and effective program dates.

 Company Name (Website)	Model Name	Model Number	Capacity	Fuel Type	Energy Efficiency (%)	Idle Energy Rate (Btu/h)	Production Capacity (lb/h)	Water Use (gph)	Rebate (per unit)
Intek (www.intekllc.com)	Xtreme Steam	XSG-5	5 pan	Gas	49.1	7,027	96	< 3.0	\$750
Market Forge (www.mfii.com)	Steam Tech Plus	STP-6G	6 pan	Gas	38.5	12,000	136	2.9	
	Eco Tech Plus	ETP-5G	5 pan	Gas	39.7	3,000	91	N/A	
	Eco Tech Plus	ETP-10G	10 pan	Gas	39.7	5,766	182	7.5	
Stellar (www.stellarfoodequipment.com)	Sirius II	Sirius 6	6 pan	Gas	44.6	1,176	84	< 2.0	

Note: Data based on applying ASTM F1484
 N/A = Data Not Available