

Qualified Glass-Door Refrigerators

Updated 5/11/2012

Qualifying models must meet ENERGY STAR® Version 2.0 specification and must be listed in the California Energy Commission database. Products on this list qualify for purchases from the date they are added until the date they are removed. Review program application for complete list of program qualifications, terms, conditions and effective dates.

| Company Name | Brand Name | Model Number | Style Type | Total Volume (cu. ft.) | Daily Energy Use (kWh) | Rebate (per unit) |
|--------------|--------------|------------------|------------|---------------------------|------------------------------|----------------------|
| Beverage-Air | Beverage-Air | BB68G***** | Reach-in | 28.3 | 4.01 | \$100 |
| Beverage-Air | Beverage-Air | ER24-5A*G***** | Reach-in | 22 | 3.5 | \$100 |
| Beverage-Air | Beverage-Air | ER34-5A*G***** | Reach-in | 29.8 | 4.11 | \$100 |
| Beverage-Air | Beverage-Air | ER48-5AG***** | Reach-in | 46.7 | 4.65 | \$125 |
| Beverage-Air | Beverage-Air | HR1W-1*G***** | Reach-in | 31.3 | 4.9 | \$125 |
| Beverage-Air | Beverage-Air | HR2-1*G***** | Reach-in | 48 | 5.8 | \$125 |
| Beverage-Air | Beverage-Air | HR3-1*G***** | Reach-in | 73.6 | 6.9 | \$150 |
| Beverage-Air | Beverage-Air | HRP1W-1*G***** | Reach-in | 31.3 | 4.9 | \$125 |
| Beverage-Air | Beverage-Air | HRP2-1*G***** | Reach-in | 48 | 5.8 | \$125 |
| Beverage-Air | Beverage-Air | HRP3-1*G***** | Reach-in | 73.6 | 6.9 | \$150 |
| Beverage-Air | Beverage-Air | HRPS1W-1*G***** | Reach-in | 31.3 | 4.9 | \$125 |
| Beverage-Air | Beverage-Air | HRPS2-1*G***** | Reach-in | 48 | 5.8 | \$125 |
| Beverage-Air | Beverage-Air | HRPS3-1*G***** | Reach-in | 73.6 | 6.9 | \$150 |
| Beverage-Air | Beverage-Air | HRS1W-1*G***** | Reach-in | 31.3 | 4.9 | \$125 |
| Beverage-Air | Beverage-Air | HRS2-1*G***** | Reach-in | 48 | 5.8 | \$125 |
| Beverage-Air | Beverage-Air | HRS3-1*G***** | Reach-in | 73.6 | 6.9 | \$150 |
| Beverage-Air | Beverage-Air | LV27-***LED**** | Reach-in | 26.17 | 4.13 | \$100 |
| Beverage-Air | Beverage-Air | LV27-1-***** | Reach-in | 26.17 | 4.13 | \$100 |
| Beverage-Air | Beverage-Air | LV38-***LED**** | Reach-in | 35.37 | 5.17 | \$125 |
| Beverage-Air | Beverage-Air | LV38-1-***** | Reach-in | 35.37 | 5.17 | \$125 |
| Beverage-Air | Beverage-Air | LV45-***LED**** | Reach-in | 42.98 | 5.92 | \$125 |
| Beverage-Air | Beverage-Air | LV45-1-***** | Reach-in | 42.98 | 5.92 | \$125 |
| Beverage-Air | Beverage-Air | LV49-***LED**** | Reach-in | 45.42 | 5.82 | \$125 |
| Beverage-Air | Beverage-Air | LV49-1-***** | Reach-in | 45.42 | 5.82 | \$125 |
| Beverage-Air | Beverage-Air | LV66Y-***LED**** | Reach-in | 64.7 | 7.68 | \$150 |
| Beverage-Air | Beverage-Air | LV66Y-1-***** | Reach-in | 64.7 | 7.68 | \$150 |
| Beverage-Air | Beverage-Air | LV72Y-***LED**** | Reach-in | 70.16 | 7.68 | \$150 |

List maintained by PG&E Food Service Technology Center (FSTC) - www.fishnick.com

NOTE: List subject to change without notice. Please check the FSTC website for latest version.

Qualified Glass-Door Refrigerators

Updated 5/11/2012

Qualifying models must meet ENERGY STAR® Version 2.0 specification and must be listed in the California Energy Commission database. Products on this list qualify for purchases from the date they are added until the date they are removed. Review program application for complete list of program qualifications, terms, conditions and effective dates.

| Company Name | Brand Name | Model Number | Style Type | Total Volume (cu. ft.) | Daily Energy Use (kWh) | Rebate (per unit) |
|-------------------------------------|--------------|---------------|--------------|---------------------------|------------------------------|----------------------|
| Beverage-Air | Beverage-Air | LV72Y-1-***** | Reach-in | 70.16 | 7.68 | \$150 |
| Beverage-Air | Beverage-Air | UC85-1***** | Reach-in | 2.4 | 0.98 | \$75 |
| Carrier Commercial Refrigeration | Beverage-Air | MC1300S***** | Reach-in | 46.96 | 6.46 | \$125 |
| Carrier Commercial Refrigeration | Beverage-Air | MC2000S***** | Reach-in | 64.96 | 8.63 | \$150 |
| Carrier Commercial Refrigeration | Carrier | MC1300S***** | Reach-in | 46.96 | 6.46 | \$125 |
| Carrier Commercial Refrigeration | Carrier | MC2000S***** | Reach-in | 64.96 | 8.63 | \$150 |
| Delfield | Delfield | 6025XL-G | Reach-in | 20 | 3.7 | \$100 |
| Delfield | Delfield | 6025XL-GH | Reach-in | 20 | 3.7 | \$100 |
| Delfield | Delfield | 6051XL-G | Reach-in | 43.5 | 5.59 | \$125 |
| Delfield | Delfield | 6051XL-GH | Reach-in | 43.5 | 5.59 | \$125 |
| Delfield | Delfield | SAR1-G | Reach-in | 24.96 | 3.8 | \$100 |
| Delfield | Delfield | SAR1-GH | Reach-in | 24.96 | 3.8 | \$100 |
| Delfield | Delfield | SAR1S-G | Reach-in | 18.25 | 3.55 | \$100 |
| Delfield | Delfield | SAR1S-GH | Reach-in | 18.25 | 3.55 | \$100 |
| Delfield | Delfield | SAR2-G | Reach-in | 51.92 | 6.67 | \$150 |
| Delfield | Delfield | SAR2-GH | Reach-in | 51.92 | 6.67 | \$150 |
| Delfield | Delfield | SAR2S-G | Reach-in | 37.96 | 5.24 | \$125 |
| Delfield | Delfield | SAR2S-GH | Reach-in | 37.96 | 5.24 | \$125 |
| Delfield | Delfield | SAR3-G | Reach-in | 78.89 | 8.9 | \$150 |
| Delfield | Delfield | SAR3-GH | Reach-in | 78.89 | 8.9 | \$150 |
| Delfield | Delfield | SARPT1-G | Pass-Through | 26.64 | 4.58 | \$100 |
| Delfield | Delfield | SARPT1-GH | Pass-Through | 26.64 | 4.58 | \$100 |
| Delfield | Delfield | SARPT1-GHSH | Pass-Through | 26.64 | 4.58 | \$100 |

List maintained by PG&E Food Service Technology Center (FSTC) - www.fishnick.com

NOTE: List subject to change without notice. Please check the FSTC website for latest version.

Qualified Glass-Door Refrigerators

Updated 5/11/2012

Qualifying models must meet ENERGY STAR® Version 2.0 specification and must be listed in the California Energy Commission database. Products on this list qualify for purchases from the date they are added until the date they are removed. Review program application for complete list of program qualifications, terms, conditions and effective dates.

| Company Name | Brand Name | Model Number | Style Type | Total Volume (cu. ft.) | Daily Energy Use (kWh) | Rebate (per unit) |
|--------------|------------|--------------|--------------|---------------------------|------------------------------|----------------------|
| Delfield | Delfield | SARPT1-GS | Pass-Through | 26.64 | 4.58 | \$100 |
| Delfield | Delfield | SARRI1-G | Roll-In | 36.15 | 5.46 | \$125 |
| Delfield | Delfield | SARRI2-G | Roll-In | 74.72 | 9.27 | \$150 |
| Delfield | Delfield | SMR1-G | Reach-in | 24.96 | 3.8 | \$100 |
| Delfield | Delfield | SMR1-GH | Reach-in | 24.96 | 3.8 | \$100 |
| Delfield | Delfield | SMR1S-G | Reach-in | 18.25 | 3.55 | \$100 |
| Delfield | Delfield | SMR1S-GH | Reach-in | 18.25 | 3.55 | \$100 |
| Delfield | Delfield | SMR2-G | Reach-in | 51.92 | 6.68 | \$150 |
| Delfield | Delfield | SMR2-GH | Reach-in | 51.92 | 6.68 | \$150 |
| Delfield | Delfield | SMR2N-G | Reach-in | 43.94 | 5.95 | \$125 |
| Delfield | Delfield | SMR2N-GH | Reach-in | 43.94 | 5.95 | \$125 |
| Delfield | Delfield | SMR2S-G | Reach-in | 37.96 | 5.24 | \$125 |
| Delfield | Delfield | SMR2S-GH | Reach-in | 37.96 | 5.24 | \$125 |
| Delfield | Delfield | SMR3-G | Reach-in | 78.89 | 8.9 | \$150 |
| Delfield | Delfield | SMR3-GH | Reach-in | 78.89 | 8.9 | \$150 |
| Delfield | Delfield | SMRRI1-G | Roll-In | 36.15 | 5.46 | \$125 |
| Delfield | Delfield | SMRRI2-G | Roll-In | 74.72 | 9.28 | \$150 |
| Delfield | Delfield | SSR1-G | Reach-in | 24.96 | 3.8 | \$100 |
| Delfield | Delfield | SSR1-GH | Reach-in | 24.96 | 3.8 | \$100 |
| Delfield | Delfield | SSR1S-G | Reach-in | 18.25 | 3.55 | \$100 |
| Delfield | Delfield | SSR1S-GH | Reach-in | 18.25 | 3.55 | \$100 |
| Delfield | Delfield | SSR2-G | Reach-in | 51.92 | 6.67 | \$150 |
| Delfield | Delfield | SSR2-GH | Reach-in | 51.92 | 6.67 | \$150 |
| Delfield | Delfield | SSR2S-G | Reach-in | 37.96 | 5.24 | \$125 |
| Delfield | Delfield | SSR2S-GH | Reach-in | 37.96 | 5.24 | \$125 |
| Delfield | Delfield | SSR3-G | Reach-in | 78.89 | 8.9 | \$150 |
| Delfield | Delfield | SSR3-GH | Reach-in | 78.89 | 8.9 | \$150 |

List maintained by PG&E Food Service Technology Center (FSTC) - www.fishnick.com

NOTE: List subject to change without notice. Please check the FSTC website for latest version.

Qualified Glass-Door Refrigerators

Updated 5/11/2012

Qualifying models must meet ENERGY STAR® Version 2.0 specification and must be listed in the California Energy Commission database. Products on this list qualify for purchases from the date they are added until the date they are removed. Review program application for complete list of program qualifications, terms, conditions and effective dates.

| Company Name | Brand Name | Model Number | Style Type | Total Volume (cu. ft.) | Daily Energy Use (kWh) | Rebate (per unit) |
|---------------------------------|------------|--------------|--------------|---------------------------|------------------------------|----------------------|
| Delfield | Delfield | SSRPT1-G | Pass-Through | 26.64 | 4.58 | \$100 |
| Delfield | Delfield | SSRPT1-GH | Pass-Through | 26.64 | 4.58 | \$100 |
| Delfield | Delfield | SSRPT1-GHSH | Pass-Through | 26.64 | 4.58 | \$100 |
| Delfield | Delfield | SSRPT1-GS | Pass-Through | 26.64 | 4.58 | \$100 |
| Delfield | Delfield | SSRRI1-G | Roll-In | 36.15 | 5.46 | \$125 |
| Delfield | Delfield | SSRRI2-G | Roll-In | 74.72 | 9.27 | \$150 |
| Electrolux Home Products | Frigidaire | FCGM20**** | Reach-in | 21.9 | 2.7 | \$100 |
| Electrolux Home Products | Kelvinator | KGM22**** | Reach-in | 21.9 | 2.7 | \$100 |
| Fogel de Centroamerica, S.A. | Fogel | CC-7-BEV | Reach-in | 5.94 | 2.08 | \$75 |
| Fogel de Centroamerica, S.A. | Fogel | DECK-10 | Reach-in | 8.12 | 1.82 | \$75 |
| Fogel de Centroamerica, S.A. | Fogel | DECK-10-HC | Reach-in | 8.12 | 1.87 | \$75 |
| Fogel de Centroamerica, S.A. | Fogel | DECK-12 | Reach-in | 9.97 | 1.85 | \$75 |
| Fogel de Centroamerica, S.A. | Fogel | DECK-26 | Reach-in | 22.13 | 4.01 | \$100 |
| Fogel de Centroamerica, S.A. | Fogel | HC-12 | Reach-in | 10.38 | 2.09 | \$75 |
| Fogel de Centroamerica, S.A. | Fogel | VR-10-BEV | Reach-in | 8.48 | 2.19 | \$75 |
| Fogel de Centroamerica, S.A. | Fogel | VR-12-BEV | Reach-in | 10.38 | 2.1 | \$75 |
| Fogel de Centroamerica, S.A. | Fogel | VR-26-BEV | Reach-in | 22.06 | 3.32 | \$100 |

List maintained by PG&E Food Service Technology Center (FSTC) - www.fishnick.com

NOTE: List subject to change without notice. Please check the FSTC website for latest version.

Qualified Glass-Door Refrigerators

Updated 5/11/2012

Qualifying models must meet ENERGY STAR® Version 2.0 specification and must be listed in the California Energy Commission database. Products on this list qualify for purchases from the date they are added until the date they are removed. Review program application for complete list of program qualifications, terms, conditions and effective dates.

| Company Name | Brand Name | Model Number | Style Type | Total Volume (cu. ft.) | Daily Energy Use (kWh) | Rebate (per unit) |
|--------------------------------------|---------------------------|----------------|------------|---------------------------|------------------------------|----------------------|
| Fogel de Centroamerica, S.A. | Fogel | VR-33-SD-US | Reach-in | 29.69 | 4.18 | \$100 |
| Fogel de Centroamerica, S.A. | Fogel | VR-45-SD-BEV | Reach-in | 38.61 | 5.62 | \$125 |
| Fogel de Centroamerica, S.A. | Fogel | X-37 | Reach-in | 33.57 | 4.64 | \$125 |
| Frigoglass North America Ltd. Co. | Miracool by Frigoglass | MC1100S-V2 | Reach-in | 38.82 | 5.45 | \$125 |
| Frigoglass North America Ltd. Co. | Miracool by Frigoglass | MC1300H-V2 | Reach-in | 47.72 | 6.38 | \$125 |
| Frigoglass North America Ltd. Co. | Miracool by Frigoglass | MC1300S-V2 | Reach-in | 46.96 | 5.93 | \$125 |
| Frigoglass North America Ltd. Co. | Miracool by Frigoglass | MC260-CC | Reach-in | 9.38 | 1.98 | \$75 |
| Frigoglass North America Ltd. Co. | Miracool by Frigoglass | MC260-CC-CO2-E | Reach-in | 9.38 | 1.97 | \$75 |
| Frigoglass North America Ltd. Co. | Miracool by Frigoglass | MC260-V2 | Reach-in | 9.38 | 2.41 | \$75 |
| Frigoglass North America Ltd. Co. | Miracool by Frigoglass | MC300-CC | Reach-in | 11.94 | 2.34 | \$75 |
| Frigoglass North America Ltd. Co. | Miracool by Frigoglass | MC300-CC-CO2-E | Reach-in | 11.94 | 2.18 | \$75 |
| Frigoglass North America Ltd. Co. | Miracool by Frigoglass | MC300-V2 | Reach-in | 11.94 | 2.4 | \$75 |
| Frigoglass North America Ltd. Co. | Miracool by Frigoglass | MC750-CC | Reach-in | 25.74 | 3.14 | \$100 |

List maintained by PG&E Food Service Technolgy Center (FSTC) - www.fishnick.com

NOTE: List subject to change without notice. Please check the FSTC website for latest version.

Qualified Glass-Door Refrigerators

Updated 5/11/2012

Qualifying models must meet ENERGY STAR® Version 2.0 specification and must be listed in the California Energy Commission database. Products on this list qualify for purchases from the date they are added until the date they are removed. Review program application for complete list of program qualifications, terms, conditions and effective dates.

| Company Name | Brand Name | Model Number | Style Type | Total Volume (cu. ft.) | Daily Energy Use (kWh) | Rebate (per unit) |
|-----------------------------------|------------------------|----------------|------------|---------------------------|------------------------------|----------------------|
| Frigoglass North America Ltd. Co. | Miracool by Frigoglass | MC750-CC-CO2-E | Reach-in | 25.74 | 3.9 | \$100 |
| Frigoglass North America Ltd. Co. | Miracool by Frigoglass | MC750-V2 | Reach-in | 25.74 | 3.99 | \$100 |
| Frigoglass North America Ltd. Co. | Miracool by Frigoglass | UR30-CC | Reach-in | 6.14 | 1.64 | \$75 |
| Frigoglass North America Ltd. Co. | Miracool by Frigoglass | UR30-ST | Reach-in | 6.14 | 1.77 | \$75 |
| Frigoglass North America Ltd. Co. | Miracool by Frigoglass | UR30-V2 | Reach-in | 6.14 | 1.87 | \$75 |
| Hoshizaki America | Hoshizaki | CR1B-FG | Reach-in | 20.94 | 3.12 | \$100 |
| Hoshizaki America | Hoshizaki | CR2B-FG | Reach-in | 47.24 | 4.97 | \$125 |
| Hoshizaki America | Hoshizaki | RH1-SSE-FG | Reach-in | 21.94 | 3.7 | \$100 |
| Hoshizaki America | Hoshizaki | RH1-SSE-HG | Reach-in | 21.94 | 2.99 | \$100 |
| Hoshizaki America | Hoshizaki | RH2-SSE-FG | Reach-in | 48.25 | 5.62 | \$125 |
| Hoshizaki America | Hoshizaki | RH2-SSE-HG | Reach-in | 48.25 | 6.1 | \$125 |
| Hoshizaki America | Hoshizaki | RH3-SSB-FG | Reach-in | 74.1 | 7.25 | \$150 |
| Hoshizaki America | Hoshizaki | RH3-SSB-HG | Reach-in | 73.6 | 8.17 | \$150 |
| McCall Refrigeration | Koolaire | KR-2 | Reach-in | 48.9 | 6.67 | \$125 |
| McCall Refrigeration | Koolaire | MK-26GD | Reach-in | 19.64 | 3.03 | \$100 |
| McCall Refrigeration | Koolaire | MK-72GD | Reach-in | 65.45 | 8.11 | \$150 |
| McCall Refrigeration | McCall | MCCR1-G | Reach-in | 24.96 | 3.8 | \$100 |
| McCall Refrigeration | McCall | MCCR1-GH | Reach-in | 24.96 | 3.8 | \$100 |
| McCall Refrigeration | McCall | MCCR2-G | Reach-in | 51.92 | 6.68 | \$150 |
| McCall Refrigeration | McCall | MCCR2-GH | Reach-in | 51.92 | 6.68 | \$150 |
| McCall Refrigeration | McCall | MCCR25-G | Reach-in | 20 | 3.7 | \$100 |
| McCall Refrigeration | McCall | MCCR25-GH | Reach-in | 20 | 3.7 | \$100 |

List maintained by PG&E Food Service Technology Center (FSTC) - www.fishnick.com

NOTE: List subject to change without notice. Please check the FSTC website for latest version.

Qualified Glass-Door Refrigerators

Updated 5/11/2012

Qualifying models must meet ENERGY STAR® Version 2.0 specification and must be listed in the California Energy Commission database. Products on this list qualify for purchases from the date they are added until the date they are removed. Review program application for complete list of program qualifications, terms, conditions and effective dates.

| Company Name | Brand Name | Model Number | Style Type | Total Volume (cu. ft.) | Daily Energy Use (kWh) | Rebate (per unit) |
|---------------------------|------------------------------|--------------|--------------|---------------------------|------------------------------|----------------------|
| McCall Refrigeration | McCall | MCCR3-G | Reach-in | 78.89 | 8.9 | \$150 |
| McCall Refrigeration | McCall | MCCR3-GH | Reach-in | 78.89 | 8.9 | \$150 |
| McCall Refrigeration | McCall | MCCR51-G | Reach-in | 43.5 | 5.59 | \$125 |
| McCall Refrigeration | McCall | MCCR51-GH | Reach-in | 43.5 | 5.59 | \$125 |
| McCall Refrigeration | McCall | MCCRPT1-G | Pass-Through | 26.64 | 4.58 | \$100 |
| McCall Refrigeration | McCall | MCCRPT1-GH | Pass-Through | 26.64 | 4.58 | \$100 |
| Ojeda USA, Inc. | Ojeda | RVP2P36**** | Reach-in | 40 | 6.14 | \$125 |
| Perlick | Perlick | BS32 | Reach-in | 7 | 1.97 | \$75 |
| Perlick | Perlick | CS32 | Reach-in | 7 | 1.97 | \$75 |
| Perlick | Perlick | R24 | Reach-in | 4.7 | 1.12 | \$75 |
| QBD Cooling Systems, Inc. | QBD Cooling Systems, Inc. | CD10-H | Reach-in | 9.22 | 2.19 | \$75 |
| QBD Cooling Systems, Inc. | QBD Cooling Systems, Inc. | CD12-H | Reach-in | 11.27 | 2.19 | \$75 |
| QBD Cooling Systems, Inc. | QBD Cooling Systems, Inc. | CD14-H | Reach-in | 14.33 | 2.82 | \$75 |
| QBD Cooling Systems, Inc. | QBD Cooling Systems, Inc. | CD26-L1T5 | Reach-in | 23.13 | 3.79 | \$100 |
| QBD Cooling Systems, Inc. | QBD Cooling Systems, Inc. | CD26RL | Reach-in | 23.27 | 3.89 | \$100 |
| QBD Cooling Systems, Inc. | QBD Cooling Systems, Inc. | CD4148-S | Reach-in | 14.64 | 2.48 | \$75 |
| QBD Cooling Systems, Inc. | QBD Cooling Systems, Inc. | CD4154SL | Reach-in | 14.31 | 2.9 | \$75 |
| QBD Cooling Systems, Inc. | QBD Cooling Systems, Inc. | CD4156SL | Reach-in | 15.09 | 3.05 | \$100 |

Qualified Glass-Door Refrigerators

Updated 5/11/2012

Qualifying models must meet ENERGY STAR® Version 2.0 specification and must be listed in the California Energy Commission database. Products on this list qualify for purchases from the date they are added until the date they are removed. Review program application for complete list of program qualifications, terms, conditions and effective dates.

| Company Name | Brand Name | Model Number | Style Type | Total Volume (cu. ft.) | Daily Energy Use (kWh) | Rebate (per unit) |
|---------------------------|---------------------------|--------------|------------|---------------------------|------------------------------|----------------------|
| QBD Cooling Systems, Inc. | QBD Cooling Systems, Inc. | CD4160SL | Reach-in | 16.54 | 3.05 | \$100 |
| QBD Cooling Systems, Inc. | QBD Cooling Systems, Inc. | CD45S | Reach-in | 37.13 | 5.78 | \$125 |
| QBD Cooling Systems, Inc. | QBD Cooling Systems, Inc. | CD47HB | Reach-in | 39.98 | 5.74 | \$125 |
| QBD Cooling Systems, Inc. | QBD Cooling Systems, Inc. | SL10H | Reach-in | 6.63 | 1.77 | \$75 |
| Stajac Industries | Excellence | CC-7-BEV | Reach-in | 5.94 | 2.08 | \$75 |
| Stajac Industries | Excellence | DECK-10 | Reach-in | 8.12 | 1.82 | \$75 |
| Stajac Industries | Excellence | DECK-10-HC | Reach-in | 8.12 | 1.87 | \$75 |
| Stajac Industries | Excellence | DECK-12 | Reach-in | 9.97 | 1.85 | \$75 |
| Stajac Industries | Excellence | DECK-12-HC | Reach-in | 9.97 | 2.39 | \$75 |
| Stajac Industries | Excellence | DECK-26 | Reach-in | 22.13 | 4.01 | \$100 |
| Stajac Industries | Excellence | VR-10-BEV | Reach-in | 8.48 | 2.19 | \$75 |
| Stajac Industries | Excellence | VR-12-BEV | Reach-in | 10.38 | 2.1 | \$75 |
| Stajac Industries | Excellence | VR-26-BEV | Reach-in | 22.06 | 3.32 | \$100 |
| Stajac Industries | Excellence | VR-33-SD-US | Reach-in | 29.69 | 4.18 | \$100 |
| Stajac Industries | Excellence | VR-45-SD-BEV | Reach-in | 38.61 | 5.62 | \$125 |
| Traulsen | Traulsen | G11000 | Reach-in | 24.2 | 4.43 | \$100 |
| Traulsen | Traulsen | G11001 | Reach-in | 24.2 | 4.43 | \$100 |
| Traulsen | Traulsen | G11010 | Reach-in | 24.2 | 4.43 | \$100 |
| Traulsen | Traulsen | G11011 | Reach-in | 24.2 | 4.43 | \$100 |
| Traulsen | Traulsen | G21000 | Reach-in | 46 | 6 | \$125 |
| Traulsen | Traulsen | G21001 | Reach-in | 46 | 6 | \$125 |
| Traulsen | Traulsen | G21002 | Reach-in | 46 | 6 | \$125 |
| Traulsen | Traulsen | G21003 | Reach-in | 46 | 6 | \$125 |

List maintained by PG&E Food Service Technology Center (FSTC) - www.fishnick.com

NOTE: List subject to change without notice. Please check the FSTC website for latest version.

Qualified Glass-Door Refrigerators

Updated 5/11/2012

Qualifying models must meet ENERGY STAR® Version 2.0 specification and must be listed in the California Energy Commission database. Products on this list qualify for purchases from the date they are added until the date they are removed. Review program application for complete list of program qualifications, terms, conditions and effective dates.

| Company Name | Brand Name | Model Number | Style Type | Total Volume (cu. ft.) | Daily Energy Use (kWh) | Rebate (per unit) |
|-------------------------------------|------------|--------------|------------|---------------------------|------------------------------|----------------------|
| Traulsen | Traulsen | G21010 | Reach-in | 46 | 6 | \$125 |
| Traulsen | Traulsen | G21011 | Reach-in | 46 | 6 | \$125 |
| Traulsen | Traulsen | G21012 | Reach-in | 46 | 6 | \$125 |
| Traulsen | Traulsen | G21013 | Reach-in | 46 | 6 | \$125 |
| True Foodservice Equipment, Inc. | True | GDM-10 | Reach-in | 8.1 | 2.08 | \$75 |
| True Foodservice Equipment, Inc. | True | GDM-10-58 | Reach-in | 9.8 | 2.36 | \$75 |
| True Foodservice Equipment, Inc. | True | GDM-11SD | Reach-in | 9.3 | 2.47 | \$75 |
| True Foodservice Equipment, Inc. | True | GDM-12 | Reach-in | 10.1 | 2.49 | \$75 |
| True Foodservice Equipment, Inc. | True | GDM-12FC | Reach-in | 10.1 | 2.49 | \$75 |
| True Foodservice Equipment, Inc. | True | GDM-12RF | Reach-in | 10.1 | 2.49 | \$75 |
| True Foodservice Equipment, Inc. | True | GDM-23 | Reach-in | 22 | 3.2 | \$100 |
| True Foodservice Equipment, Inc. | True | GDM-23RF | Reach-in | 22 | 4.04 | \$100 |
| True Foodservice Equipment, Inc. | True | GDM-33 | Reach-in | 30.29 | 4.78 | \$125 |
| True Foodservice Equipment, Inc. | True | GDM-35 | Reach-in | 34.3 | 5.21 | \$125 |
| True Foodservice Equipment, Inc. | True | GDM-37 | Reach-in | 32.7 | 4.77 | \$125 |

List maintained by PG&E Food Service Technology Center (FSTC) - www.fishnick.com
 NOTE: List subject to change without notice. Please check the FSTC website for latest version.

Qualified Glass-Door Refrigerators

Updated 5/11/2012

Qualifying models must meet ENERGY STAR® Version 2.0 specification and must be listed in the California Energy Commission database. Products on this list qualify for purchases from the date they are added until the date they are removed. Review program application for complete list of program qualifications, terms, conditions and effective dates.

| Company Name | Brand Name | Model Number | Style Type | Total Volume (cu. ft.) | Daily Energy Use (kWh) | Rebate (per unit) |
|----------------------------------|------------------------------|------------------|--------------|---------------------------|---------------------------|----------------------|
| True Foodservice Equipment, Inc. | True | GDM-41 | Reach-in | 34.3 | 4.83 | \$125 |
| True Foodservice Equipment, Inc. | True | GDM-43 | Reach-in | 37.3 | 5.3 | \$125 |
| True Foodservice Equipment, Inc. | True | GDM-49 | Reach-in | 45.2 | 5.96 | \$125 |
| True Foodservice Equipment, Inc. | True | TSD-47G | Undercounter | 43 | 5.15 | \$125 |
| Turbo Air | Centaur | CGM-48 | Reach-in | 44 | 6.05 | \$125 |
| Turbo Air | Centaur | CGM-5R | Reach-in | 4.7 | 1.55 | \$75 |
| Turbo Air | Turbo Air | MSR-49G-2 | Reach-in | 39 | 5.22 | \$125 |
| Turbo Air | Turbo Air | TBB-4SG | Reach-in | 36.47 | 5.57 | \$125 |
| Turbo Air | Turbo Air | TGM-11R | Reach-in | 10 | 2.52 | \$75 |
| Turbo Air | Turbo Air | TGM-22R | Reach-in | 20.3 | 3.52 | \$100 |
| Turbo Air | Turbo Air | TGM-35R | Reach-in | 29.27 | 5 | \$100 |
| Turbo Air | Turbo Air | TGM-48R | Reach-in | 44 | 6.05 | \$125 |
| Turbo Air | Turbo Air | TGM-5R | Reach-in | 4.7 | 1.55 | \$75 |
| Vendo de Mexico S.A. de C.V. | Vendo de Mexico S.A. de C.V. | VR10 C BMAD | Reach-in | 8.72 | 1.85 | \$75 |
| Victory Refrigeration, Inc. | Victory | RA-2D-S7-EWPT-GD | Pass-Through | 56.3 | 6.93 | \$150 |
| Victory Refrigeration, Inc. | Victory | RA-2D-S7-GD | Reach-in | 46.5 | 6.12 | \$125 |
| Victory Refrigeration, Inc. | Victory | RA-2D-S7-PT-GD | Pass-Through | 50.4 | 7 | \$150 |
| Victory Refrigeration, Inc. | Victory | RA-3D-S7-GD | Reach-in | 70.1 | 6.11 | \$150 |
| Victory Refrigeration, Inc. | Victory | RA-3D-S7-PT-GD | Pass-Through | 75.9 | 9.31 | \$150 |
| Victory Refrigeration, Inc. | Victory | RS-2D-S7-EW-GD | Reach-in | 50.3 | 6.74 | \$150 |
| Victory Refrigeration, Inc. | Victory | RS-2D-S7-EWPT-GD | Pass-Through | 56.3 | 6.93 | \$150 |
| Victory Refrigeration, Inc. | Victory | RS-2D-S7-GD | Reach-in | 46.5 | 6.12 | \$125 |

List maintained by PG&E Food Service Technology Center (FSTC) - www.fishnick.com
 NOTE: List subject to change without notice. Please check the FSTC website for latest version.

Qualified Glass-Door Refrigerators

Updated 5/11/2012

Qualifying models must meet ENERGY STAR® Version 2.0 specification and must be listed in the California Energy Commission database. Products on this list qualify for purchases from the date they are added until the date they are removed. Review program application for complete list of program qualifications, terms, conditions and effective dates.

| Company Name | Brand Name | Model Number | Style Type | Total Volume (cu. ft.) | Daily Energy Use (kWh) | Rebate (per unit) |
|-----------------------------|------------|-------------------|--------------|---------------------------|---------------------------|----------------------|
| Victory Refrigeration, Inc. | Victory | RS-2D-S7-PT-GD | Pass-Through | 50.4 | 7 | \$150 |
| Victory Refrigeration, Inc. | Victory | RS-3D-S7-GD | Reach-in | 70.1 | 6.11 | \$150 |
| Victory Refrigeration, Inc. | Victory | RS-3D-S7-PT-GD | Pass-Through | 75.9 | 9.31 | \$150 |
| Victory Refrigeration, Inc. | Victory | RSA-2D-S7-EW-GD | Reach-in | 50.3 | 6.74 | \$150 |
| Victory Refrigeration, Inc. | Victory | RSA-2D-S7-EWPT-GD | Pass-Through | 56.3 | 6.93 | \$150 |
| Victory Refrigeration, Inc. | Victory | RSA-2D-S7-GD | Reach-in | 46.5 | 6.12 | \$125 |
| Victory Refrigeration, Inc. | Victory | RSA-2D-S7-PT-GD | Pass-Through | 50.4 | 7 | \$150 |
| Victory Refrigeration, Inc. | Victory | RSA-3D-S7-GD | Reach-in | 70.1 | 6.11 | \$150 |
| Victory Refrigeration, Inc. | Victory | RSA-3D-S7-PT-GD | Pass-Through | 75.9 | 9.31 | \$150 |