

Updated 7/8/10

Qualifying models must meet CEE Tier 2 specification. This measure does not include cook and hold equipment. All measures must be electric hot food holding cabinets that are fully insulated and have solid doors. Qualifying cabinets must not exceed the maximum idle energy rate of 20 Watts per cubic foot in accordance with the ASTM Standard F2140 test method.

List effective as of January 1, 2010. Check your utility rebate application for terms and conditions, and effective program dates.

Company Name (Website)	Model Name	Model Number	Idle Energy Rate (watts/ft ³)	Additional Models Represented	Rebate (per unit)
Alto-Shaam (www.alto-shaam.com)	1000-BQ2/128	1000-BQ2/128	13.46	-	\$300
Alto-Shaam (www.alto-shaam.com)	1000-BQ2/192	1000-BQ2/192	11.89	-	\$300
Alto-Shaam (www.alto-shaam.com)	1000-BQ2/96	1000-BQ2/96	15.05	-	\$300
Alto-Shaam (www.alto-shaam.com)	1000-UP	1000-UP	18.25	-	\$300
Alto-Shaam (www.alto-shaam.com)	Hot Holding Cabinets	12.20MW	10.92	12.20W	\$300
Alto-Shaam (www.alto-shaam.com)	1200-S	1200-S	20	-	\$200
Alto-Shaam (www.alto-shaam.com)	1200-UP	1200-UP	20	-	\$300
Alto-Shaam (www.alto-shaam.com)	Hot Holding Cabinets	20.20MW	9.94	20.20W	\$300
Bevles/Bakers Pride/APW Wyott (www.bakerspride.com)	CS82-CH8	CS82-CH8	18.6	-	\$300
Bevles/Bakers Pride/APW Wyott (www.bakerspride.com)	Climate Select	HCSS74W12	20.0	HCSS74W12	\$300
Bevles/Bakers Pride/APW Wyott (www.bakerspride.com)	Temper Select	HTSS74W12	20.0	HTSS74P34 HTSS74W12A	\$300
California Cooking (www.eastbayrestaurantsupply.com)	Holding and Transport Cabinet	CCK1826-15-BC-IS	13.4	-	\$300
Cambro (www.cambro.com)	Camtherm Bulk Food Cabinet	CMBH1826L	10.0	CMBH1826LF CMBH1826LC CMBH1826LTR	\$200
Cambro (www.cambro.com)	Camtherm Bulk Food Cabinet	CMBH1826TSF	11.8	CMBH1826TBF CMBH1826TSC CMBH1826TBC CMBH1826TTR	\$300
Cambro (www.cambro.com)	Ultra Camcart	UPCH1600	15.1	UPCH16002	\$300
Cambro (www.cambro.com)	Hot Holding Ultra Pan Carrier	UPCH400	15.1	UPCH4002 UPCHW400 UPCHW4002	\$200
Cambro (www.cambro.com)	Ultra Camcart	UPCH800	15.1	UPCH8002 UPCHT800	\$200
Carter-Hoffmann (www.carter-hoffmann.com)	Banquet Cart	BB1824	10.9	-	\$200

Updated 7/8/10

Qualifying models must meet CEE Tier 2 specification. This measure does not include cook and hold equipment. All measures must be electric hot food holding cabinets that are fully insulated and have solid doors. Qualifying cabinets must not exceed the maximum idle energy rate of 20 Watts per cubic foot in accordance with the ASTM Standard F2140 test method.

List effective as of January 1, 2010. Check your utility rebate application for terms and conditions, and effective program dates.

Company Name (Website)	Model Name	Model Number	Idle Energy Rate (watts/ft ³)	Additional Models Represented	Rebate (per unit)
Carter-Hoffmann (www.carter-hoffmann.com)	Banquet Cart	BB1848	10.9	BB40	\$250
Carter-Hoffmann (www.carter-hoffmann.com)	Banquet Cart	BB1864	10.9	BB48 BB64 BB72 BB90 BB96 BB96X BB100 BB120 BB120X	\$300
Carter-Hoffmann (www.carter-hoffmann.com)	Banquet Cart	BB1864	10.9	BB150 BB150X BB200D BB1000 BB1200 PS96	\$300
Carter-Hoffmann (www.carter-hoffmann.com)	Enduraheat Banquet Cart	BR96	18.2	BR120 BR150 BR1000 BR1200	\$300
Carter-Hoffmann (www.carter-hoffmann.com)	Heated Transport Cart	PH1800	10.8	PH1220 PH1225 PH1230 PH1240 PH1425 PH1800 PH1810 ST1811	\$250
Carter-Hoffmann (www.carter-hoffmann.com)	Heated Transport Cart	PH181	10.8	ST181 PH1200 PH1210 PH1215 PH1400 PH1410	\$200

Updated 7/8/10

Qualifying models must meet CEE Tier 2 specification. This measure does not include cook and hold equipment. All measures must be electric hot food holding cabinets that are fully insulated and have solid doors. Qualifying cabinets must not exceed the maximum idle energy rate of 20 Watts per cubic foot in accordance with the ASTM Standard F2140 test method.

List effective as of January 1, 2010. Check your utility rebate application for terms and conditions, and effective program dates.

Company Name (Website)	Model Name	Model Number	Idle Energy Rate (watts/ft ³)	Additional Models Represented	Rebate (per unit)
Carter-Hoffmann (www.carter-hoffmann.com)	Heated Transport Cart	PH181 (120V)	10.8	PH1250 PH1420 PH1430 PH1440 PH1450 PH1460 PH1825 PH1830 PH1850 PH1860	\$300
Carter-Hoffmann (www.carter-hoffmann.com)	Heated Transport Cart	PH181 (208V)	10.8	PH1250 PH1420 PH1430 PH1440 PH1450 PH1460 PH1825 PH1830 PH1850 PH1860	\$300
Carter-Hoffmann (www.carter-hoffmann.com)	Banquet Cart			BB60	
Cleveland (www.clevelandrange.com)	CONVOHOLD™	HCWH-20.20	13.6	HCDH-20.20	\$300
Cres Cor (www.crescor.com)	Insulated Heated Stainless Steel Banquet Cart	CCB-120A	11.4	-	\$300
Cres Cor (www.crescor.com)	Insulated Heated Stainless Steel Banquet Cart	CCB-150	15.3	-	\$300
Cres Cor (www.crescor.com)	Insulated Heated Stainless Steel Banquet Cart	EB-150	15.2	EB-150S EB-150208 EB-15208S EB-150240 EB-150240S EB-150CAN EB-150CANS	\$300

Updated 7/8/10

Qualifying models must meet CEE Tier 2 specification. This measure does not include cook and hold equipment. All measures must be electric hot food holding cabinets that are fully insulated and have solid doors. Qualifying cabinets must not exceed the maximum idle energy rate of 20 Watts per cubic foot in accordance with the ASTM Standard F2140 test method. List effective as of January 1, 2010. Check your utility rebate application for terms and conditions, and effective program dates.

Company Name (Website)	Model Name	Model Number	Idle Energy Rate (watts/ft ³)	Additional Models Represented	Rebate (per unit)
Cres Cor (www.crescor.com)	Insulated Heated Stainless Steel Banquet Cabinet	H137S96BC	10.0	-	\$300
Cres Cor (www.crescor.com)	Insulated Aquatemp Holding Cabinet	H137UA12C**2K	17.6	H137WUA12C**2K H1381834C**2K (**may have other alpha numeric characters within this location)	\$300
Cres Cor (www.crescor.com)	Insulated Holding Cabinet	H137UA9CD	15.0	H137UA9C	\$250
Cres Cor (www.crescor.com)	Insulated Stainless Steel Aquatemp Holding Cabinet	H137WSUA12C	12.4	H137SUA12C	\$300
Cres Cor (www.crescor.com)	Insulated Stainless Steel Holding Cabinet	H137WSUA6CMD	17.8	H137WSUA6CM H137SUA6CM H138WS1816CM H138S1816CM	\$200
Cres Cor (www.crescor.com)	Insulated Holding Cabinet	H1381834C	15.0	H138S1834C	\$300
Cres Cor (www.crescor.com)	H161FUA11CM	H161FUA11CM	19.5	-	\$300
Cres Cor (www.crescor.com)	Insulated Half-Size Stainless Steel Holding Cabinets	H339188CBKC	17.1	H339188CPBKC	\$300
Cres Cor (www.crescor.com)	Insulated Half-Size Stainless Steel Holding Cabinets	H339SS12188C	17.1	H339SS188C H339SST188C H339SS12188C H339SST12188C H339SSUA8C H339SSTUA8C H339XSS188C H339XSS12188C H339XSSUA8C	\$200
Cres Cor (www.crescor.com)	Insulated Holding Cabinet	H339SS1814C	17.1	-	\$200

Updated 7/8/10

Qualifying models must meet CEE Tier 2 specification. This measure does not include cook and hold equipment. All measures must be electric hot food holding cabinets that are fully insulated and have solid doors. Qualifying cabinets must not exceed the maximum idle energy rate of 20 Watts per cubic foot in accordance with the ASTM Standard F2140 test method.

List effective as of January 1, 2010. Check your utility rebate application for terms and conditions, and effective program dates.

Company Name (Website)	Model Name	Model Number	Idle Energy Rate (watts/ft ³)	Additional Models Represented	Rebate (per unit)
Cres Cor (www.crescor.com)	Insulated Half-Size Stainless Steel AquaTemp System Cabinet	H339WSSUA8D	16.9	-	\$200
Delfield (www.delfield.com)	SAHPT2-GHSH	SAHPT2-GHSH	18.4	-	\$300
Food Warming Equipment Company, Inc. (www.fweco.com)	Banquet Cabinets	E720XL	13.0	-	\$300
Food Warming Equipment Company, Inc. (www.fweco.com)	Handy Line Radiant Heat	HLC-5 (120 v 500W)	16.0	HLC-7 HLC-8 HLC-8-CHP HLC-5H-15 HLC-5S HLC-7H-21 HLC-7S HLC-8H-24 HLC-8S HLC-1227-6 HLC-1717-5 HLC-1717-13 HLC-18 HLC-18S HLC-1826-4 HLC-1826-4A HLC-1826-4F HLC-1826-8 HLC-1826-8A HLC-1826-8F HLC-SL-1826-5 (all 120V 500W models only)	\$200

Updated 7/8/10

Qualifying models must meet CEE Tier 2 specification. This measure does not include cook and hold equipment. All measures must be electric hot food holding cabinets that are fully insulated and have solid doors. Qualifying cabinets must not exceed the maximum idle energy rate of 20 Watts per cubic foot in accordance with the ASTM Standard F2140 test method. List effective as of January 1, 2010. Check your utility rebate application for terms and conditions, and effective program dates.

Company Name (Website)	Model Name	Model Number	Idle Energy Rate (watts/ft ³)	Additional Models Represented	Rebate (per unit)
Food Warming Equipment Company, Inc. (www.fweco.com)	Handy Line Radiant Heat Load Design	HLC-SL-1826-5 (120v 1000W)	18.0	HLC-1826-4 HLC-1826-4A HLC-1826-4F HLC-1826-8 HLC-1826-8A HLC-1826-8F HLC-SL-1826-5 HLC-10 HLC-10S HLC-14 HLC-14S HLC-16 HLC-16-CHP (120V 1000W models only)	\$200
Food Warming Equipment Company, Inc. (www.fweco.com)	Hndy Line Radiant Heat Side Load Design	HLCSL-1826-8	14.6	-	\$200
Food Warming Equipment Company, Inc. (www.fweco.com)	Moisture-Temp Holding	MTU-12	16.0	-	\$300
Food Warming Equipment Company, Inc. (www.fweco.com)	Mobile Humi-Temp Universal Servers	UHS-10	14.5	-	\$300
Food Warming Equipment Company, Inc. (www.fweco.com)	Mobile Humi-Temp Universal Servers	UHS-12	14.4	-	\$300
Hot Food Boxes, Inc. (www.hotfoodboxes.com)	C-12UPM	C-12UPM	19.6	-	\$300
McCall Refrigeration (www.mccallrefrigeration.com)	4-4020H	4-4020H****	12.5	1-1020H**** 2-2020H**** (may have model suffixes A, C, P or 01)	\$300
McCall Refrigeration (www.mccallrefrigeration.com)	4-4045H	4-4045H****	4.8	1-1045H**** 2-2045H**** (may have model suffixes A, C, P or 01)	\$300
InterMetro Industries Corporation (www.metro.com)	C5 6 Series, Full Height, 1440W, Stainless Steel, Reach-In Cabinets	C569L-SDC-U	14.8	C569L-SDC-** C569L-SFC-** C569L-SDS-** C569L-SFS-**	\$300

Updated 7/8/10

Qualifying models must meet CEE Tier 2 specification. This measure does not include cook and hold equipment. All measures must be electric hot food holding cabinets that are fully insulated and have solid doors. Qualifying cabinets must not exceed the maximum idle energy rate of 20 Watts per cubic foot in accordance with the ASTM Standard F2140 test method.

List effective as of January 1, 2010. Check your utility rebate application for terms and conditions, and effective program dates.

Company Name (Website)	Model Name	Model Number	Idle Energy Rate (watts/ft ³)	Additional Models Represented	Rebate (per unit)
InterMetro Industries Corporation (www.metro.com)	C5 6 Series, Full Height, 2000W, Stainless Steel, Reach-In, Glass Door Cabinets	C569-SDC-U	17.4	C569-SDC-** C569-SFC-**	\$300
InterMetro Industries Corporation (www.metro.com)	C5 6 Series, Full Height, 2000W, Stainless Steel, Reach-In, Solid Door Cabinets	C569-SDS-U	15.5	C569-SDS-** C569-SFS-**	\$300
InterMetro Industries Corporation (www.metro.com)	C5 9 / 8 Series, Full Height, Stainless Steel, Reach-In, Glass Door Cabinets	C599-SDC-U	19.0	C599-SDC-** C599-SFC-** C599L-SDC-** C599L-SFC-** C589-SDC-** C589-SFC-** C589L-SDC-** C589L-SFC-**	\$300
InterMetro Industries Corporation (www.metro.com)	C5 9 / 8 Series, Full Height, Stainless Steel, Reach-In, Solid Door Cabinets	C599-SDS-U	18.2	C599-SDS-** C599-SFS-** C599L-SDS-** C599L-SFS-** C589-SDS-** C589-SFS-** C589L-SDS-** C589L-SFS-**	\$300
InterMetro Industries Corporation (www.metro.com)	C5 9 Series Controlled Humidity Cabinets	C599-SDS-UPDS	19.2	C599-SDS-LPDS C599-SFS-UPFS C599-SFS-LPFS	\$300
InterMetro Industries Corporation (www.metro.com)	Heated Banquet Cabinet	MBQ-120	17.5	MBQ-120-QH	\$300
InterMetro Industries Corporation (www.metro.com)	Heated Banquet Cabinet	MBQ-120D	14.0	MBQ-120D-QH	\$300
InterMetro Industries Corporation (www.metro.com)	Heated Banquet Cabinet	MBQ-144	15.6	MBQ-144-QH	\$300
InterMetro Industries Corporation (www.metro.com)	Heated Banquet Cabinet	MBQ-150D	14.6	MBQ-150D-QH	\$300

Updated 7/8/10

Qualifying models must meet CEE Tier 2 specification. This measure does not include cook and hold equipment. All measures must be electric hot food holding cabinets that are fully insulated and have solid doors. Qualifying cabinets must not exceed the maximum idle energy rate of 20 Watts per cubic foot in accordance with the ASTM Standard F2140 test method.

List effective as of January 1, 2010. Check your utility rebate application for terms and conditions, and effective program dates.

Company Name (Website)	Model Name	Model Number	Idle Energy Rate (watts/ft ³)	Additional Models Represented	Rebate (per unit)
InterMetro Industries Corporation (www.metro.com)	Heated Banquet Cabinet	MBQ-180	12.5	MBQ-180-QH	\$300
InterMetro Industries Corporation (www.metro.com)	Heated Banquet Cabinet	MBQ-180D	14.6	MBQ-180D-QH	\$300
InterMetro Industries Corporation (www.metro.com)	Heated Banquet Cabinet	MBQ-200D	13.8	MBQ-200D-QH	\$300
InterMetro Industries Corporation (www.metro.com)	Top Mount Heated Banquet Cabinet	MBQT-180D	15.3	MBQT-180DQH MBQT-180D-*****	\$300
Royalton Food Service Equipment (www.royalton.cc)	RHHC-1000-C4	RHHC-1000-C4	18.8	-	\$300
Traulsen & Co., Inc. (www.traulsen.com)	AHF132-FHS	AHF132-FHS	6.7	RHF132-FHS	\$300
Traulsen & Co., Inc. (www.traulsen.com)	AHF132-HHS	AHF132-HHS	6.7	RHF132-HHS	\$300
Traulsen & Co., Inc. (www.traulsen.com)	AHF132W-FHS	AHF132W-FHS	6.7	-	\$300
Traulsen & Co., Inc. (www.traulsen.com)	AHF132W-HHS	AHF132W-HHS	6.7	-	\$300
Traulsen & Co., Inc. (www.traulsen.com)	AHF132WP-FHS	AHF132WP-FHS	6.8	-	\$300
Traulsen & Co., Inc. (www.traulsen.com)	AHF132WP-HHS	AHF132WP-HHS	6.8	-	\$300
Traulsen & Co., Inc. (www.traulsen.com)	AHF232W-FHS	AHF232W-FHS	6.8	-	\$300
Traulsen & Co., Inc. (www.traulsen.com)	AHF232W-HHS	AHF232W-HHS	6.8	-	\$300
Traulsen & Co., Inc. (www.traulsen.com)	AHF232WP-FHS	AHF232WP-FHS	6.8	-	\$300
Traulsen & Co., Inc. (www.traulsen.com)	AHF232WP-HHS	AHF232WP-HHS	6.8	-	\$300
Traulsen & Co., Inc. (www.traulsen.com)	AHF332W-FHS	AHF332W-FHS	6.8	-	\$300
Traulsen & Co., Inc. (www.traulsen.com)	AHF332W-HHS	AHF332W-HHS	6.8	-	\$300
Traulsen & Co., Inc. (www.traulsen.com)	AHF332WP-FHS	AHF332WP-FHS	6.8	-	\$300
Traulsen & Co., Inc. (www.traulsen.com)	AHF332WP-HHS	AHF332WP-HHS	6.8	-	\$300
Traulsen & Co., Inc. (www.traulsen.com)	AIH132L-FHS	AIH132L-FHS	6.8	-	\$300

Updated 7/8/10

Qualifying models must meet CEE Tier 2 specification. This measure does not include cook and hold equipment. All measures must be electric hot food holding cabinets that are fully insulated and have solid doors. Qualifying cabinets must not exceed the maximum idle energy rate of 20 Watts per cubic foot in accordance with the ASTM Standard F2140 test method.

List effective as of January 1, 2010. Check your utility rebate application for terms and conditions, and effective program dates.

Company Name (Website)	Model Name	Model Number	Idle Energy Rate (watts/ft ³)	Additional Models Represented	Rebate (per unit)
Traulsen & Co., Inc. (www.traulsen.com)	AIH132LP-FHS	AIH132LP-FHS	6.8	-	\$300
Traulsen & Co., Inc. (www.traulsen.com)	AIH232L-FHS	AIH232L-FHS	6.8	-	\$300
Traulsen & Co., Inc. (www.traulsen.com)	AIH232LP-FHS	AIH232LP-FHS	6.3	-	\$300
Traulsen & Co., Inc. (www.traulsen.com)	AIH332L-FHS	AIH332L-FHS	6.8	-	\$300
Traulsen & Co., Inc. (www.traulsen.com)	AIH332LP-FHS	AIH332LP-FHS	6.8	-	\$300
Traulsen & Co., Inc. (www.traulsen.com)	G14300	G14300	6.7	G14301	\$300
Traulsen & Co., Inc. (www.traulsen.com)	G14302P	G14302P	6.8	G14303P G14304P G14305P	\$300
Traulsen & Co., Inc. (www.traulsen.com)	G14310	G14310	6.7	G14311	\$300
Traulsen & Co., Inc. (www.traulsen.com)	G14312P	G14312P	6.8	G14313P G14314P G14315P	\$300
Traulsen & Co., Inc. (www.traulsen.com)	G24300	G24300	8.3	G24302 G24303	\$300
Traulsen & Co., Inc. (www.traulsen.com)	G24304P	G24304P	8.3	G24305P G24307P	\$300
Traulsen & Co., Inc. (www.traulsen.com)	G24310	G24310	8.3	G24312 G24313	\$300
Traulsen & Co., Inc. (www.traulsen.com)	G24314P	G24314P	8.3	G24315P G24317P	\$300
Traulsen & Co., Inc. (www.traulsen.com)	RHF132W-FHS	RHF132W-FHS	6.7	-	\$300
Traulsen & Co., Inc. (www.traulsen.com)	RHF132W-HHS	RHF132W-HHS	6.7	-	\$300
Traulsen & Co., Inc. (www.traulsen.com)	RHF132WP-FHS	RHF132WP-FHS	6.8	-	\$300
Traulsen & Co., Inc. (www.traulsen.com)	RHF132WP-HHS	RHF132WP-HHS	6.8	-	\$300
Traulsen & Co., Inc. (www.traulsen.com)	RHF232W-FHS	RHF232W-FHS	6.8	-	\$300
Traulsen & Co., Inc. (www.traulsen.com)	RHF232W-HHS	RHF232W-HHS	6.8	-	\$300
Traulsen & Co., Inc. (www.traulsen.com)	RHF232WP-FHS	RHF232WP-FHS	6.8	-	\$300
Traulsen & Co., Inc. (www.traulsen.com)	RHF232WP-HHS	RHF232WP-HHS	6.8	-	\$300

Updated 7/8/10

Qualifying models must meet CEE Tier 2 specification. This measure does not include cook and hold equipment. All measures must be electric hot food holding cabinets that are fully insulated and have solid doors. Qualifying cabinets must not exceed the maximum idle energy rate of 20 Watts per cubic foot in accordance with the ASTM Standard F2140 test method.

List effective as of January 1, 2010. Check your utility rebate application for terms and conditions, and effective program dates.

Company Name (Website)	Model Name	Model Number	Idle Energy Rate (watts/ft ³)	Additional Models Represented	Rebate (per unit)
Traulsen & Co., Inc. (www.traulsen.com)	RHF332W-FHS	RHF332W-FHS	6.8	-	\$300
Traulsen & Co., Inc. (www.traulsen.com)	RHF332W-HHS	RHF332W-HHS	6.8	-	\$300
Traulsen & Co., Inc. (www.traulsen.com)	RHF332WP-FHS	RHF332WP-FHS	6.8	-	\$300
Traulsen & Co., Inc. (www.traulsen.com)	RHF332WP-HHS	RHF332WP-HHS	6.8	-	\$300
Traulsen & Co., Inc. (www.traulsen.com)	RIH132L-FHS	RIH132L-FHS	6.8	-	\$300
Traulsen & Co., Inc. (www.traulsen.com)	RIH132LP-FHS	RIH132LP-FHS	6.8	-	\$300
Traulsen & Co., Inc. (www.traulsen.com)	RIH232L-FHS	RIH232L-FHS	6.8	-	\$300
Traulsen & Co., Inc. (www.traulsen.com)	RIH232LP-FHS	RIH232LP-FHS	6.3	-	\$300
Traulsen & Co., Inc. (www.traulsen.com)	RIH332L-FHS	RIH332L-FHS	6.8	-	\$300
Traulsen & Co., Inc. (www.traulsen.com)	RIH332LP-FHS	RIH332LP-FHS	6.8	-	\$300
Traulsen & Co., Inc. (www.traulsen.com)	TB-150	TB-150	16.0	-	\$300
Traulsen & Co., Inc. (www.traulsen.com)	TB-150FA	TB-150FA	18.3	-	\$300
Traulsen & Co., Inc. (www.traulsen.com)	TB-90	TB-90	10.7	TB-90FA	\$300
Traulsen & Co., Inc. (www.traulsen.com)	TB-96	TB-96	10.3	TB-96FA	\$300
Traulsen & Co., Inc. (www.traulsen.com)	TSP-13	TSP-13	9.7	TSP-13FA	\$300
Traulsen & Co., Inc. (www.traulsen.com)	TSP-15	TSP-15	19.1	TSP-15S TSP-15FA TSP-15FS	\$300
Vulcan (www.vulcanhart.com)	Holding and Transport Cabinet	VB150	16.0	-	\$300
Vulcan (www.vulcanhart.com)	Holding and Transport Cabinet	VB90	10.7	-	\$300
Vulcan (www.vulcanhart.com)	Holding and Transport Cabinet	VB96	10.3	-	\$300
Vulcan (www.vulcanhart.com)	VBPFA15	VBPFA15	19.1	VSCHFA15	\$300

Updated 7/8/10

Qualifying models must meet CEE Tier 2 specification. This measure does not include cook and hold equipment. All measures must be electric hot food holding cabinets that are fully insulated and have solid doors. Qualifying cabinets must not exceed the maximum idle energy rate of 20 Watts per cubic foot in accordance with the ASTM Standard F2140 test method.

List effective as of January 1, 2010. Check your utility rebate application for terms and conditions, and effective program dates.

Company Name (Website)	Model Name	Model Number	Idle Energy Rate (watts/ft ³)	Additional Models Represented	Rebate (per unit)
Vulcan (www.vulcanhart.com)	HumidiHeat Humidified Holding & Transport Cabinet	VHMD13	11.8	VHMD15	\$300
Vulcan (www.vulcanhart.com)	VHPFA7	VHPFA7	19.5	-	\$300
Winston Industries (www.winstonind.com)	HA3022	HA3022GE	15.7	-	\$300
Winston Industries (www.winstonind.com)	HA4522	HA4522GE	19.1	HA4522Z	\$300
Winston Industries (www.winstonind.com)	HL4022	HL4022	16.6	-	\$300
Winston Industries (www.winstonind.com)	HL4522	HL4522	17.2	-	\$300
Wittco Foodservice Equipment (www.wittco.com)	1220-7-FA	1220-7-FA	19.5	-	\$300
Wittco Foodservice Equipment (www.wittco.com)	Holding and Transport Cabinet	18 26-15-BC-IS	13.4	18 26-15-SCH	\$300
Wittco Foodservice Equipment (www.wittco.com)	Holding and Transport Cabinet	1826-13-HMD	11.8	18-26-5-HMD 1826-15-HMD	\$300
Wittco Foodservice Equipment (www.wittco.com)	1826-15-FA	1826-15-FA	19.1	1826-15-SCH-FA	\$300
Wittco Foodservice Equipment (www.wittco.com)	Banquet Cart	2-150	16.0	-	\$300
Wittco Foodservice Equipment (www.wittco.com)	Banquet Cart	2-90	10.7	-	\$300
Wittco Foodservice Equipment (www.wittco.com)	Banquet Cart	2-96	10.3	-	\$300